

United States Army
Fort Monmouth, New Jersey

COPY

Underground Storage Tank Closure and Site Investigation Report

***Building 291
Main Post-West Area***

**NJDEP UST Registration No. 81533-65
Dicar No. 97-8-15-1459-35**

JANUARY 1999

**UNDERGROUND STORAGE TANK
CLOSURE AND SITE INVESTIGATION REPORT**

BUILDING 291

**MAIN POST-WEST AREA
NJDEP UST REGISTRATION NO. 81533-65**

JANUARY 1999

PREPARED FOR:

**UNITED STATES ARMY, FORT MONMOUTH, NEW JERSEY
DIRECTORATE OF PUBLIC WORKS
BUILDING 167
FORT MONMOUTH, NJ 07703**

PREPARED BY:

**VERSAR
1900 FROST ROAD
SUITE 110
BRISTOL, PA 19007**

PROJECT NO. 2429-308

TABLE OF CONTENTS

EXECUTIVE SUMMARY	iv
1.0 UNDERGROUND STORAGE TANK DECOMMISSIONING ACTIVITIES	1
1.1 OVERVIEW	1
1.2 SITE DESCRIPTION	2
1.2.1 Geological/Hydrogeological Setting	2
1.3 HEALTH AND SAFETY	4
1.4 REMOVAL OF UNDERGROUND STORAGE TANK	4
1.4.1 General Procedures	4
1.4.2 Underground Storage Tank Excavation and Cleaning	4
1.5 UNDERGROUND STORAGE TANK TRANSPORTATION AND DISPOSAL	5
1.6 MANAGEMENT OF EXCAVATED SOILS	5
2.0 SITE INVESTIGATION ACTIVITIES	6
2.1 OVERVIEW	6
2.2 FIELD SCREENING/MONITORING	6
2.3 SOIL SAMPLING	7
2.4 GROUNDWATER SAMPLING	7
3.0 CONCLUSIONS AND RECOMMENDATIONS	8
3.1 SOIL SAMPLING RESULTS	8
3.2 GROUNDWATER SAMPLING RESULTS	8
3.3 CONCLUSIONS AND RECOMMENDATIONS	9

TABLE OF CONTENTS (CONTINUED)

TABLES

Table 1	Summary of Post-Excavation Sampling Activities
Table 2	Post-Excavation Soil Sampling Results
Table 3	VOA Results
Table 4	Groundwater sampling Results

FIGURES

Figure 1	Site Location Map
Figure 2	Site Map
Figure 3	Cross Sectional View
Figure 4	Soil Sampling Location Map
Figure 5	Groundwater Sampling Location Map

APPENDICES

Appendix A	NJDEP-BUST Closure Approval Letter
Appendix B	Site Assessment Summary
Appendix C	Waste Manifest
Appendix D	UST Disposal Certificate
Appendix E	Soil Analytical Data Package
Appendix F	Groundwater Analytical Data Package
Appendix G	Photographs

EXECUTIVE SUMMARY

UST Closure

On August 18, 1997, a steel underground storage tank (UST) was closed by removal in accordance with New Jersey Department of Environmental Protection (NJDEP) closure procedures at the Main Post-West area of the U.S. Army Fort Monmouth, Fort Monmouth, New Jersey. The UST, NJDEP Registration No. 0081533-65 (Fort Monmouth ID No. 291), was located south of Building 291. UST No. 0081533-65 was a 3,000-gallon #2 fuel oil UST.

Site Assessment

The site assessment was performed by U.S. Army personnel in accordance with the NJDEP *Technical Requirements for Site Remediation* (N.J.A.C. 7:26E) and the NJDEP *Field Sampling Procedures Manual*. The sampling and laboratory analysis conducted during the site assessment were performed in accordance with Section 7:26E-2.1 of the *Technical Requirements for Site Remediation*. Soils surrounding the tank were screened visually and with air monitoring equipment for evidence of contamination. Following removal, the UST was inspected for corrosion holes. Numerous holes were noted in the UST. Soils at the location of the holes were dark in color and appeared to be contaminated. Based on the inspection of the UST, Directorate of Public Works (DPW) concluded that a discharge was associated with this UST. The NJDEP hotline was notified and the case was assigned DICAR No. 97-8-15-1459-35. Approximately 255 cubic yards of potentially contaminated soil were removed from the excavated area and stored at the Fort Monmouth petroleum contaminated soil staging area. Soil samples, which were collected after the removal of the potentially contaminated soil, contained TPHC concentrations ranging from non-detect to 557.41 mg/kg, except for sample E that had a TPHC concentration of 1143.98 mg/kg. A VOA analysis (EPA Method 8260) was completed on sample E and all known compounds searched for in the analysis were not detected. Groundwater was not encountered.

All post excavation soil samples collected from the UST excavation at Building 291 contained TPHC concentrations below the NJDEP residential direct contact total organic contaminants soil cleanup criteria of 10,000 milligrams per kilogram (mg/kg) (N.J.A.C. 7:26D and revisions dated February 3, 1994). Following receipt of all post-excavation soil sampling results, the excavation was backfilled to grade with a combination of uncontaminated excavated soil and certified clean fill. The excavation site was then restored to its original condition.

In response to the observation of potentially contaminated soil and the potential of groundwater contamination, two (2) groundwater samples were collected at Building 291. On October 13, 1998, and November 14, 1998, Building 291 was sampled for volatile organic compounds calibrated for xylene plus 15 tentatively identified compounds (VOC's), and semivolatile organic compounds plus 15 tentatively identified compounds (SVOC's).

All groundwater analytical results were either below the detection limit or in compliance with the New Jersey Ground Water Quality Criteria (GWQC).

No further action is proposed in regard to the closure and site assessment of UST No. 81533-65 at Building 291.

1.0 UNDERGROUND STORAGE TANK DECOMMISSIONING ACTIVITIES

1.1 OVERVIEW

One underground storage tank (UST), New Jersey Department of Environmental Protection (NJDEP) Registration No. 81533-65, was closed at Building 291 at the Main Post-West area of U.S. Army Fort Monmouth, Fort Monmouth, New Jersey on August 18, 1997. Refer to the site location map on Figure 1. This report presents the results of the Department of Public Works' (DPW) implementation of the UST Decommissioning/Closure Plan approved by the NJDEP. The UST was a steel 3,000-gallon tank containing No. 2 fuel oil.

Decommissioning activities for UST No. 81533-65 complied with all applicable Federal, State, and Local laws and ordinances in effect at the date of decommissioning. These laws included but were not limited to N.J.A.C. 7:14B-1 et seq., N.J.A.C. 5:23-1 et seq., and Occupational Safety and Health Administration (OSHA) 1910.146 & 1910.120. All permits including but not limited to the NJDEP approved Decommissioning/Closure Plan were posted onsite for inspection. The decommissioning activities were conducted by DPW personnel who are registered and certified by the NJDEP for performing UST closure activities. Closure of UST No. 81533-65 proceeded under the approval of the NJDEP Bureau of Underground Storage Tanks (NJDEP-BUST). The NJDEP Closure Approval Letter and signed Site Assessment Summary form for UST No. 81533-65 are included in Appendices A and B, respectively.

After removal of the potentially contaminated soil, the site was assessed. Based on inspecting the UST, field screening of remaining subsurface soils, and reviewing analytical results of soil samples and groundwater samples, the DPW has concluded that no significant historical discharges are associated with the UST or associated piping.

This UST Closure and Site Investigation Report has been prepared by Versar, to assist the U.S. Army DPW in complying with the NJDEP-BUST regulations. The applicable NJDEP-BUST regulations at the date of closure were the *Interim Closure Requirements for Underground Storage Tank Systems* (N.J.A.C. 7:14B-1 et seq. October 1990 and revisions dated November 1, 1991).

This report was prepared using information collected at the time of closure. Section 1 of this UST Closure and Site Investigation Report provides a summary of the UST decommissioning activities. Section 2 of this report describes the site investigation activities. Conclusions and recommendations, including the results of the soil sampling and groundwater investigation, are presented in the final section of this report.

1.2 SITE DESCRIPTION

Building 291 is located in the Main Post-West area of the Fort Monmouth Army Base. UST No. 0081533-65 was located south of Building 291 and appurtenant copper piping ran approximately six (6) feet north from the excavation to Building 291. A site map is provided on Figure 2.

1.2.1 Geological/Hydrogeological Setting

The following is a description of the geological/hydrogeological setting of the area surrounding Building 291. Included is a description of the regional geology of the area surrounding Fort Monmouth as well as descriptions of the local geology and hydrogeology of the Main Post area.

Regional Geology

Monmouth County lies within the New Jersey Section of the Atlantic Coastal Plain physiographic province. The Main Post, Charles Wood, and the Evans areas are located in what may be referred to as the Outer Coastal Plain subprovince, or the Outer Lowlands.

In general, New Jersey Coastal Plain formations consist of a seaward-dipping wedge of unconsolidated deposits of clay, silt, and gravel. These formations typically strike northeast-southwest with a dip ranging from 10 to 60 feet per mile and were deposited on Precambrian and lower Paleozoic rocks (Zapeczka, 1989). These sediments, predominantly derived from deltaic, shallow marine, and continental shelf environments, date from Cretaceous through the Quaternary Periods. The mineralogy ranges from quartz to glauconite.

The formations record several major transgressive/regressive cycles and contain units which are generally thicker to the southeast and reflect a deeper water environment. More than 20 regional geologic units are present within the sediments of the Coastal Plain. Regressive, upward coarsening deposits are usually aquifers (e.g., Englishtown and Kirkwood Formations, and the Cohansy Sand) while the transgressive deposits act as confining units (e.g., the Merchantville, Marshalltown, and Navesink Formations). The individual thicknesses for these units vary greatly (i.e., from several feet to several hundred feet). The Coastal Plain deposits thicken to the southeast from the Fall Line to greater than 6,500 feet in Cape May County (Brown and Zapeczka, 1990).

Local Geology

Based on the regional geologic map (Jablonski, 1968), the Cretaceous age Red Bank and Tinton Sands outcrop at the Main Post area. The Red Bank sand conformably overlies the Navesink Formation and dips to the southeast at 35 feet per mile. The upper member (Shrewsbury) of the Red Bank sand is a yellowish-gray to reddish brown clayey, medium-to-coarse-grained sand that contains abundant rock fragments, minor mica and glauconite (Jablonski). The lower member (Sandy Hook) is a dark gray to black, medium-to-fine grained sand with abundant clay, mica, and glauconite.

The Tinton sand conformably overlies the Red Bank Sand and ranges from a clayey medium to very coarse grained feldspathic quartz and glauconite sand to a glauconitic coarse sand. The color varies from dark yellowish orange or light brown to moderate brown and from light olive to grayish olive. Glauconite may constitute 60 to 80 percent of the sand fraction in the upper part of the unit (Minard, 1969). The upper part of the Tinton is often highly oxidized and iron oxide encrusted (Minard).

Hydrogeology

The water table aquifer in the Main Post area is identified as part of the "composite confining units," or minor aquifers. The minor aquifers include the Navesink formation, Red Bank Sand, Tinton Sand, Hornerstown Sand, Vincentown Formation, Manasquan Formation, Shark River Formation, Piney Point Formation, and the basal clay of the Kirkwood Formation.

Based on records of wells drilled in the Main Post area, water is typically encountered at depths of 2 to 9 feet below ground surface (bgs). According to Jablonski, wells drilled in the Red Bank and Tinton Sands may produce 2 to 25 gallons per minute (gpm). Some well owners have reported acidic water that requires treatment to remove iron.

Due to the proximity of the Atlantic Ocean to Fort Monmouth, shallow groundwater may be tidally influenced and may flow toward creeks and brooks as the tide goes out, and away from creeks and brooks as the tide comes in. However, an abundance of clay lenses and sand deposits were noted in borings installed throughout Fort Monmouth. Therefore, the direction of shallow groundwater should be determined on a case-by-case basis.

Shallow groundwater is locally influenced within the Main Post area by the following factors:

- tidal influence (based on proximity to the Atlantic Ocean, rivers, and tributaries)
- topography
- nature of the fill material within the Main Post area
- presence of clay and silt lenses in the natural overburden deposits
- local groundwater recharge areas (i.e., streams, lakes)

Due to the fluvial nature of the overburden deposits (i.e., sand and clay lenses), shallow groundwater flow direction is best determined on a case-by-case basis. This is consistent with lithologies observed in borings installed within the Main Post area, which primarily consisted of fine-to-medium grained sands, with occasional lenses or laminations of gravel silt and/or clay.

Building 291 is located approximately 600 feet south of Parkers Creek, the nearest water body. Based on the Main Post topography, the groundwater flow in the area of Building 291 is anticipated to be to the north.

1.3 HEALTH AND SAFETY

Before, during, and after all decommissioning activities, hazards at the work site which may have posed a threat to the Health and Safety of all personnel who were involved with, or were affected by, the decommissioning of the UST system were minimized. All areas, which posed, or may have been suspected to pose a vapor hazard were monitored by a qualified individual utilizing an organic vapor analyzer (OVA). The individual ascertained if the area was properly vented to render the area safe, as defined by OSHA.

1.4 REMOVAL OF UNDERGROUND STORAGE TANK

1.4.1 General Procedures

- The contractor performing the closure prior to excavation activities identified all underground obstructions (utilities, etc.).
- All activities were carried out with the greatest regard to safety and health and the safeguarding of the environment.
- All excavated soils were visually examined and screened with an OVA for evidence of contamination. Potentially contaminated soils were identified and logged during closure activities.
- Surface materials (i.e., asphalt, concrete, etc.) were excavated and staged separately from all soil and recycled in accordance with all applicable regulations and laws.
- A Sub-Surface Evaluator from the DPW was present during all site assessment activities.

1.4.2 Underground Storage Tank Excavation and Cleaning

Prior to UST decommissioning activities, surficial soil was removed to expose the UST and associated piping. All free product present in the piping was drained into the UST, and the UST was purged to remove vapors prior to cutting and removal of the piping. After removal of the associated piping, a manway was made in the UST to allow for proper cleaning. The UST was completely emptied of all liquids prior to removal from the ground. Approximately 200 gallons of liquid from the UST and its associated piping were pumped directly into a Lionetti Oil Recovery truck where it was then transported to Lionetti Oil Recovery Co., Inc. facility, a NJDEP-approved petroleum recycling and disposal company located in Old Bridge, NJ. Refer to Appendix C for a copy of the waste manifest.

The UST was cleaned prior to removal from the excavation in accordance with the NJDEP-BUST regulations. After the UST was removed from the excavation, it was staged on polyethylene sheeting and examined for holes. Numerous holes were observed during the inspection by the Sub-Surface Evaluator. Soils surrounding the UST were screened visually and with an OVA for evidence of contamination. Soils were stained and appeared to be contaminated. Approximately 255 cubic yards of potentially contaminated soil were removed from the excavated area and stored at the Fort Monmouth petroleum contaminated soil staging area. Soil samples, which were collected after the removal of the potentially contaminated soil, contained TPHC concentrations ranging from non-detect to 557.41 mg/kg, except for sample E that had a TPHC concentration of 1143.98 mg/kg. A VOA analysis (EPA Method 8260) was completed on sample E and all known compounds searched for in the analysis were not detected. Groundwater was not encountered.

1.5 UNDERGROUND STORAGE TANK TRANSPORTATION AND DISPOSAL

The tank was transported in compliance with all applicable regulations and laws to Mazza and Sons, Inc., Metal Recyclers. Please refer to Appendix D for the UST Disposal Certificate and Appendix G for photographs of the tank.

The UST was labeled prior to transport with the following information:

- Site of origin
- Contact person
- NJDEP UST Facility ID number
- Former contents
- Destination site
- Date

1.6 MANAGEMENT OF EXCAVATED SOILS

Based on OVA air monitoring and TPHC analysis results from the post-excavation soil samples, approximately 255 cubic yards of potentially contaminated soil were removed from the UST excavation. All potentially contaminated soils were stockpiled separately from other excavated material and were placed on and covered with polyethylene sheets.

Potentially contaminated soils were transported to the soil staging area. Soils that did not exhibit signs of contamination were used as backfill following the removal of the UST. Groundwater was not encountered.

2.0 SITE INVESTIGATION ACTIVITIES

2.1 OVERVIEW

The Site Investigation was managed and carried out by U.S. Army DPW personnel. All analyses were performed and reported by U.S. Army Fort Monmouth Environmental Laboratory, a NJDEP-certified testing laboratory. All sampling was performed under the direct supervision of a NJDEP Certified Sub-Surface Evaluator according to the methods described in the NJDEP *Field Sampling Procedures Manual* (1992). Sampling frequency and parameters analyzed complied with the NJDEP-BUST document *Interim Closure Requirements for Underground Storage Tank Systems* (October 1990 and revisions dated November 1, 1991) which was the applicable regulation at the date of the closure. The Fort Monmouth DPW Environmental Office maintains all records of the Site Investigation activities.

The following Parties participated in Closure and Site Investigation Activities:

- Subsurface Evaluator: Eugene Lesinski
Employer: U.S. Army, Fort Monmouth
Phone Number: (908) 532-0989
NJDEP Certification No.: 14537
- Analytical Laboratory: U.S. Army Fort Monmouth Environmental laboratory
Contact Person: Daniel K. Wright
Phone Number: (908) 532-4359
NJDEP Company Certification No.: 13461
- Hazardous Waste Hauler: LORCO
Contact Person: Bill Burr
Phone Number: (908) 721-0900
NJDEP Company Certification No.: S2265

2.2 FIELD SCREENING/MONITORING

Field screening was performed by a NJDEP Certified Sub-Surface Evaluator using an OVA and visual observations to identify potentially contaminated material. Approximately 255 cubic yards of potentially petroleum contaminated soil were removed from the excavated area and transported to the Fort Monmouth petroleum contaminated soil holding area. Groundwater was not encountered.

2.3 SOIL SAMPLING

On September 5, 1997, following the removal of the UST and associated piping, post-excavation soil samples A, B, C, D, E, F, G, H, and DUP D were collected from a total of eight (8) locations of the UST excavation. Excavation floor samples A, B, C, D, and DUP D were collected at a depth of 9.0 feet bgs. Sidewall samples E, F, G, and H were collected at a depth of 5.5 feet bgs. Based on preliminary TPHC results, a VOA analysis (EPA Method 8260) was completed on sample E.

On September 8, 1997, following the removal of 40 cubic yards of potentially petroleum contaminated soil from the excavated area, post-excavation soil samples A, B, C, D, E, and DUP E were collected from a total of five (5) locations of the UST excavation. Excavation floor samples A and B were collected at a depth of 9.0 feet bgs. Sidewall samples C, D, E, and DUP E were collected at a depth of 5.5 feet bgs.

On September 20, 1997, following the removal of 59 cubic yards of potentially petroleum contaminated soil from the excavated area, post-excavation soil samples A, B, C, D, E, F, G, H, I, and DUP A were collected from a total of nine (9) locations of the UST excavation. Excavation floor samples A, B, C, and DUP A were collected at a depth of 9.0 feet bgs. Sidewall samples D, E, F, G, and H were collected at a depth of 5.5 feet bgs. Piping sample I was collected along the former piping length of the excavation, which was approximately six (6) feet in length. The piping sample was collected at a depth of 1.0 feet bgs.

On September 30, 1997, following the removal of 54 cubic yards of potentially petroleum contaminated soil from the excavated area, post-excavation soil samples A, B, C, D, E, F, G, and DUP F were collected from a total of seven (7) locations of the UST excavation. Excavation floor samples A, B, and C were collected at a depth of 9.0 feet bgs. Sidewall samples D, E, F, G, and DUP F were collected at a depth of 5.5 feet bgs.

All samples were analyzed for total petroleum hydrocarbons (TPHC) and total solids.

U.S. Army personnel in accordance with the NJDEP Technical Requirements and the NJDEP Field Sampling Procedures Manual performed the site assessment. A summary of sampling activities including parameters analyzed is provided in Table 1. The post-excavation soil samples were collected using NJDEP *Field Sampling Procedures Manual* (1992) standard sampling procedures. Following soil sampling activities, the samples were chilled and delivered to U.S. Army Fort Monmouth Environmental Laboratory located in Fort Monmouth, New Jersey, for analysis.

2.4 GROUNDWATER SAMPLING

On October 13, 1998, and November 14, 1998, Building 291 was sampled for volatile organic compounds calibrated for xylene plus 15 tentatively identified compounds (VOC's), and semivolatile organic compounds plus 15 tentatively identified compounds (SVOC's). Sampling and analysis were performed in accordance with the NJDEP *Field Sampling Procedures Manual* and the *Technical Requirements For Site Remediation*. Refer to Appendix F for the field sampling documentation.

3.0 CONCLUSIONS AND RECOMMENDATIONS

3.1 SOIL SAMPLING RESULTS

To evaluate soil conditions following removal of the UST and associated piping, post-excavation soil samples were collected from a total of twenty nine (29) locations. All samples were analyzed for TPHC and total solids. In addition, sample E was analyzed for VOA. The post-excavation sampling results were compared to the NJDEP residential direct contact total organic contaminants soil cleanup criteria of 10,000 mg/kg (N.J.A.C. 7:26D and revisions dated February 3, 1994). A summary of the analytical results and comparison to the NJDEP soil cleanup criteria is provided in Table 2 and the soil sampling locations are shown on Figure 4. The VOA analysis for sample E was compared to the NJDEP residential direct contact soil cleanup criteria and is included as Table 3. The analytical data package is provided in Appendix E.

All post-excavation soil samples collected from the UST excavation and from below piping associated with the UST contained concentrations of TPHC below the NJDEP soil cleanup criteria.

3.2 GROUNDWATER SAMPLING RESULTS

No compounds were detected in the sample collected from Building 291 on October 13, 1998.

The sample collected from Building 291 on November 14, 1998, contained bis (2-ethylhexyl) phthalate at 4.01 ug/l. No other compounds were detected.

A summary of the analytical results and comparison to the NJDEP groundwater cleanup criteria is provided in Table 4 and the groundwater sampling locations are shown on Figure 5. The analytical data package is provided in Appendix F. The full data package, including quality control, is on file at U.S. Fort Monmouth,

Groundwater samples collected on October 13, 1998, and November 14, 1998, were either below the detection limit or in compliance with the New Jersey Ground Water Quality Criteria (GWQC).

3.3 CONCLUSIONS AND RECOMMENDATIONS

The analytical results for all post-excavation soil samples collected from the UST closure excavation at Building 291 were below the NJDEP soil cleanup criteria for total organic contaminants.

Based on the post-excavation sampling results, soil with TPHC concentrations exceeding the NJDEP soil cleanup criteria for total organic contaminants of 10,000 mg/kg, do not exist in the former location of the UST or associated piping.

Based on the analytical results of the groundwater samples collected at Building 291 on October 13, 1998, and November 14, 1998, groundwater quality at Building 291 was either below the detection limit or in compliance with the New Jersey Ground Water Quality Criteria (GWQC).

No further action is proposed in regard to the closure and site assessment of UST No. 81533-65 at Building 291.

TABLES

TABLE 1

SUMMARY OF POST-EXCAVATION SAMPLING ACTIVITIES
BUILDING 291, MAIN POST-WEST AREA
FORT MONMOUTH, NEW JERSEY

Page 1 of 5

Sample ID	Date of Collection	Date Analysis Started	Matrix	Sample Type	Analytical Parameters*	NJDEP Method
A	9/5/97	9/10/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
B	9/5/97	9/10/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
C	9/5/97	9/10/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
D	9/5/97	9/10/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
E	9/5/97	9/10/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
F	9/5/97	9/10/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
G	9/5/97	9/10/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
H	9/5/97	9/10/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
DUP D	9/5/97	9/10/97	Soil	Post-Excavation	TPHC	OQA-QAM-025

Note:

* TPHC Total Petroleum Hydrocarbons

TABLE 1

SUMMARY OF POST-EXCAVATION SAMPLING ACTIVITIES
BUILDING 291, MAIN POST-WEST AREA
FORT MONMOUTH, NEW JERSEY

Page 2 of 5

Sample ID	Date of Collection	Date Analysis Started	Matrix	Sample Type	Analytical Parameters*	NJDEP Method
A	9/8/97	9/10/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
B	9/8/97	9/10/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
C	9/8/97	9/10/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
D	9/8/97	9/10/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
E	9/8/97	9/10/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
DUP E	9/8/97	9/10/97	Soil	Post-Excavation	TPHC	OQA-QAM-025

Note:

* TPHC Total Petroleum Hydrocarbons

TABLE 1

SUMMARY OF POST-EXCAVATION SAMPLING ACTIVITIES
 BUILDING 291, MAIN POST-WEST AREA
 FORT MONMOUTH, NEW JERSEY

Page 3 of 5

Sample ID	Date of Collection	Date Analysis Started	Matrix	Sample Type	Analytical Parameters*	NJDEP Method
A	9/22/97	9/22/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
B	9/22/97	9/22/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
C	9/22/97	9/22/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
**D	9/22/97	9/22/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
**E	9/22/97	9/22/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
**F	9/22/97	9/22/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
**G	9/22/97	9/22/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
H	9/22/97	9/22/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
I	9/22/97	9/22/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
DUP A	9/22/97	9/22/97	Soil	Post-Excavation	TPHC	OQA-QAM-025

Note:

- * TPHC Total Petroleum Hydrocarbons
- ** Sample further remediated and resampled

TABLE 1

SUMMARY OF POST-EXCAVATION SAMPLING ACTIVITIES
 BUILDING 291, MAIN POST-WEST AREA
 FORT MONMOUTH, NEW JERSEY

Page 4 of 5

Sample ID	Date of Collection	Date Analysis Started	Matrix	Sample Type	Analytical Parameters*	NJDEP Method
A	9/30/97	10/1/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
B	9/30/97	10/1/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
C	9/30/97	10/1/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
D	9/30/97	10/1/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
E	9/30/97	10/1/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
F	9/30/97	10/1/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
G	9/30/97	10/1/97	Soil	Post-Excavation	TPHC	OQA-QAM-025
DUP F	9/30/97	10/1/97	Soil	Post-Excavation	TPHC	OQA-QAM-025

Note:

* TPHC Total Petroleum Hydrocarbons

TABLE 1

SUMMARY OF SAMPLING ACTIVITIES
 BUILDING 291, MAIN POST-WEST AREA
 FORT MONMOUTH, NEW JERSEY

Page 5 of 5

Sample ID	Date of Collection	Date Analysis Started	Matrix	Sample Type	Analytical Parameters*	Sampling Method**
3973.01	10/13/98	10/21/98	Aqueous	Groundwater	VOCs, SVOCs	PPNDP
3973.02	10/13/98	10/21/98	Aqueous	Groundwater	VOCs, SVOCs	PPNDP
3973.04	10/13/98	10/21/98	Aqueous	Groundwater	VOCs, SVOCs	PPNDP
3973.06	10/13/98	10/21/98	Aqueous	Groundwater	VOCs, SVOCs	PPNDP
4056.01	11/14/98	11/20/98	Aqueous	Groundwater	VOCs, SVOCs	PPNDP
4056.02	11/14/98	11/20/98	Aqueous	Groundwater	VOCs, SVOCs	PPNDP
4056.06	11/14/98	11/20/98	Aqueous	Groundwater	VOCs, SVOCs	PPNDP

Note:

- *VOCs: Volatile Organic Compounds plus 15 tentatively identified compounds
- *SVOCs: Semivolatile organic compounds plus 15 tentatively identified compounds
- **PPNDP: Passively Placed Narrow Diameter Point

TABLE 2

POST-EXCAVATION SOIL SAMPLING RESULTS
 BUILDING 291, MAIN POST-WEST AREA
 FORT MONMOUTH, NEW JERSEY

Page 1 of 4

Sample ID/ Depth	Sample Laboratory ID	Sample Date	Analysis Date	Analytical Parameters	Method Detection Limit (mg/kg)	Compound of Concern	Results (mg/kg) *	NJDEP Soil Cleanup Criteria ** (mg/kg)	Exceeds Cleanup Criteria
A/9.0=	2969.01	9/5/97	9/10/97	Total Solid	--	--	70.89 %	--	--
				TPHC	219	yes	468.87	10,000	No
B/9.0=	2969.02	9/5/97	9/10/97	Total Solid	--	--	70.47 %	--	--
				TPHC	212	Yes	ND	10,000	No
C/9.0=	2969.03	9/5/97	9/10/97	Total Solid	--	--	68.12 %	--	--
				TPHC	226	Yes	330.72	10,000	No
D/9.0=	2969.04	9/5/97	9/10/97	Total Solid	--	--	69.15 %	--	--
				TPHC	224	yes	274.33	10,000	No
E/5.5=	2969.05	9/5/97	9/10/97	Total Solid	--	--	69.22 %	--	--
				TPHC	220	yes	1143.98	10,000	No
F/5.5=	2969.06	9/5/97	9/10/97	Total Solid	--	--	76.89 %	--	--
				TPHC	190	yes	262.31	10,000	No
G/5.5=	2969.07	9/5/97	9/10/97	Total Solid	--	--	77.77 %	--	--
				TPHC	190	Yes	306.81	10,000	No
H/5.5=	2969.08	9/5/97	9/10/97	Total Solid	--	--	76.67 %	--	--
				TPHC	198	yes	557.41	10,000	No
DUPD/9.0=	2969.10	9/5/97	9/10/97	Total Solid	--	--	65.53 %	--	--
				TPHC	231	yes	ND	10,000	No

Note:

* Total Solid results are expressed as a percentage.

** NJDEP Residential Direct Contact soil cleanup criteria for total organics

ND Not detected above stated method detection limit

TPHC Total Petroleum Hydrocarbons

TABLE 2

POST-EXCAVATION SOIL SAMPLING RESULTS
 BUILDING 291, MAIN POST-WEST AREA
 FORT MONMOUTH, NEW JERSEY

Page 2 of 4

Sample ID/ Depth	Sample Laboratory ID	Sample Date	Analysis Date	Analytical Parameters	Method Detection Limit (mg/kg)	Compound of Concern	Results (mg/kg) *	NJDEP Soil Cleanup Criteria ** (mg/kg)	Exceeds Cleanup Criteria
A/9.0=	2971.01	9/8/97	9/10/97	Total Solid	--	--	67.74 %	--	--
				TPHC	219	yes	ND	10,000	No
B/9.0=	2971.02	9/8/97	9/10/97	Total Solid	--	--	69.75 %	--	--
				TPHC	219	Yes	269.43	10,000	No
C/5.5=	2971.03	9/8/97	9/10/97	Total Solid	--	--	84.98 %	--	--
				TPHC	176	Yes	ND	10,000	No
D/5.5=	2971.04	9/8/97	9/10/97	Total Solid	--	--	84.20 %	--	--
				TPHC	174	yes	272.14	10,000	No
E/5.5=	2971.05	9/8/97	9/10/97	Total Solid	--	--	81.32 %	--	--
				TPHC	180	yes	ND	10,000	No
DUPE/5.5=	2971.06	9/8/97	9/10/97	Total Solid	--	--	81.03 %	--	--
				TPHC	186	yes	278.92	10,000	No

Note:

- * Total Solid results are expressed as a percentage.
 ** NJDEP Residential Direct Contact soil cleanup criteria for total organics
 ND Not detected above stated method detection limit
 TPHC Total Petroleum Hydrocarbons

TABLE 2

POST-EXCAVATION SOIL SAMPLING RESULTS
 BUILDING 291, MAIN POST-WEST AREA
 FORT MONMOUTH, NEW JERSEY

Page 3 of 4

Sample ID/ Depth	Sample Laboratory ID	Sample Date	Analysis Date	Analytical Parameters	Method Detection Limit (mg/kg)	Compound of Concern	Results (mg/kg) *	NJDEP Soil Cleanup Criteria ** (mg/kg)	Exceeds Cleanup Criteria
A/9.0=	3005.01	9/22/97	9/22/97	Total Solid	--	--	76.84 %	--	--
				TPHC	197	yes	250.16	10,000	No
B/9.0=	3005.02	9/22/97	9/22/97	Total Solid	--	--	68.93 %	--	--
				TPHC	224	Yes	261.27	10,000	No
C/9.0=	3005.03	9/22/97	9/22/97	Total Solid	--	--	69.45 %	--	--
				TPHC	213	Yes	272.52	10,000	No
***D/5.5=	3005.04	9/22/97	9/22/97	Total Solid	--	--	83.33 %	--	--
				TPHC	187	yes	4046.92	10,000	No
***E/5.5=	3005.05	9/22/97	9/22/97	Total Solid	--	--	80.48 %	--	--
				TPHC	184	yes	9298.83	10,000	No
***F/5.5=	3005.06	9/22/97	9/22/97	Total Solid	--	--	81.27 %	--	--
				TPHC	186	Yes	5881.51	10,000	No
***G/5.5=	3005.07	9/22/97	9/22/97	Total Solid	--	--	79.70 %	--	--
				TPHC	192	Yes	6854.91	10,000	No
H/5.5=	3005.08	9/22/97	9/22/97	Total Solid	--	--	80.69 %	--	--
				TPHC	179	yes	ND	10,000	No
I/1.0=	3005.09	9/22/97	9/22/97	Total Solid	--	--	87.49 %	--	--
				TPHC	175	yes	ND	10,000	No
DUPA/9.0=	3005.10	9/22/97	9/22/97	Total Solid	--	--	71.37 %	--	--
				TPHC	206	yes	269.67	10,000	No

Note:

- * Total Solid results are expressed as a percentage.
- ** NJDEP Residential Direct Contact soil cleanup criteria for total organics
- *** Sample further remediated and resampled
- ND Not detected above stated method detection limit
- TPHC Total Petroleum Hydrocarbons

TABLE 2

POST-EXCAVATION SOIL SAMPLING RESULTS
 BUILDING 291, MAIN POST-WEST AREA
 FORT MONMOUTH, NEW JERSEY

Page 4 of 4

Sample ID/ Depth	Sample Laboratory ID	Sample Date	Analysis Date	Analytical Parameters	Method Detection Limit (mg/kg)	Compound of Concern	Results (mg/kg) *	NJDEP Soil Cleanup Criteria ** (mg/kg)	Exceeds Cleanup Criteria
A/9.0=	3020.01	9/30/97	10/1/97	Total Solid	--	--	72.17 %	--	--
				TPHC	212	yes	ND	10,000	No
B/9.0=	3020.02	9/30/97	10/1/97	Total Solid	--	--	69.51 %	--	--
				TPHC	223	Yes	ND	10,000	No
C/9.0=	3020.03	9/30/97	10/1/97	Total Solid	--	--	78.67 %	--	--
				TPHC	194	Yes	196.27	10,000	No
D/5.5=	3020.04	9/30/97	10/1/97	Total Solid	--	--	76.88 %	--	--
				TPHC	201	yes	ND	10,000	No
E/5.5=	3020.05	9/30/97	10/1/97	Total Solid	--	--	80.55 %	--	--
				TPHC	190	yes	ND	10,000	No
F/5.5=	3020.06	9/30/97	10/1/97	Total Solid	--	--	79.81 %	--	--
				TPHC	185	Yes	ND	10,000	No
G/5.5=	3020.07	9/30/97	10/1/97	Total Solid	--	--	81.56 %	--	--
				TPHC	182	Yes	ND	10,000	No
DUPF/5.5=	3020.08	9/30/97	10/1/97	Total Solid	--	--	78.57 %	--	--
				TPHC	199	yes	ND	10,000	No

Note:

- * Total Solid results are expressed as a percentage.
 ** NJDEP Residential Direct Contact soil cleanup criteria for total organics
 ND Not detected above stated method detection limit
 TPHC Total Petroleum Hydrocarbons

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) SOIL
 Date Sampled: 9/5/97 Location: 291 Lab Sample ID: 2969.05(SAMPLE E)

CONCENTRATION UNITS:
(ug/L or ug/Kg)

CAS NO.	PARAMETER	MDL	QUALIFIER	RESIDENTIAL	NON-RESIDENTIAL
107028	Acrolein	2600	U	NA	NA
107131	Acrylonitrile	2600	U	1000	5000
75650	tert-Butyl alcohol	4800	U	NA	NA
1634044	Methyl-tert-Butyl ether	1100	U	NA	NA
108203	Di-isopropyl ether	740	U	NA	NA
	Dichlorodifluoromethane	1500	U	NA	NA
74-87-3	Chloromethane	370	U	520000	1000000(d)
75-01-4	Vinyl Chloride	1100	U	2000	7000
74-83-9	Bromomethane	740	U	79000	1000000(d)
75-00-3	Chloroethane	1100	U	NA	NA
75-69-4	Trichlorofluoromethane	740	U	NA	NA
75-35-4	1, 1-Dichloroethene	370	U	8000	150000
67-64-1	Acetone	740	U	1000000(d)	1000000(d)
75-15-0	Carbon Disulfide	370	U	NA	NA
75-09-2	Methylene Chloride	740	U	49000	210000
156-60-5	trans-1,2-Dichloroethene	740	U	1000000(d)	1000000(d)
75-35-3	1,1-Dichloroethane	370	U	570000	1000000(d)
108-05-4	Vinyl Acetate	1100	U	NA	NA
78-93-3	2-Butanone	1100	U	1000000(d)	1000000(d)
156-59-2	cis-1,2-Dichloroethene	370	U	79000	1000000(d)
67-66-3	Chloroform	370	U	19000(k)	28000(k)
75-55-6	1,1,1-Trichloroethane	370	U	NA	NA
56-23-5	Carbon Tetrachloride	740	U	2000(k)	4000(k)
71-43-2	Benzeze	370	U	3000	13000
107-06-2	1,2-Dichloroethane	740	U	6000	24000

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETLNJDEP # 13461Matrix: (soil/water) SOILDate Sampled: 9/5/97Location: 291Lab Sample ID: 2969.05(SAMPLE E)

CONCENTRATION UNITS:
(ug/L or ug/Kg)

CAS NO.	PARAMETER	MDL	QUALIFIER	RESIDENTIAL	NON-RESIDENTIAL
79-01-6	Trichloroethene	370	U	23000	54000(k)
78-87-5	1, 2-Dichloropropane	370	U	10000	43000
75-27-4	Bromodichloromethane	370	U	11000(g)	46000(g)
110-75-8	2-Chloroethyl vinyl ether	740	U	NA	NA
10061-01-5	cis-1,3-Dichloropropene	370	U	NA	NA
108-10-1	4-Methyl-2-Pentanone	740	U	1000000(d)	1000000(d)
108-88-3	Toluene	370	U	1000000(d)	1000000(d)
10061-02-6	trans-1,3-Dichloropropene	740	U	NA	NA
79-00-5	1,1,2-Trichloroethane	740	U	22000	420000
127-18-4	Tetrachloroethene	370	U	4000(k)	6000(k)
591-78-6	2-Hexanone	740	U	NA	NA
126-48-1	Dibromochloromethane	740	U	NA	NA
108-90-7	Chlorobenzene	370	U	37000	680000
100-41-4	Ethylbenzene	740	JD	1000000(d)	1000000(d)
1330-20-7	m+p-Xylenes	1100	U	NA	NA
1330-20-7	o-Xylene	740	U	NA	NA
100-42-5	Styrene	740	U	23000	97000
75-25-2	Bromoform	740	U	86000	370000
79-34-5	1,1,2,2-Tetrachloroethane	740	U	34000	70000(k)
541-73-1	1,3-Dichlorobenzene	1100	U	5100000	10000000(c)
106-46-7	1,4-Dichlorobenzene	1100	U	570000	10000000(c)
95-50-1	1,2-Dichlorobenzene	1100	U	5100000	10000000(c)

**US ARMY FT. MONMOUTH ENVIRONMENTAL LABORATORY
NJDEPE # 13461**

Definition of Qualifiers

- MDL** : Method Detection Limit
J : Compound identified below detection limit
B : Compound in both sample and blank
D : Results from dilution of sample
U : Compound searched for but not detected

SOIL CLEANUP CRITERIA (MG/KG)

(LAST REVISED-7/11/96)

- (A) CRITERIA ARE HEALTH BASED USING AN INCIDENTAL INGESTION EXPOSURE PATHWAY EXCEPT WHERE NOTED BELOW.
- (B) CRITERIA ARE SUBJECT TO CHANGE BASED ON SITE SPECIFIC FACTORS (E.G., AQUIFER CLASSIFICATION, SOIL TYPE, NATURAL BACKGROUND, ENVIRONMENTAL IMPACTS, ETC.)
- (C) HEALTH BASED CRITERION EXCEEDS THE 10,000 MG/KG MAXIMUM FOR TOTAL ORGANIC CONTAMINANTS.
- (D) HEALTH BASED CRITERION EXCEEDS THE 1000 MG/KG MAXIMUM FOR TOTAL VOLATILE ORGANIC CONTAMINANTS
- (E) CLEANUP STANDARD PROPOSAL WAS BASED ON NATURAL BACKGROUND.
- (F) HEALTH BASED CRITERION IS LOWER THAN ANALYTICAL LIMITS; CLEANUP CRITERION BASED ON PRACTICAL QUANTITATION LEVEL.
- (G) CRITERION HAS BEEN RECALCULATED BASED ON NEW TOXICOLOGICAL DATA.
- (H) THE IMPACT TO GROUND WATER VALUES FOR INORGANIC CONSTITUENTS WILL BE DEVELOPED BASED UPON SITE SPECIFIC CHEMICAL AND PHYSICAL PARAMETERS.
- (I) ORIGINAL CRITERION WAS INCORRECTLY CALCULATED AND HAS BEEN RECALCULATED.
- (J) TYPOGRAPHICAL ERROR.
- (K) CRITERIA BASED ON INHALATION EXPOSURE PATHWAY, WHICH YIELDED A MORE STRINGENT CRITERION THAN THE INCIDENTAL INGESTION EXPOSURE PATHWAY.
- (L) NEW CRITERION DERIVED USING METHODOLOGY IN THE BASIS AND BACKGROUND DOCUMENT.
- (M) CRITERION BASED ON ECOLOGICAL (PHYTOTOXICITY) EFFECTS.
- (N) LEVEL OF THE HUMAN HEALTH BASED CRITERION IS SUCH THAT EVALUATION FOR POTENTIAL ENVIRONMENTAL IMPACTS ON A SITE BY SITE BASIS IS RECOMMENDED.
- (O) LEVEL OF THE CRITERION IS SUCH THAT EVALUATION FOR POTENTIAL ACUTE EXPOSURE HAZARD IS RECOMMENDED.

- (P) **CRITERION BASED ON THE USEPA INTEGRATED EXPOSURE UPTAKE BIOKINETIC (IEUBK) MODEL UTILIZING THE DEFAULT PARAMETERS. THE CONCENTRATION IS CONSIDERED TO PROTECT 95% OF TARGET POPULATION (CHILDREN) AT A BLOOD LEVEL OF 10 UG/DL.**
- (Q) **CRITERIA WAS DERIVED FROM A MODEL DEVELOPED BY THE SOCIETY FOR ENVIRONMENTAL GEOCHEMISTRY AND HEALTH (SEGH) AND WAS DESIGNED TO BE PROTECTIVE FOR ADULTS IN THE WORKPLACE.**
- (R) **INSUFFICIENT INFORMATION AVAILABLE TO CALCULATE IMPACT TO GROUND WATER CRITERIA.**

Table 4
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 10/13/98 Location: 291 Lab Sample ID: 3973.01(Trip Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
107028	Acrolein	1.85	Not Detected	--	50	no
107131	Acrylonitrile	2.78	Not Detected	--	50	no
75650	tert-Butyl alcohol	8.52	Not Detected	--	nle	no
1634044	Methyl-tert-Butyl ether	0.16	Not Detected	--	nle	no
108203	Di-isopropyl ether	0.25	Not Detected	--	nle	no
	Dichlorodifluoromethane	1.68	Not Detected	--	nle	no
74-87-3	Chloromethane	1.16	Not Detected	--	30	no
75-01-4	Vinyl Chloride	1.06	Not Detected	--	5	no
74-83-9	Bromomethane	1.10	Not Detected	--	10	no
75-00-3	Chloroethane	1.01	Not Detected	--	nle	no
75-69-4	Trichlorofluoromethane	0.50	Not Detected	--	nle	no
75-35-4	1, 1-Dichloroethene	0.24	Not Detected	--	2	no
67-64-1	Acetone	1.36	Not Detected	--	700	no
75-15-0	Carbon Disulfide	0.46	Not Detected	--	nle	no
75-09-2	Methylene Chloride	0.24	Not Detected	--	2	no
156-60-5	trans-1,2-Dichloroethene	0.16	Not Detected	--	100	no
75-35-3	1,1-Dichloroethane	0.12	Not Detected	--	70	no
108-05-4	Vinyl Acetate	0.78	Not Detected	--	nle	no
78-93-3	2-Butanone	0.62	Not Detected	--	300	no
156-59-2	cis-1,2-Dichloroethene	0.17	Not Detected	--	10	no
67-66-3	Chloroform	0.30	Not Detected	--	6	no
75-55-6	1,1,1-Trichloroethane	0.23	Not Detected	--	30	no
56-23-5	Carbon Tetrachloride	0.47	Not Detected	--	2	no
71-43-2	Benzeze	0.23	Not Detected	--	1	no
107-06-2	1,2-Dichloroethane	0.18	Not Detected	--	2	no
79-01-6	Trichloroethene	0.23	Not Detected	--	1	no
78-87-5	1, 2-Dichloropropane	0.40	Not Detected	--	1	no
75-27-4	Bromodichloromethane	0.55	Not Detected	--	1	no
110-75-8	2-Chloroethyl vinyl ether	0.65	Not Detected	--	nle	no
10061-01-5	cis-1,3-Dichloropropene	0.69	Not Detected	--	nle	no

Table 4
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETLNJDEP # 13461Matrix: (soil/water) WATERDate Sampled: 10/13/98Location: 291Lab Sample ID: 3973.01(Trip Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
108-10-1	4-Methyl-2-Pentanone	0.59	Not Detected	--	400	no
108-88-3	Toluene	0.37	Not Detected	--	1000	no
10061-02-6	trans-1,3-Dichloropropene	0.87	Not Detected	--	nle	no
79-00-5	1,1,2-Trichloroethane	0.48	Not Detected	--	3	no
127-18-4	Tetrachloroethene	0.32	Not Detected	--	1	no
591-78-6	2-Hexanone	0.71	Not Detected	--	nle	no
126-48-1	Dibromochloromethane	0.86	Not Detected	--	10	no
108-90-7	Chlorobenzene	0.39	Not Detected	--	4	no
100-41-4	Ethylbenzene	0.65	Not Detected	--	700	no
1330-20-7	m+p-Xylenes	1.14	Not Detected	--	nle	no
1330-20-7	o-Xylene	0.62	Not Detected	--	nle	no
100-42-5	Styrene	0.56	Not Detected	--	100	no
75-25-2	Bromoform	0.70	Not Detected	--	4	no
79-34-5	1,1,2,2-Tetrachloroethane	0.47	Not Detected	--	2	no
541-73-1	1,3-Dichlorobenzene	0.55	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	0.57	Not Detected	--	75	no
95-50-1	1,2-Dichlorobenzene	0.64	Not Detected	--	600	no

Table 4
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETLNJDEP # 13461Matrix: (soil/water) WATERDate Sampled: 10/13/98Location: 291Lab Sample ID: 3973.02(Field Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
107028	Acrolein	1.85	Not Detected	--	50	no
107131	Acrylonitrile	2.78	Not Detected	--	50	no
75650	tert-Butyl alcohol	8.52	Not Detected	--	nle	no
1634044	Methyl-tert-Butyl ether	0.16	Not Detected	--	nle	no
108203	Di-isopropyl ether	0.25	Not Detected	--	nle	no
	Dichlorodifluoromethane	1.68	Not Detected	--	nle	no
74-87-3	Chloromethane	1.16	Not Detected	--	30	no
75-01-4	Vinyl Chloride	1.06	Not Detected	--	5	no
74-83-9	Bromomethane	1.10	Not Detected	--	10	no
75-00-3	Chloroethane	1.01	Not Detected	--	nle	no
75-69-4	Trichlorofluoromethane	0.50	Not Detected	--	nle	no
75-35-4	1, 1-Dichloroethene	0.24	Not Detected	--	2	no
67-64-1	Acetone	1.36	Not Detected	--	700	no
75-15-0	Carbon Disulfide	0.46	Not Detected	--	nle	no
75-09-2	Methylene Chloride	0.24	Not Detected	--	2	no
156-60-5	trans-1,2-Dichloroethene	0.16	Not Detected	--	100	no
75-35-3	1,1-Dichloroethane	0.12	Not Detected	--	70	no
108-05-4	Vinyl Acetate	0.78	Not Detected	--	nle	no
78-93-3	2-Butanone	0.62	Not Detected	--	300	no
156-59-2	cis-1,2-Dichloroethene	0.17	Not Detected	--	10	no
67-66-3	Chloroform	0.30	Not Detected	--	6	no
75-55-6	1,1,1-Trichloroethane	0.23	Not Detected	--	30	no
56-23-5	Carbon Tetrachloride	0.47	Not Detected	--	2	no
71-43-2	Benzeze	0.23	Not Detected	--	1	no
107-06-2	1,2-Dichloroethane	0.18	Not Detected	--	2	no
79-01-6	Trichloroethene	0.23	Not Detected	--	1	no
78-87-5	1, 2-Dichloropropane	0.40	Not Detected	--	1	no
75-27-4	Bromodichloromethane	0.55	Not Detected	--	1	no
110-75-8	2-Chloroethyl vinyl ether	0.65	Not Detected	--	nle	no
10061-01-5	cis-1,3-Dichloropropene	0.69	Not Detected	--	nle	no

Table 4
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 10/13/98 Location: 291 Lab Sample ID: 3973.02(Field Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
108-10-1	4-Methyl-2-Pentanone	0.59	Not Detected	--	400	no
108-88-3	Toluene	0.37	Not Detected	--	1000	no
10061-02-6	trans-1,3-Dichloropropene	0.87	Not Detected	--	nle	no
79-00-5	1,1,2-Trichloroethane	0.48	Not Detected	--	3	no
127-18-4	Tetrachloroethene	0.32	Not Detected	--	1	no
591-78-6	2-Hexanone	0.71	Not Detected	--	nle	no
126-48-1	Dibromochloromethane	0.86	Not Detected	--	10	no
108-90-7	Chlorobenzene	0.39	Not Detected	--	4	no
100-41-4	Ethylbenzene	0.65	Not Detected	--	700	no
1330-20-7	m+p-Xylenes	1.14	Not Detected	--	nle	no
1330-20-7	o-Xylene	0.62	Not Detected	--	nle	no
100-42-5	Styrene	0.56	Not Detected	--	100	no
75-25-2	Bromoform	0.70	Not Detected	--	4	no
79-34-5	1,1,2,2-Tetrachloroethane	0.47	Not Detected	--	2	no
541-73-1	1,3-Dichlorobenzene	0.55	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	0.57	Not Detected	--	75	no
95-50-1	1,2-Dichlorobenzene	0.64	Not Detected	--	600	no

Table 4
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 10/13/98 Location: 291 Lab Sample ID: 3973.04(Bldg 291)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
107028	Acrolein	1.85	Not Detected	--	50	no
107131	Acrylonitrile	2.78	Not Detected	--	50	no
75650	tert-Butyl alcohol	8.52	Not Detected	--	nle	no
1634044	Methyl-tert-Butyl ether	0.16	Not Detected	--	nle	no
108203	Di-isopropyl ether	0.25	Not Detected	--	nle	no
	Dichlorodifluoromethane	1.68	Not Detected	--	nle	no
74-87-3	Chloromethane	1.16	Not Detected	--	30	no
75-01-4	Vinyl Chloride	1.06	Not Detected	--	5	no
74-83-9	Bromomethane	1.10	Not Detected	--	10	no
75-00-3	Chloroethane	1.01	Not Detected	--	nle	no
75-69-4	Trichlorofluoromethane	0.50	Not Detected	--	nle	no
75-35-4	1, 1-Dichloroethene	0.24	Not Detected	--	2	no
67-64-1	Acetone	1.36	Not Detected	--	700	no
75-15-0	Carbon Disulfide	0.46	Not Detected	--	nle	no
75-09-2	Methylene Chloride	0.24	Not Detected	--	2	no
156-60-5	trans-1,2-Dichloroethene	0.16	Not Detected	--	100	no
75-35-3	1,1-Dichloroethane	0.12	Not Detected	--	70	no
108-05-4	Vinyl Acetate	0.78	Not Detected	--	nle	no
78-93-3	2-Butanone	0.62	Not Detected	--	300	no
156-59-2	cis-1,2-Dichloroethene	0.17	Not Detected	--	10	no
67-66-3	Chloroform	0.30	Not Detected	--	6	no
75-55-6	1,1,1-Trichloroethane	0.23	Not Detected	--	30	no
56-23-5	Carbon Tetrachloride	0.47	Not Detected	--	2	no
71-43-2	Benzeze	0.23	Not Detected	--	1	no
107-06-2	1,2-Dichloroethane	0.18	Not Detected	--	2	no
79-01-6	Trichloroethene	0.23	Not Detected	--	1	no
78-87-5	1, 2-Dichloropropane	0.40	Not Detected	--	1	no
75-27-4	Bromodichloromethane	0.55	Not Detected	--	1	no
110-75-8	2-Chloroethyl vinyl ether	0.65	Not Detected	--	nle	no
10061-01-5	cis-1,3-Dichloropropene	0.69	Not Detected	--	nle	no

Table 4
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 10/13/98 Location: 291 Lab Sample ID: 3973.04(Bldg 291)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
108-10-1	4-Methyl-2-Pentanone	0.59	Not Detected	--	400	no
108-88-3	Toluene	0.37	Not Detected	--	1000	no
10061-02-6	trans-1,3-Dichloropropene	0.87	Not Detected	--	nle	no
79-00-5	1,1,2-Trichloroethane	0.48	Not Detected	--	3	no
127-18-4	Tetrachloroethene	0.32	Not Detected	--	1	no
591-78-6	2-Hexanone	0.71	Not Detected	--	nle	no
126-48-1	Dibromochloromethane	0.86	Not Detected	--	10	no
108-90-7	Chlorobenzene	0.39	Not Detected	--	4	no
100-41-4	Ethylbenzene	0.65	Not Detected	--	700	no
1330-20-7	m+p-Xylenes	1.14	Not Detected	--	nle	no
1330-20-7	o-Xylene	0.62	Not Detected	--	nle	no
100-42-5	Styrene	0.56	Not Detected	--	100	no
75-25-2	Bromoform	0.70	Not Detected	--	4	no
79-34-5	1,1,2,2-Tetrachloroethane	0.47	Not Detected	--	2	no
541-73-1	1,3-Dichlorobenzene	0.55	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	0.57	Not Detected	--	75	no
95-50-1	1,2-Dichlorobenzene	0.64	Not Detected	--	600	no

Table 4
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 10/13/98 Location: 291 Lab Sample ID: 3973.06(DUP 291)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
107028	Acrolein	1.85	Not Detected	--	50	no
107131	Acrylonitrile	2.78	Not Detected	--	50	no
75650	tert-Butyl alcohol	8.52	Not Detected	--	nle	no
1634044	Methyl-tert-Butyl ether	0.16	Not Detected	--	nle	no
108203	Di-isopropyl ether	0.25	Not Detected	--	nle	no
	Dichlorodifluoromethane	1.68	Not Detected	--	nle	no
74-87-3	Chloromethane	1.16	Not Detected	--	30	no
75-01-4	Vinyl Chloride	1.06	Not Detected	--	5	no
74-83-9	Bromomethane	1.10	Not Detected	--	10	no
75-00-3	Chloroethane	1.01	Not Detected	--	nle	no
75-69-4	Trichlorofluoromethane	0.50	Not Detected	--	nle	no
75-35-4	1, 1-Dichloroethene	0.24	Not Detected	--	2	no
67-64-1	Acetone	1.36	Not Detected	--	700	no
75-15-0	Carbon Disulfide	0.46	Not Detected	--	nle	no
75-09-2	Methylene Chloride	0.24	Not Detected	--	2	no
156-60-5	trans-1,2-Dichloroethene	0.16	Not Detected	--	100	no
75-35-3	1,1-Dichloroethane	0.12	Not Detected	--	70	no
108-05-4	Vinyl Acetate	0.78	Not Detected	--	nle	no
78-93-3	2-Butanone	0.62	Not Detected	--	300	no
156-59-2	cis-1,2-Dichloroethene	0.17	Not Detected	--	10	no
67-66-3	Chloroform	0.30	Not Detected	--	6	no
75-55-6	1,1,1-Trichloroethane	0.23	Not Detected	--	30	no
56-23-5	Carbon Tetrachloride	0.47	Not Detected	--	2	no
71-43-2	Benzeze	0.23	Not Detected	--	1	no
107-06-2	1,2-Dichloroethane	0.18	Not Detected	--	2	no
79-01-6	Trichloroethene	0.23	Not Detected	--	1	no
78-87-5	1, 2-Dichloropropane	0.40	Not Detected	--	1	no
75-27-4	Bromodichloromethane	0.55	Not Detected	--	1	no
110-75-8	2-Chloroethyl vinyl ether	0.65	Not Detected	--	nle	no
10061-01-5	cis-1,3-Dichloropropene	0.69	Not Detected	--	nle	no

Table 4
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETLNJDEP # 13461Matrix: (soil/water) WATERDate Sampled: 10/13/98Location: 291Lab Sample ID: 3973.06(DUP 291)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
108-10-1	4-Methyl-2-Pentanone	0.59	Not Detected	--	400	no
108-88-3	Toluene	0.37	Not Detected	--	1000	no
10061-02-6	trans-1,3-Dichloropropene	0.87	Not Detected	--	nle	no
79-00-5	1,1,2-Trichloroethane	0.48	Not Detected	--	3	no
127-18-4	Tetrachloroethene	0.32	Not Detected	--	1	no
591-78-6	2-Hexanone	0.71	Not Detected	--	nle	no
126-48-1	Dibromochloromethane	0.86	Not Detected	--	10	no
108-90-7	Chlorobenzene	0.39	Not Detected	--	4	no
100-41-4	Ethylbenzene	0.65	Not Detected	--	700	no
1330-20-7	m+p-Xylenes	1.14	Not Detected	--	nle	no
1330-20-7	o-Xylene	0.62	Not Detected	--	nle	no
100-42-5	Styrene	0.56	Not Detected	--	100	no
75-25-2	Bromoform	0.70	Not Detected	--	4	no
79-34-5	1,1,2,2-Tetrachloroethane	0.47	Not Detected	--	2	no
541-73-1	1,3-Dichlorobenzene	0.55	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	0.57	Not Detected	--	75	no
95-50-1	1,2-Dichlorobenzene	0.64	Not Detected	--	600	no

Table 4
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 10/13/98 Location: 291 Lab Sample ID: 3973.02(Field Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
110-86-1	Pyridine	2.52	Not Detected	--	nle	no
62-75-9	N-nitroso-dimethylamine	2.64	Not Detected	--	20	no
62-53-3	Aniline	2.90	Not Detected	--	nle	no
111-44-4	bis(2-Chloroethyl)ether	2.45	Not Detected	--	10	no
541-73-1	1,3-Dichlorobenzene	2.65	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	2.50	Not Detected	--	75	no
100-51-6	Benzyl alcohol	2.09	Not Detected	--	nle	no
95-50-1	1,2-Dichlorobenzene	2.44	Not Detected	--	600	no
108-60-1	bis(2-chloroisopropyl)ether	2.96	Not Detected	--	300	no
621-64-7	n-Nitroso-di-n-propylamine	2.22	Not Detected	--	20	no
67-72-1	Hexachloroethane	2.59	Not Detected	--	10	no
98-95-3	Nitrobenzene	2.45	Not Detected	--	10	no
78-59-1	Isophorone	2.31	Not Detected	--	100	no
111-91-1	bis(2-Chloroethoxy)methane	2.54	Not Detected	--	nle	no
120-82-1	1,2,4-Trichlorobenzene	2.58	Not Detected	--	9	no
91-20-3	Naphthalene	3.03	Not Detected	--	nle	no
106-47-8	4-Chloroaniline	2.55	Not Detected	--	nle	no
87-68-3	Hexachlorobutadiene	0.64	Not Detected	--	1	no
91-57-6	2-Methylnaphthalene	2.49	Not Detected	--	nle	no
77-47-4	Hexachlorocyclopentadiene	1.59	Not Detected	--	50	no
91-58-7	2-Chloronaphthalene	2.15	Not Detected	--	nle	no
88-74-4	2-Nitroaniline	1.62	Not Detected	--	nle	no
131-11-3	Dimethylphthalate	2.74	Not Detected	--	7000	no
208-96-8	Acenaphthylene	2.35	Not Detected	--	nle	no

Table 4
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETLNJDEP # 13461Matrix: (soil/water) WATERDate Sampled: 10/13/98Location: 291Lab Sample ID: 3973.02(Field Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
606-20-2	2,6-Dinitrotoluene	1.54	Not Detected	--	nle	no
99-09-2	3-Nitroaniline	1.62	Not Detected	--	nle	no
83-32-9	Acenaphthene	1.98	Not Detected	--	400	no
132-64-9	Dibenzofuran	2.13	Not Detected	--	nle	no
121-14-2	2,4-Dinitrotoluene	1.22	Not Detected	--	10	no
84-66-2	Diethylphthalate	1.68	Not Detected	--	5000	no
86-73-7	Fluorene	1.93	Not Detected	--	300	no
7005-72-3	4-Chlorophenyl-phenylether	1.53	Not Detected	--	nle	no
100-01-6	4-Nitroaniline	2.70	Not Detected	--	nle	no
86-30-6	n-Nitrosodiphenylamine	1.73	Not Detected	--	20	no
103-33-3	Azobenzene	1.92	Not Detected	--	nle	no
101-55-3	4-Bromophenyl-phenylether	1.54	Not Detected	--	nle	no
118-74-1	Hexachlorobenzene	1.88	Not Detected	--	10	no
85-01-8	Phenanthrene	1.67	Not Detected	--	nle	no
120-12-7	Anthracene	1.79	Not Detected	--	2000	no
84-74-2	Di-n-butylphthalate	1.83	Not Detected	--	900	no
206-44-0	Fluoranthene	1.85	Not Detected	--	300	no
92-87-5	Benzidine	4.11	Not Detected	--	50	no
129-00-0	Pyrene	1.02	Not Detected	--	200	no
85-68-7	Butylbenzylphthalate	1.15	Not Detected	--	100	no
56-55-3	Benzo[a]anthracene	1.57	Not Detected	--	10	no
91-94-1	3,3'-Dichlorobenzidine	2.28	Not Detected	--	60	no
218-01-9	Chrysene	2.32	Not Detected	--	20	no
117-81-7	bis(2-Ethylhexyl)phthalate	1.29	Not Detected	--	30	no
117-84-0	Di-n-octylphthalate	1.30	Not Detected	--	100	no
205-99-2	Benzo[b]fluoranthene	1.31	Not Detected	--	10	no
207-08-9	Benzo[k]fluoranthene	1.57	Not Detected	--	2	no
50-32-8	Benzo[a]pyrene	1.36	Not Detected	--	20	no
193-39-5	Indeno[1,2,3-cd]pyrene	1.22	Not Detected	--	20	no
53-70-3	Dibenz[a,h]anthracene	3.12	Not Detected	--	20	no
191-24-2	Benzo[g,h,i]perylene	1.13	Not Detected	--	nle	no

Table 4
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 10/13/98 Location: 291 Lab Sample ID: 3973.04(Bldg 291)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
110-86-1	Pyridine	2.52	Not Detected	--	nle	no
62-75-9	N-nitroso-dimethylamine	2.64	Not Detected	--	20	no
62-53-3	Aniline	2.90	Not Detected	--	nle	no
111-44-4	bis(2-Chloroethyl)ether	2.45	Not Detected	--	10	no
541-73-1	1,3-Dichlorobenzene	2.65	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	2.50	Not Detected	--	75	no
100-51-6	Benzyl alcohol	2.09	Not Detected	--	nle	no
95-50-1	1,2-Dichlorobenzene	2.44	Not Detected	--	600	no
108-60-1	bis(2-chloroisopropyl)ether	2.96	Not Detected	--	300	no
621-64-7	n-Nitroso-di-n-propylamine	2.22	Not Detected	--	20	no
67-72-1	Hexachloroethane	2.59	Not Detected	--	10	no
98-95-3	Nitrobenzene	2.45	Not Detected	--	10	no
78-59-1	Isophorone	2.31	Not Detected	--	100	no
111-91-1	bis(2-Chloroethoxy)methane	2.54	Not Detected	--	nle	no
120-82-1	1,2,4-Trichlorobenzene	2.58	Not Detected	--	9	no
91-20-3	Naphthalene	3.03	Not Detected	--	nle	no
106-47-8	4-Chloroaniline	2.55	Not Detected	--	nle	no
87-68-3	Hexachlorobutadiene	0.64	Not Detected	--	1	no
91-57-6	2-Methylnaphthalene	2.49	Not Detected	--	nle	no
77-47-4	Hexachlorocyclopentadiene	1.59	Not Detected	--	50	no
91-58-7	2-Chloronaphthalene	2.15	Not Detected	--	nle	no
88-74-4	2-Nitroaniline	1.62	Not Detected	--	nle	no
131-11-3	Dimethylphthalate	2.74	Not Detected	--	7000	no
208-96-8	Acenaphthylene	2.35	Not Detected	--	nle	no

Table 4
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 10/13/98 Location: 291 Lab Sample ID: 3973.04(Bldg 291)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
606-20-2	2,6-Dinitrotoluene	1.54	Not Detected	--	nle	no
99-09-2	3-Nitroaniline	1.62	Not Detected	--	nle	no
83-32-9	Acenaphthene	1.98	Not Detected	--	400	no
132-64-9	Dibenzofuran	2.13	Not Detected	--	nle	no
121-14-2	2,4-Dinitrotoluene	1.22	Not Detected	--	10	no
84-66-2	Diethylphthalate	1.68	Not Detected	--	5000	no
86-73-7	Fluorene	1.93	Not Detected	--	300	no
7005-72-3	4-Chlorophenyl-phenylether	1.53	Not Detected	--	nle	no
100-01-6	4-Nitroaniline	2.70	Not Detected	--	nle	no
86-30-6	n-Nitrosodiphenylamine	1.73	Not Detected	--	20	no
103-33-3	Azobenzene	1.92	Not Detected	--	nle	no
101-55-3	4-Bromophenyl-phenylether	1.54	Not Detected	--	nle	no
118-74-1	Hexachlorobenzene	1.88	Not Detected	--	10	no
85-01-8	Phenanthrene	1.67	Not Detected	--	nle	no
120-12-7	Anthracene	1.79	Not Detected	--	2000	no
84-74-2	Di-n-butylphthalate	1.83	Not Detected	--	900	no
206-44-0	Fluoranthene	1.85	Not Detected	--	300	no
92-87-5	Benzidine	4.11	Not Detected	--	50	no
129-00-0	Pyrene	1.02	Not Detected	--	200	no
85-68-7	Butylbenzylphthalate	1.15	Not Detected	--	100	no
56-55-3	Benzo[a]anthracene	1.57	Not Detected	--	10	no
91-94-1	3,3'-Dichlorobenzidine	2.28	Not Detected	--	60	no
218-01-9	Chrysene	2.32	Not Detected	--	20	no
117-81-7	bis(2-Ethylhexyl)phthalate	1.29	Not Detected	--	30	no
117-84-0	Di-n-octylphthalate	1.30	Not Detected	--	100	no
205-99-2	Benzo[b]fluoranthene	1.31	Not Detected	--	10	no
207-08-9	Benzo[k]fluoranthene	1.57	Not Detected	--	2	no
50-32-8	Benzo[a]pyrene	1.36	Not Detected	--	20	no
193-39-5	Indeno[1,2,3-cd]pyrene	1.22	Not Detected	--	20	no
53-70-3	Dibenz[a,h]anthracene	3.12	Not Detected	--	20	no
191-24-2	Benzo[g,h,i]perylene	1.13	Not Detected	--	nle	no

Table 4
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 10/13/98 Location: 291 Lab Sample ID: 3973.06(DUP 291)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
110-86-1	Pyridine	2.52	Not Detected	--	nle	no
62-75-9	N-nitroso-dimethylamine	2.64	Not Detected	--	20	no
62-53-3	Aniline	2.90	Not Detected	--	nle	no
111-44-4	bis(2-Chloroethyl)ether	2.45	Not Detected	--	10	no
541-73-1	1,3-Dichlorobenzene	2.65	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	2.50	Not Detected	--	75	no
100-51-6	Benzyl alcohol	2.09	Not Detected	--	nle	no
95-50-1	1,2-Dichlorobenzene	2.44	Not Detected	--	600	no
108-60-1	bis(2-chloroisopropyl)ether	2.96	Not Detected	--	300	no
621-64-7	n-Nitroso-di-n-propylamine	2.22	Not Detected	--	20	no
67-72-1	Hexachloroethane	2.59	Not Detected	--	10	no
98-95-3	Nitrobenzene	2.45	Not Detected	--	10	no
78-59-1	Isophorone	2.31	Not Detected	--	100	no
111-91-1	bis(2-Chloroethoxy)methane	2.54	Not Detected	--	nle	no
120-82-1	1,2,4-Trichlorobenzene	2.58	Not Detected	--	9	no
91-20-3	Naphthalene	3.03	Not Detected	--	nle	no
106-47-8	4-Chloroaniline	2.55	Not Detected	--	nle	no
87-68-3	Hexachlorobutadiene	0.64	Not Detected	--	1	no
91-57-6	2-Methylnaphthalene	2.49	Not Detected	--	nle	no
77-47-4	Hexachlorocyclopentadiene	1.59	Not Detected	--	50	no
91-58-7	2-Chloronaphthalene	2.15	Not Detected	--	nle	no
88-74-4	2-Nitroaniline	1.62	Not Detected	--	nle	no
131-11-3	Dimethylphthalate	2.74	Not Detected	--	7000	no
208-96-8	Acenaphthylene	2.35	Not Detected	--	nle	no

Table 4
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 10/13/98 Location: 291 Lab Sample ID: 3973.06(DUP 291)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
606-20-2	2,6-Dinitrotoluene	1.54	Not Detected	--	nle	no
99-09-2	3-Nitroaniline	1.62	Not Detected	--	nle	no
83-32-9	Acenaphthene	1.98	Not Detected	--	400	no
132-64-9	Dibenzofuran	2.13	Not Detected	--	nle	no
121-14-2	2,4-Dinitrotoluene	1.22	Not Detected	--	10	no
84-66-2	Diethylphthalate	1.68	Not Detected	--	5000	no
86-73-7	Fluorene	1.93	Not Detected	--	300	no
7005-72-3	4-Chlorophenyl-phenylether	1.53	Not Detected	--	nle	no
100-01-6	4-Nitroaniline	2.70	Not Detected	--	nle	no
86-30-6	n-Nitrosodiphenylamine	1.73	Not Detected	--	20	no
103-33-3	Azobenzene	1.92	Not Detected	--	nle	no
101-55-3	4-Bromophenyl-phenylether	1.54	Not Detected	--	nle	no
118-74-1	Hexachlorobenzene	1.88	Not Detected	--	10	no
85-01-8	Phenanthrene	1.67	Not Detected	--	nle	no
120-12-7	Anthracene	1.79	Not Detected	--	2000	no
84-74-2	Di-n-butylphthalate	1.83	Not Detected	--	900	no
206-44-0	Fluoranthene	1.85	Not Detected	--	300	no
92-87-5	Benzidine	4.11	Not Detected	--	50	no
129-00-0	Pyrene	1.02	Not Detected	--	200	no
85-68-7	Butylbenzylphthalate	1.15	Not Detected	--	100	no
56-55-3	Benzo[a]anthracene	1.57	Not Detected	--	10	no
91-94-1	3,3'-Dichlorobenzidine	2.28	Not Detected	--	60	no
218-01-9	Chrysene	2.32	Not Detected	--	20	no
117-81-7	bis(2-Ethylhexyl)phthalate	1.29	Not Detected	--	30	no
117-84-0	Di-n-octylphthalate	1.30	Not Detected	--	100	no
205-99-2	Benzo[b]fluoranthene	1.31	Not Detected	--	10	no
207-08-9	Benzo[k]fluoranthene	1.57	Not Detected	--	2	no
50-32-8	Benzo[a]pyrene	1.36	Not Detected	--	20	no
193-39-5	Indeno[1,2,3-cd]pyrene	1.22	Not Detected	--	20	no
53-70-3	Dibenz[a,h]anthracene	3.12	Not Detected	--	20	no
191-24-2	Benzo[g,h,i]perylene	1.13	Not Detected	--	nle	no

Table 4
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 11/14/98 Location: 291 Lab Sample ID: 4056.01(Trip Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
107028	Acrolein	1.85	Not Detected	--	50	no
107131	Acrylonitrile	2.78	Not Detected	--	50	no
75650	tert-Butyl alcohol	8.52	Not Detected	--	nle	no
1634044	Methyl-tert-Butyl ether	0.16	Not Detected	--	nle	no
108203	Di-isopropyl ether	0.25	Not Detected	--	nle	no
	Dichlorodifluoromethane	1.68	Not Detected	--	nle	no
74-87-3	Chloromethane	1.16	Not Detected	--	30	no
75-01-4	Vinyl Chloride	1.06	Not Detected	--	5	no
74-83-9	Bromomethane	1.10	Not Detected	--	10	no
75-00-3	Chloroethane	1.01	Not Detected	--	nle	no
75-69-4	Trichlorofluoromethane	0.50	Not Detected	--	nle	no
75-35-4	1, 1-Dichloroethene	0.24	Not Detected	--	2	no
67-64-1	Acetone	1.36	Not Detected	--	700	no
75-15-0	Carbon Disulfide	0.46	Not Detected	--	nle	no
75-09-2	Methylene Chloride	0.24	Not Detected	--	2	no
156-60-5	trans-1,2-Dichloroethene	0.16	Not Detected	--	100	no
75-35-3	1,1-Dichloroethane	0.12	Not Detected	--	70	no
108-05-4	Vinyl Acetate	0.78	Not Detected	--	nle	no
78-93-3	2-Butanone	0.62	Not Detected	--	300	no
156-59-2	cis-1,2-Dichloroethene	0.17	Not Detected	--	10	no
67-66-3	Chloroform	0.30	Not Detected	--	6	no
75-55-6	1,1,1-Trichloroethane	0.23	Not Detected	--	30	no
56-23-5	Carbon Tetrachloride	0.47	Not Detected	--	2	no
71-43-2	Benzeze	0.23	Not Detected	--	1	no
107-06-2	1,2-Dichloroethane	0.18	Not Detected	--	2	no
79-01-6	Trichloroethene	0.23	Not Detected	--	1	no
78-87-5	1, 2-Dichloropropane	0.40	Not Detected	--	1	no
75-27-4	Bromodichloromethane	0.55	Not Detected	--	1	no
110-75-8	2-Chloroethyl vinyl ether	0.65	Not Detected	--	nle	no
10061-01-5	cis-1,3-Dichloropropene	0.69	Not Detected	--	nle	no

Table 4
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 11/14/98 Location: 291 Lab Sample ID: 4056.01(Trip Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
108-10-1	4-Methyl-2-Pentanone	0.59	Not Detected	--	400	no
108-88-3	Toluene	0.37	Not Detected	--	1000	no
10061-02-6	trans-1,3-Dichloropropene	0.87	Not Detected	--	nle	no
79-00-5	1,1,2-Trichloroethane	0.48	Not Detected	--	3	no
127-18-4	Tetrachloroethene	0.32	Not Detected	--	1	no
591-78-6	2-Hexanone	0.71	Not Detected	--	nle	no
126-48-1	Dibromochloromethane	0.86	Not Detected	--	10	no
108-90-7	Chlorobenzene	0.39	Not Detected	--	4	no
100-41-4	Ethylbenzene	0.65	Not Detected	--	700	no
1330-20-7	m+p-Xylenes	1.14	Not Detected	--	nle	no
1330-20-7	o-Xylene	0.62	Not Detected	--	nle	no
100-42-5	Styrene	0.56	Not Detected	--	100	no
75-25-2	Bromoform	0.70	Not Detected	--	4	no
79-34-5	1,1,2,2-Tetrachloroethane	0.47	Not Detected	--	2	no
541-73-1	1,3-Dichlorobenzene	0.55	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	0.57	Not Detected	--	75	no
95-50-1	1,2-Dichlorobenzene	0.64	Not Detected	--	600	no

Table 4
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 11/14/98 Location: 291 Lab Sample ID: 4056.02(Field Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
107028	Acrolein	1.85	Not Detected	--	50	no
107131	Acrylonitrile	2.78	Not Detected	--	50	no
75650	tert-Butyl alcohol	8.52	Not Detected	--	nle	no
1634044	Methyl-tert-Butyl ether	0.16	Not Detected	--	nle	no
108203	Di-isopropyl ether	0.25	Not Detected	--	nle	no
	Dichlorodifluoromethane	1.68	Not Detected	--	nle	no
74-87-3	Chloromethane	1.16	Not Detected	--	30	no
75-01-4	Vinyl Chloride	1.06	Not Detected	--	5	no
74-83-9	Bromomethane	1.10	Not Detected	--	10	no
75-00-3	Chloroethane	1.01	Not Detected	--	nle	no
75-69-4	Trichlorofluoromethane	0.50	Not Detected	--	nle	no
75-35-4	1, 1-Dichloroethene	0.24	Not Detected	--	2	no
67-64-1	Acetone	1.36	Not Detected	--	700	no
75-15-0	Carbon Disulfide	0.46	Not Detected	--	nle	no
75-09-2	Methylene Chloride	0.24	Not Detected	--	2	no
156-60-5	trans-1,2-Dichloroethene	0.16	Not Detected	--	100	no
75-35-3	1,1-Dichloroethane	0.12	Not Detected	--	70	no
108-05-4	Vinyl Acetate	0.78	Not Detected	--	nle	no
78-93-3	2-Butanone	0.62	Not Detected	--	300	no
156-59-2	cis-1,2-Dichloroethene	0.17	Not Detected	--	10	no
67-66-3	Chloroform	0.30	Not Detected	--	6	no
75-55-6	1,1,1-Trichloroethane	0.23	Not Detected	--	30	no
56-23-5	Carbon Tetrachloride	0.47	Not Detected	--	2	no
71-43-2	Benzeze	0.23	Not Detected	--	1	no
107-06-2	1,2-Dichloroethane	0.18	Not Detected	--	2	no
79-01-6	Trichloroethene	0.23	Not Detected	--	1	no
78-87-5	1, 2-Dichloropropane	0.40	Not Detected	--	1	no
75-27-4	Bromodichloromethane	0.55	Not Detected	--	1	no
110-75-8	2-Chloroethyl vinyl ether	0.65	Not Detected	--	nle	no
10061-01-5	cis-1,3-Dichloropropene	0.69	Not Detected	--	nle	no

Table 4
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETLNJDEP # 13461Matrix: (soil/water) WATERDate Sampled: 11/14/98Location: 291Lab Sample ID: 4056.02(Field Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
108-10-1	4-Methyl-2-Pentanone	0.59	Not Detected	--	400	no
108-88-3	Toluene	0.37	Not Detected	--	1000	no
10061-02-6	trans-1,3-Dichloropropene	0.87	Not Detected	--	nle	no
79-00-5	1,1,2-Trichloroethane	0.48	Not Detected	--	3	no
127-18-4	Tetrachloroethene	0.32	Not Detected	--	1	no
591-78-6	2-Hexanone	0.71	Not Detected	--	nle	no
126-48-1	Dibromochloromethane	0.86	Not Detected	--	10	no
108-90-7	Chlorobenzene	0.39	Not Detected	--	4	no
100-41-4	Ethylbenzene	0.65	Not Detected	--	700	no
1330-20-7	m+p-Xylenes	1.14	Not Detected	--	nle	no
1330-20-7	o-Xylene	0.62	Not Detected	--	nle	no
100-42-5	Styrene	0.56	Not Detected	--	100	no
75-25-2	Bromoform	0.70	Not Detected	--	4	no
79-34-5	1,1,2,2-Tetrachloroethane	0.47	Not Detected	--	2	no
541-73-1	1,3-Dichlorobenzene	0.55	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	0.57	Not Detected	--	75	no
95-50-1	1,2-Dichlorobenzene	0.64	Not Detected	--	600	no

Table 4
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 11/14/98 Location: 291 Lab Sample ID: 4056.06(Bldg 291)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
107028	Acrolein	1.85	Not Detected	--	50	no
107131	Acrylonitrile	2.78	Not Detected	--	50	no
75650	tert-Butyl alcohol	8.52	Not Detected	--	nle	no
1634044	Methyl-tert-Butyl ether	0.16	Not Detected	--	nle	no
108203	Di-isopropyl ether	0.25	Not Detected	--	nle	no
	Dichlorodifluoromethane	1.68	Not Detected	--	nle	no
74-87-3	Chloromethane	1.16	Not Detected	--	30	no
75-01-4	Vinyl Chloride	1.06	Not Detected	--	5	no
74-83-9	Bromomethane	1.10	Not Detected	--	10	no
75-00-3	Chloroethane	1.01	Not Detected	--	nle	no
75-69-4	Trichlorofluoromethane	0.50	Not Detected	--	nle	no
75-35-4	1, 1-Dichloroethene	0.24	Not Detected	--	2	no
67-64-1	Acetone	1.36	Not Detected	--	700	no
75-15-0	Carbon Disulfide	0.46	Not Detected	--	nle	no
75-09-2	Methylene Chloride	0.24	Not Detected	--	2	no
156-60-5	trans-1,2-Dichloroethene	0.16	Not Detected	--	100	no
75-35-3	1,1-Dichloroethane	0.12	Not Detected	--	70	no
108-05-4	Vinyl Acetate	0.78	Not Detected	--	nle	no
78-93-3	2-Butanone	0.62	Not Detected	--	300	no
156-59-2	cis-1,2-Dichloroethene	0.17	Not Detected	--	10	no
67-66-3	Chloroform	0.30	Not Detected	--	6	no
75-55-6	1,1,1-Trichloroethane	0.23	Not Detected	--	30	no
56-23-5	Carbon Tetrachloride	0.47	Not Detected	--	2	no
71-43-2	Benzeze	0.23	Not Detected	--	1	no
107-06-2	1,2-Dichloroethane	0.18	Not Detected	--	2	no
79-01-6	Trichloroethene	0.23	Not Detected	--	1	no
78-87-5	1, 2-Dichloropropane	0.40	Not Detected	--	1	no
75-27-4	Bromodichloromethane	0.55	Not Detected	--	1	no
110-75-8	2-Chloroethyl vinyl ether	0.65	Not Detected	--	nle	no
10061-01-5	cis-1,3-Dichloropropene	0.69	Not Detected	--	nle	no

Table 4
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETLNJDEP # 13461Matrix: (soil/water) WATERDate Sampled: 11/14/98Location: 291Lab Sample ID: 4056.06(Bldg 291)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
108-10-1	4-Methyl-2-Pentanone	0.59	Not Detected	--	400	no
108-88-3	Toluene	0.37	Not Detected	--	1000	no
10061-02-6	trans-1,3-Dichloropropene	0.87	Not Detected	--	nle	no
79-00-5	1,1,2-Trichloroethane	0.48	Not Detected	--	3	no
127-18-4	Tetrachloroethene	0.32	Not Detected	--	1	no
591-78-6	2-Hexanone	0.71	Not Detected	--	nle	no
126-48-1	Dibromochloromethane	0.86	Not Detected	--	10	no
108-90-7	Chlorobenzene	0.39	Not Detected	--	4	no
100-41-4	Ethylbenzene	0.65	Not Detected	--	700	no
1330-20-7	m+p-Xylenes	1.14	Not Detected	--	nle	no
1330-20-7	o-Xylene	0.62	Not Detected	--	nle	no
100-42-5	Styrene	0.56	Not Detected	--	100	no
75-25-2	Bromoform	0.70	Not Detected	--	4	no
79-34-5	1,1,2,2-Tetrachloroethane	0.47	Not Detected	--	2	no
541-73-1	1,3-Dichlorobenzene	0.55	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	0.57	Not Detected	--	75	no
95-50-1	1,2-Dichlorobenzene	0.64	Not Detected	--	600	no

Table 4
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 11/14/98 Location: 291 Lab Sample ID: 4056.02(Field Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
110-86-1	Pyridine	2.52	Not Detected	--	nle	no
62-75-9	N-nitroso-dimethylamine	2.64	Not Detected	--	20	no
62-53-3	Aniline	2.90	Not Detected	--	nle	no
111-44-4	bis(2-Chloroethyl)ether	2.45	Not Detected	--	10	no
541-73-1	1,3-Dichlorobenzene	2.65	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	2.50	Not Detected	--	75	no
100-51-6	Benzyl alcohol	2.09	Not Detected	--	nle	no
95-50-1	1,2-Dichlorobenzene	2.44	Not Detected	--	600	no
108-60-1	bis(2-chloroisopropyl)ether	2.96	Not Detected	--	300	no
621-64-7	n-Nitroso-di-n-propylamine	2.22	Not Detected	--	20	no
67-72-1	Hexachloroethane	2.59	Not Detected	--	10	no
98-95-3	Nitrobenzene	2.45	Not Detected	--	10	no
78-59-1	Isophorone	2.31	Not Detected	--	100	no
111-91-1	bis(2-Chloroethoxy)methane	2.54	Not Detected	--	nle	no
120-82-1	1,2,4-Trichlorobenzene	2.58	Not Detected	--	9	no
91-20-3	Naphthalene	3.03	Not Detected	--	nle	no
106-47-8	4-Chloroaniline	2.55	Not Detected	--	nle	no
87-68-3	Hexachlorobutadiene	0.64	Not Detected	--	1	no
91-57-6	2-Methylnaphthalene	2.49	Not Detected	--	nle	no
77-47-4	Hexachlorocyclopentadiene	1.59	Not Detected	--	50	no
91-58-7	2-Chloronaphthalene	2.15	Not Detected	--	nle	no
88-74-4	2-Nitroaniline	1.62	Not Detected	--	nle	no
131-11-3	Dimethylphthalate	2.74	Not Detected	--	7000	no
208-96-8	Acenaphthylene	2.35	Not Detected	--	nle	no

Table 4
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETLNJDEP # 13461Matrix: (soil/water) WATERDate Sampled: 11/14/98Location: 291Lab Sample ID: 4056.02(Field Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
606-20-2	2,6-Dinitrotoluene	1.54	Not Detected	--	nle	no
99-09-2	3-Nitroaniline	1.62	Not Detected	--	nle	no
83-32-9	Acenaphthene	1.98	Not Detected	--	400	no
132-64-9	Dibenzofuran	2.13	Not Detected	--	nle	no
121-14-2	2,4-Dinitrotoluene	1.22	Not Detected	--	10	no
84-66-2	Diethylphthalate	1.68	Not Detected	--	5000	no
86-73-7	Fluorene	1.93	Not Detected	--	300	no
7005-72-3	4-Chlorophenyl-phenylether	1.53	Not Detected	--	nle	no
100-01-6	4-Nitroaniline	2.70	Not Detected	--	nle	no
86-30-6	n-Nitrosodiphenylamine	1.73	Not Detected	--	20	no
103-33-3	Azobenzene	1.92	Not Detected	--	nle	no
101-55-3	4-Bromophenyl-phenylether	1.54	Not Detected	--	nle	no
118-74-1	Hexachlorobenzene	1.88	Not Detected	--	10	no
85-01-8	Phenanthrene	1.67	Not Detected	--	nle	no
120-12-7	Anthracene	1.79	Not Detected	--	2000	no
84-74-2	Di-n-butylphthalate	1.83	Not Detected	--	900	no
206-44-0	Fluoranthene	1.85	Not Detected	--	300	no
92-87-5	Benzidine	4.11	Not Detected	--	50	no
129-00-0	Pyrene	1.02	Not Detected	--	200	no
85-68-7	Butylbenzylphthalate	1.15	Not Detected	--	100	no
56-55-3	Benzo[a]anthracene	1.57	Not Detected	--	10	no
91-94-1	3,3'-Dichlorobenzidine	2.28	Not Detected	--	60	no
218-01-9	Chrysene	2.32	Not Detected	--	20	no
117-81-7	bis(2-Ethylhexyl)phthalate	1.29	4.01	--	30	no
117-84-0	Di-n-octylphthalate	1.30	Not Detected	--	100	no
205-99-2	Benzo[b]fluoranthene	1.31	Not Detected	--	10	no
207-08-9	Benzo[k]fluoranthene	1.57	Not Detected	--	2	no
50-32-8	Benzo[a]pyrene	1.36	Not Detected	--	20	no
193-39-5	Indeno[1,2,3-cd]pyrene	1.22	Not Detected	--	20	no
53-70-3	Dibenz[a,h]anthracene	3.12	Not Detected	--	20	no
191-24-2	Benzo[g,h,i]perylene	1.13	Not Detected	--	nle	no

Table 4
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 11/14/98 Location: 291 Lab Sample ID: 4056.06(Bldg 291)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
110-86-1	Pyridine	2.52	Not Detected	--	nle	no
62-75-9	N-nitroso-dimethylamine	2.64	Not Detected	--	20	no
62-53-3	Aniline	2.90	Not Detected	--	nle	no
111-44-4	bis(2-Chloroethyl)ether	2.45	Not Detected	--	10	no
541-73-1	1,3-Dichlorobenzene	2.65	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	2.50	Not Detected	--	75	no
100-51-6	Benzyl alcohol	2.09	Not Detected	--	nle	no
95-50-1	1,2-Dichlorobenzene	2.44	Not Detected	--	600	no
108-60-1	bis(2-chloroisopropyl)ether	2.96	Not Detected	--	300	no
621-64-7	n-Nitroso-di-n-propylamine	2.22	Not Detected	--	20	no
67-72-1	Hexachloroethane	2.59	Not Detected	--	10	no
98-95-3	Nitrobenzene	2.45	Not Detected	--	10	no
78-59-1	Isophorone	2.31	Not Detected	--	100	no
111-91-1	bis(2-Chloroethoxy)methane	2.54	Not Detected	--	nle	no
120-82-1	1,2,4-Trichlorobenzene	2.58	Not Detected	--	9	no
91-20-3	Naphthalene	3.03	Not Detected	--	nle	no
106-47-8	4-Chloroaniline	2.55	Not Detected	--	nle	no
87-68-3	Hexachlorobutadiene	0.64	Not Detected	--	1	no
91-57-6	2-Methylnaphthalene	2.49	Not Detected	--	nle	no
77-47-4	Hexachlorocyclopentadiene	1.59	Not Detected	--	50	no
91-58-7	2-Chloronaphthalene	2.15	Not Detected	--	nle	no
88-74-4	2-Nitroaniline	1.62	Not Detected	--	nle	no
131-11-3	Dimethylphthalate	2.74	Not Detected	--	7000	no
208-96-8	Acenaphthylene	2.35	Not Detected	--	nle	no

Table 4
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETLNJDEP # 13461Matrix: (soil/water) WATERDate Sampled: 11/14/98Location: 291Lab Sample ID: 4056.06(Bldg 291)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
606-20-2	2,6-Dinitrotoluene	1.54	Not Detected	--	nle	no
99-09-2	3-Nitroaniline	1.62	Not Detected	--	nle	no
83-32-9	Acenaphthene	1.98	Not Detected	--	400	no
132-64-9	Dibenzofuran	2.13	Not Detected	--	nle	no
121-14-2	2,4-Dinitrotoluene	1.22	Not Detected	--	10	no
84-66-2	Diethylphthalate	1.68	Not Detected	--	5000	no
86-73-7	Fluorene	1.93	Not Detected	--	300	no
7005-72-3	4-Chlorophenyl-phenylether	1.53	Not Detected	--	nle	no
100-01-6	4-Nitroaniline	2.70	Not Detected	--	nle	no
86-30-6	n-Nitrosodiphenylamine	1.73	Not Detected	--	20	no
103-33-3	Azobenzene	1.92	Not Detected	--	nle	no
101-55-3	4-Bromophenyl-phenylether	1.54	Not Detected	--	nle	no
118-74-1	Hexachlorobenzene	1.88	Not Detected	--	10	no
85-01-8	Phenanthrene	1.67	Not Detected	--	nle	no
120-12-7	Anthracene	1.79	Not Detected	--	2000	no
84-74-2	Di-n-butylphthalate	1.83	Not Detected	--	900	no
206-44-0	Fluoranthene	1.85	Not Detected	--	300	no
92-87-5	Benzidine	4.11	Not Detected	--	50	no
129-00-0	Pyrene	1.02	Not Detected	--	200	no
85-68-7	Butylbenzylphthalate	1.15	Not Detected	--	100	no
56-55-3	Benzo[a]anthracene	1.57	Not Detected	--	10	no
91-94-1	3,3'-Dichlorobenzidine	2.28	Not Detected	--	60	no
218-01-9	Chrysene	2.32	Not Detected	--	20	no
117-81-7	bis(2-Ethylhexyl)phthalate	1.29	Not Detected	--	30	no
117-84-0	Di-n-octylphthalate	1.30	Not Detected	--	100	no
205-99-2	Benzo[b]fluoranthene	1.31	Not Detected	--	10	no
207-08-9	Benzo[k]fluoranthene	1.57	Not Detected	--	2	no
50-32-8	Benzo[a]pyrene	1.36	Not Detected	--	20	no
193-39-5	Indeno[1,2,3-cd]pyrene	1.22	Not Detected	--	20	no
53-70-3	Dibenz[a,h]anthracene	3.12	Not Detected	--	20	no
191-24-2	Benzo[g,h,i]perylene	1.13	Not Detected	--	nle	no

FIGURES




FIGURE 1

LOCATION MAP
 Building 291
 Main-Post West
 Fort Monmouth Army Base
 Monmouth County, NJ

VERSAR
 Engineers, Managers, Scientists, & Planners
 Bristol, PA

Scale: 1" = 2000'

Date: SEPT 1997


LONG BRANCH, N. J.
 40073-C8-TF-024

1954
 PHOTOREVISED 1981
 DMA 6164 I SE-SERIES V822

NEW
 JERSEY

QUADRANGLE LOCATION





S H E R R I L L A V E N U E



FIGURE 2
 SITE MAP
 BUILDING 291
 FORT MONMOUTH ARMY BASE
 MONMOUTH COUNTY, NJ


VERSAR
 ENGINEERS, MANAGERS, SCIENTISTS & PLANNERS
 BRISTOL, PA.

SCALE: 1"=100'

DATE: AUG 1997

0 FT
3.0 FT
4.0 FT
8.4 FT
9.0 FT

GROUND SURFACE



BROWN
SILTY LOAM

BROWN
SILTY LOAM

BLACK
CLAYEY LOAM

BROWN
SILTY LOAM

UNDERGROUND
STORAGE TANK

BROWN
SILTY LOAM


BROWN
SILTY LOAM

FIGURE 3
CROSS SECTIONAL VIEW
BUILDING 291
FORT MONMOUTH ARMY BASE
MONMOUTH COUNTY, NJ

VERSAR
Engineers, Managers, Scientists & Planners
Bristol, Pennsylvania

SCALE: NTS

DATE: SEPT 1997



LEGEND

- SOIL SAMPLE LOCATION (SEPTEMBER 5, 1997)
- SOIL SAMPLE LOCATION (SEPTEMBER 8, 1997)
- SOIL SAMPLE LOCATION (SEPTEMBER 22, 1997)
- SOIL SAMPLE LOCATION (SEPTEMBER 30, 1997)
- ▨ LIMIT OF EXCAVATION (SEPTEMBER 5, 1997)
- ▨ LIMIT OF EXCAVATION (SEPTEMBER 8, 1997)
- ▨ LIMIT OF EXCAVATION (SEPTEMBER 22, 1997)
- ▨ LIMIT OF EXCAVATION (SEPTEMBER 30, 1997)

NOTES:

1. ALL RESULTS IN MG/KG.
2. SEE TABLE 2 FOR NJDEP SOIL CLEANUP CRITERIA
3. BGS = BELOW GROUND SURFACE




FIGURE 4
SOIL SAMPLING LOCATION MAP
BUILDING 291
FORT MONMOUTH ARMY BASE
MONMOUTH COUNTY, NJ

VERSAR
 ENGINEERS, MANAGERS, SCIENTISTS & PLANNERS
 BRISTOL, PA.

SCALE: 1"=10' DATE: AUG 1997

291 2429 FIG 4

BUILDING 291



SAMPLING LOCATION: SAMPLING DEPTH: SAMPLING DATE:	HIGHER OF NJDEP GWQS AND PQL	BLDG 291 7-10' BGS 10/13/98	BLDG 291 7-10' BGS 11/14/98
VOLATILE ORGANIC COMPOUNDS:		ND	ND
SEMIVOLATILE ORGANIC COMPOUNDS:		ND	ND

LEGEND

- GROUNDWATER SAMPLE LOCATION
(OCTOBER 13, 1998 AND NOVEMBER 14, 1998)
- ▨ LIMIT OF EXCAVATION
(SEPTEMBER 5, 1997)
- ▨ LIMIT OF EXCAVATION
(SEPTEMBER 8, 1997)
- ▨ LIMIT OF EXCAVATION
(SEPTEMBER 22, 1997)
- ▨ LIMIT OF EXCAVATION
(SEPTEMBER 30, 1997)

NOTES:

1. ND=INDICATES COMPOUND NOT DETECTED
2. NLE= NO LIMIT ESTABLISHED
3. ALL RESULTS IN UG/L
4. BGS = BELOW GROUND SURFACE




FIGURE 5
GROUNDWATER SAMPLING MAP
BUILDING 291
FORT MONMOUTH ARMY BASE
MONMOUTH COUNTY, NJ

VERSAR
ENGINEERS, MANAGERS, SCIENTISTS & PLANNERS
BRISTOL, PA.


SCALE: 1"=10'

DATE: AUG 1997



**Figure 5 GPS Sample Locations Map
(Bldg 291)**

US State Plane 1983
New Jersey (NY East) 2900
NAD 1983 (Conus)



r010814a.cor
1/20/1999
Pathfinder Office
 **Trimble**

Figure 5 GPS Sample Point Location Data

US State Plane 1983 NJ (NY East) 2900 NAD 1983 (CONUS)

(in Meters)

Sample Point

<u>Location / Desc.</u>	<u>Y Coord. (Northing)</u>	<u>X Coord. (Easting)</u>
291GW	164637.501	188590.567

(GW denotes Ground Water)

Reference Point

<u>Location / Desc.</u>	<u>Y Coord. (Northing)</u>	<u>X Coord. (Easting)</u>
291 ST.BASIN	164632.909	188579.566

APPENDIX A
NJDEP-BUST CLOSURE APPROVAL LETTER

UNDERGROUND STORAGE TANK SYSTEM CLOSURE APPROVAL

NEW JERSEY DEPARTMENT OF ENVIRONMENTAL
PROTECTION AND ENERGY

DIVISION OF RESPONSIBLE PARTY SITE REMEDIATION
BUREAU OF UNDERGROUND STORAGE TANKS
CN-029, TRENTON, NJ 08625-0029

TMS #

UST #

C-93-3178

0081533

US Army BLDG. 291 Ft. Monmouth, NJ
Monmouth

THE ABOVE LISTED FACILITY IS HEREBY GRANTED APPROVAL TO PERFORM
THE FOLLOWING ACTIVITY IN ACCORDANCE WITH N.J.A.C. 7:14B-1 et seq.:

Removal of: one 3,000 gallon #2 diesel UST(s) and appurtenant piping.

SITE ASSESSMENT: Soil samples will be taken every five (5) feet along the center line of each tank and one (1) soil sample for every 15 feet along all associated piping. Two (2) additional samples will be taken from around the tank and biased to the areas of highest field screened readings. Samples will be analyzed for TPHC. If sample results are greater than 1,000ppm than 25% of the samples will be analyzed for VO+10.

ON-SITE MANAGER: C. Appleby

TELEPHONE: 908-532-1475

OWNER:

TELEPHONE:

EFFECTIVE DATE: **AUG 26 1993**

THIS FORM MUST BE DISPLAYED AT THE SITE DURING THE APPROVED
ACTIVITY AND MUST BE MADE AVAILABLE FOR INSPECTION AT ALL TIMES.



KEVIN F. KRATINA, BUREAU CHIEF
BUREAU OF UNDERGROUND STORAGE TANKS



State of New Jersey
Department of Environmental Protection and Energy
Division of Responsible Party Site Remediation

CN 029
Trenton, NJ 08625-0029
Tel. # 609-984-3156
Fax. # 609-292-5604

Scott A. Weiner
Commissioner

SEP 12 1997

Karl D
D

Dear Applicant:

The Department of Environmental Protection (the Department) received an "Underground Storage Tank Closure Plan Approval Application" for your facility. This application detailed the procedures to be implemented as required by the Underground Storage Tank Systems Technical Requirements and Procedures at N.J.A.C. 7:14B-1 et seq. Based upon our review of the information submitted, a Closure Approval is hereby granted.

A Standard Reporting Form (SRF) must be submitted to the Department within seven (7) days of removal or abandonment of the tank(s). The date of removal or abandonment must be included with the SRF. The SRF will be used to delist the tank(s) from the Bureau of Underground Storage Tanks (BUST) registration files. A copy of the SRF is attached.

Within ninety (90) days of completion of the tank(s) closure, a Site Assessment Summary pursuant to N.J.A.C. 7:14B-9.5 must be submitted to BUST (copy attached). If contamination is discovered during closure, you are required to initiate corrective action as per N.J.A.C. 7:14B-8 and outlined in the Department's Scope of Work document. All discharges must be reported to the Spill Hotline at (609) 292-7172.

Once you have obtained a Closure Approval, a demolition permit issued pursuant to N.J.A.C. 5:23 et seq. and authorized by the Department of Community Affairs (DCA), Construction Code Element must be procured from your local construction code official. For further information in obtaining a demolition permit, please contact the local construction code official directly, or DCA's Code Assistance Unit at (609) 530-8793.

If you require further information or assistance, please contact the Tank Management Section of BUST at (609) 984-3156.

Attachments: Closure Approval
SRF
SAS





Department of Environmental Protection and Energy
 Division of Responsible Party Site Remediation
 CN 028
 Trenton, NJ 08625-0029

ATTN: UST Program
 (609) 984-3156

Date Rec'd. _____
 Auth. _____
 Routing _____
 UST NO. _____

STANDARD REPORTING FORM
 for reporting activities at an UST facility:

- | | |
|--|---|
| <input type="checkbox"/> General Facility Information Changes | <input type="checkbox"/> Sale or Transfer |
| <input checked="" type="checkbox"/> Closure (Abandonment or Removal) | <input type="checkbox"/> Substantial Modification |
| <input type="checkbox"/> Temporary Closure | <input type="checkbox"/> Financial Responsibility |
| <input type="checkbox"/> Change in Service | <input type="checkbox"/> Address Change Only |

Check ONLY One Type of Activity - Complete Form For That Activity

(More than one tank can be listed per activity)

*** NOTE *** ALL NEW tank installations at existing registered facilities must submit a Registration Questionnaire for the new tanks.

Answer questions 1 through 5 and others as applicable.

- Company name and address (as it appears on registration questionnaire):
U.S. ARMY - FORT MONMOUTH
DPW - BUILDING 173
FORT MONMOUTH NJ 07703
ATTN: EUGENE W. LESINSKI
- Facility name and location (if different from above):

- Contact person for this activity:
GENE LESINSKI
 Telephone Number: (908) 532-0989
- The identification number of the affected tank as it appears in Question Number 12 on the Registration Questionnaire:
BLDG 291 65
- Registration Number (if known):
 UST - 0081533
- For GENERAL FACILITY INFORMATION changes (address, telephone, contact person, etc. - supply NEW information only):
 - Facility name: _____
 - Facility location: _____
 - Owner's mailing address: _____

 _____ NJ _____
 - Block: _____ Lot: _____
 - Contact person (facility operator): _____
 - Contact telephone number: (____) _____ - _____
 - Other (Specify): _____

(OVER)

a. Abandonment Date:
Attach the necessary implementation schedule (3 copies) and all documents needed for abandonment per N.J.A.C. 7:14B-9.1 (d).

b. Removal Date: 8/18/97 Case No. 97-8-15-1459-35
Attach the necessary implementation schedule (3 copies).

8. For CHANGES IN HAZARDOUS SUBSTANCES STORED (check all that apply):

- a. Temporary Closure (12 month maximum time - see N.J.A.C. 7:14B-9.1(b)). Remove all hazardous substances; leave tank in place.
- b. Change in service from a regulated substance to a non-regulated substance. Tank must be cleaned and site assessment performed per N.J.A.C. 7:14B-9.1(e).
- c. Changes in service from one regulated hazardous substance to another regulated hazardous substance.

Tank No. _____	Old _____	New _____
Tank No. _____	Old _____	New _____
Tank No. _____	Old _____	New _____

(Attach additional sheets if more space is needed)

9. For TRANSFER OF OWNERSHIP: Effective Date: / /

- a. New Owner (operator) _____
- b. New Facility Name _____

_____ NJ _____
County _____

c. Closing Attorney _____ Tele: (____) _____

10. For SUBSTANTIAL MODIFICATIONS (to include any retrofitted activity - e.g. the addition of spill/overfill protection, monitoring systems, cathodic protection, etc.):

- a. Type of Modification _____ Date: / /
- b. *NOTE* Substantial modifications require a permit under N.J.A.C. 7:14B-10.

11. For changes in FINANCIAL RESPONSIBILITY to (check appropriate changes and attach copies of new information):

- a. Policy Type:
- b. Policy Number:
- c. Other:
- d. Company/Carrier:
- e. Expiration Date:

(Specify)

NOTE: ALL appropriate and applicable permits, licenses and certificates required by the above activity(ies) from any local, state and/or federal agencies must be obtained separately from this notification.

CERTIFICATION

This registration form shall be signed by the highest ranking individual at the facility with overall responsibility for that facility (N.J.A.C. 7:14B-23 (a) 1).

I certify under penalty of law that the information provided in this document is true, accurate and complete. I am aware that there are significant civil and criminal penalties for submitting false, inaccurate or incomplete information, including fines and/or imprisonment.

Signature: James Ott

Name (print or type): JAMES OTT

Title: DIRECTOR - DEPT OF PUBLIC WORKS Date: 9/10/97

APPENDIX B

SITE ASSESSMENT SUMMARY

Site Remediation Program

UST Site/Remedial Investigation Report Certification Form

A. Facility Name : U.S. Army Fort Monmouth New Jersey

Facility Street Address : Directorate of Public Works Building 173

Municipality: Oceanport County : Monmouth

Block: Lot(s): Telephone Number : 732-532-6224

B. Owner (RP)'s Name:

Street Address: City :

State: Zip: Telephone Number :

C. (Check as appropriate)

- Site Investigation Report (SIR) \$500 Fee
Remedial Investigation Report (RIR) \$1000 Fee
X NA - Federal Agreement

D. (Complete all that apply)

- Assigned Case Manager : Ian Curtis, Federal Case Manager
UST Registration Number : 81533-65 (7 digits)
Incident Report Number (10 or 12 digits)
Tank Closure Number : Federal Case Manager

E. Certification by the Subsurface Evaluator:

The attached report conforms to the specific reporting requirements of N.J.A.C. 7:26E Yes No

Name: Eugene Lesinski Signature: See signed subsurface removal log UST Cert. No.: 14537

Firm: U.S. Army Fort Monmouth Firm's UST Cert. Number: NA-U.S. Army

Firm Address: Directorate of Public Works Building 173 City: Fort Monmouth

State: NJ Zip: 07703 Telephone Number : 732-532-6224

(NOTE: Certification numbers required only if work was conducted on USTs regulated per N.J.S.A. 58:10A-21 et seq.)

F. Certification by the Responsible Party(ies) of the Facility:

The following certification shall be signed [according to the requirements of N.J.A.C. 7:14B-1.7(b)]as follows:

- 1. For a Corporation by a person authorized by a resolution of the board of directors to sign the document.
2. For a partnership or sole proprietorship, by a general partner or the proprietor, respectively; or
3. For a municipality, State, federal or other public agency by either a principal executive officer or ranking elected Official.

"I certify under penalty of law that I have personally examined and am familiar with the information submitted in this application and all attached documents, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant civil penalties for knowingly submitting false, inaccurate, or incomplete information and that I am committing a crime of the fourth degree if I make a written false statement which I do not believe to be true. I am also aware that if I knowingly direct or authorize the violation of any statute, I am personally liable for the penalties."

Name (Print or Type): James Ott Title: Directorate of Public Works

Signature: [Handwritten Signature]

Company Name: U.S. Army Fort Monmouth Date: 3/25/99

ARMY, SELFM-PW-1

DAILY UST SUBSURFACE REMOVAL LOG

BLDG.#: 291 REG.#: 0081533-65 CLOSURE#: C-93-3178
 DATE: 8-18-97 TOA: 0800 TOD: 1600
 GOV. SSE: LESINSKI NJDEP CERT.#: _____
 REMOVAL CONTRACTOR: SAL Inc. TUS
 CLOSURE SUPERVISOR: DE MARTINIS NJDEP CERT.#: _____
 WEATHER: SUNNY - 80° F

ACTIVITY	YES / NO
THE SUPERVISOR (CLOSURE CERT.) WAS ON-SITE DURING ALL CLOSURE RELATED ACTIVITIES	Y
THE SSE WAS ON-SITE DURING UST REMOVAL AND SITE SCREENING AND SAMPLING ACTIVITIES	Y
ALL ON-SITE PERSONNEL HAD TRAINING IAW ALL SAFETY REQUIREMENTS (E.G. 29CFR)	Y
A CONFINED ENTRY PERMIT WAS COMPLETED AND POSTED ON-SITE BY THE CONTRACTOR	N/A
THE UST WAS PLACED ONTO PLASTIC, SCRAPED OFF, INSPECTED FOR HOLES AND PHOTOGRAPHED	Y
A DISCHARGE WAS REPORTED TO THE NJDEP (609-292-7172), CASE# <u>97-8-15-1459-35</u> ^{01/22/97}	Y
PHOTOS HAVE UST#, BLDG. #, DATE, TIME, NAME OF SSE AND DESCR. WRITTEN ON BACK	Y
GROUNDWATER WAS ENCOUNTERED AT <u>8</u> FEET BG, A SHEEN (WAS/WAS NOT) OBSERVED ON GW	Y
IF OVA/Hnu WAS USED: WAS IT CAL. AND FOUND TO BE OPERATIONAL (cal. data on COC)	N/A
IF SAMPLES WERE TAKEN: COC, SCALED SITE MAP (VERT. SOIL HORIZONS AND PLOT PLAN)	N/A
ALL SAMPLE COLLECTION ACTIVITIES WERE AS DESCRIBED IN THE NJDEP FSPM, 1992	N/A
ALL SAMPLING WAS BIASED TOWARD HIGHEST OVA/FID RECORDED SITES IAW 7:26E-3.6 <u>et seq.</u>	N/A
ALL PETROL. CONT. SOILS WERE SECURED FROM THE WEATHER BY CLOSE OF BUSINESS TODAY	Y
THE SSE AUTHORIZED BACKFILLING THE EXCAVATION (STONE TO 1" ABOVE GROUNDWATER)	N/A
ADDITIONAL NOTES WERE TAKEN AND ARE RECORDED ON THE BACK OF THIS FORM	N
THE FOLLOWING DOCUMENTS WERE ADDED TO THE PROJECT FOLDER TODAY: (CIRCLE EACH) SCRAP TICKET, CSE PERMIT, ACCIDENT REPORT, HAZ. WASTE MANIFEST, DAILY UST CLOSURE LOG, SCALED SITE MAP (SAMPLING), SRF-CLOSURE, CHAIN OF CUSTODY, SOIL ANALYTICAL RESULTS, CLEAN FILL TICKETS (IN YDS ³), PHOTOGRAPHS (UST, EXCAVATION, SAMPLING POINTS)	N

CHECK ALL BOXES. LEAVE NO BLANKS

I certify under penalty of law that tank decommissioning activities were performed in compliance with N.J.A.C. 7:14B-9.2(b)3 and 7:26 et seq.. I am aware that there are significant penalties for submitting false, inaccurate, or incomplete information, including fines and/or imprisonment.

SIGNATURE: _____ DATE: 8-18-97

APPENDIX C
WASTE MANIFEST



State of New Jersey
Department of Environmental Protection and Energy
Hazardous Waste Regulation Program
Manifest Section
CN 421, Trenton, NJ 08625-0421

Please type or print in black letters. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. NJ1727102020307070716		Manifest Document No. 071276	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address US Army Communications Electronics Center Main Post, c/o James Shirghio, Bldg 2304 ATTN: SELOM- DL-EM-MS, Fort Monmouth, NJ 07703				A. State Manifest Document Number NJA 1907276		B. State Generator's ID (Gen. Site Address) <i>Manifest FT Monmouth</i>	
4. Generator's Phone (908) 532-6722				C. State Trans. ID-NJDEPE 52265		Decal No. 55464	
5. Transporter 1 Company Name Teebol Carriage Inc.		6. US EPA ID Number 1710203070716		D. Transporter's Phone (908) 462-1001		E. State Trans. ID-NJDEPE	
7. Transporter 2 Company Name		8. US EPA ID Number		Decal No.		F. Transporter's Phone ()	
9. Designated Facility Name and Site Address Lionetti Oil Recovery Co., Inc. Runyon & Chesapeake Rds. Old Bridge, NJ 08857		10. US EPA ID Number 1710203070716		G. State Facility's ID		H. Facility's Phone (908) 721-0900	
11. US DOT Description (Including Proper Shipping Name, Hazard Class or Division, ID Number and Packing Group)				12. Containers	13. Total Quantity	14. Unit Wt/Vol	15. Waste No.
a.	X	Petroleum Oil N.O.S. Class 3 (Petroleum Oil) Combustible Liquid UN 1270 PG III		No. Type			
b.	X	Petroleum Oil N.O.S. Class 3 (Petroleum Oil) Combustible Liquid UN 1270 PG III		0101 TIT	3100	6	X 7 2 2
c.	X	Petroleum Oil N.O.S. Class 3 (Petroleum Oil) Combustible Liquid UN 1270 PG III		0101 TIT			X 7 2 2
d.	X	Petroleum Oil N.O.S. Class 3 (Petroleum Oil) Combustible Liquid UN 1270 PG III		0101 TIT			X 7 2 2
J. Additional Descriptions for Materials Listed Above				K. Handling Codes for Wastes Listed Above			
a.	T.L.	Water 30%	Petroleum Oil 70%	2			T04-Filtration T04-Filtration
b.	T.L.	Water 30%	Petroleum Oil 70%	2			T04-Filtration T04-Filtration
15. Special Handling Instructions and Additional Information NOT REGULATED BY EPA. REGULATED AS HAZARDOUS WASTE IN NJ 24 HOUR EMERGENCY RESPONSE PHONE: 201-427-2881 NJ DECAL 55464 a) 0081533-65 b) 0081533-66							
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.							
Printed/Typed Name <i>DENNIS J. DENNE</i>				Signature <i>Dennis J. Denne</i>			
17. Transporter 1 Acknowledgement of Receipt of Materials				Month Day Year 09 01 94			
Printed/Typed Name <i>DICK BURR</i>				Signature <i>Dick Burr</i>			
18. Transporter 2 Acknowledgement of Receipt of Materials				Month Day Year 09 01 94			
Printed/Typed Name				Signature			
19. Discrepancy Indication Space				Month Day Year			
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.				Month Day Year			
Printed/Typed Name <i>UTPAL JAGAD</i>				Signature <i>Utpal Jagad</i>			
				Month Day Year 09 02 94			

APPENDIX D
UST DISPOSAL CERTIFICATE

APPENDIX E

SOIL ANALYTICAL DATA PACKAGE

US ARMY FT. MONMOUTH ENVIRONMENTAL LABORATORY
NJDEPE # 13461

REPORT OF ANALYSIS

Client: U.S. Army
DPW, SELFM-PW-EV
Bldg. 173
Ft. Monmouth, NJ 07703

Project: Total Petroleum Hydrocarbons
96-1262
Bldg. 291

Project # 2969
Date Rec. 09/05/97
Date Comp. 09/11/97
Released by:



Daniel K. Wright
Laboratory Director

Table of Contents

<u>Section</u>	<u>Pages</u>
Cover Sheet	1
Table of Contents	2
Method Summary	3
Conformance/Non-Conformance	4
Chain of Custody	5
Results Summary	6
Initial Calibration Summary	7
Continuing Calibration Summary	8-9
Surrogate Results Summary	10
MS/MSD Results Summary	11
Quality Control Spike Summary	12
Raw Sample Data	13-30
Laboratory Deliverable Checklist	31

Method Summary

NJDEP Method OQA-QAM-025-10/97

Gas Chromatographic Determination of Total Petroleum Hydrocarbons in Soil

Fifteen grams (15g)(wet weight) of a soil sample is added to a 125 mL acid cleaned, solvent rinsed, capped Erlenmeyer flask. 15g anhydrous sodium sulfate is added to dry sample. Surrogate standard spiking solution is then added to the flask.

Twenty five milliliters(25mL) Methylene Chloride is added to the flask and it is secured on a gyrotory shaker table. The agitation rate is set to 400rpm and the sample is shaken for 30 minutes. The flask is the removed from the table and the particulate matter is allowed to settle. The extract is transferred to a Teflon capped vial. A second 25mL of Methylene Chloride is added to the flask and shaken for an additional 30 minutes. The flask is again removed and allowed to settle. The extracts are combined in the vial then transferred to a 1mL autosampler vial.

The extract is then injected directly into a GC-FID for analysis. The sample is analyzed for petroleum hydrocarbons covering a range of C8-C42 including pristane and phytane. Total Petroleum Hydrocarbon concentration is determined by integrating between 5 minutes and 22 minutes. The baseline is established by starting the integration after the end of the solvent peak and stopping after the last peak.

The final concentration of Total Petroleum Hydrocarbons is calculated using percent solid, sample weight and concentration.

PHC Conformance/Non-conformance Summary Report

	<u>No</u>	<u>Yes</u>
1. Method Detection Limits provided.	—	✓
2. Method Blank Contamination - If yes, list the sample and the corresponding concentrations in each blank. _____ _____	✓	—
3. Matrix Spike Results Summary Meet Criteria. (If not met, list the sample and corresponding recovery which falls outside the acceptable range). _____ _____	—	✓
4. Duplicate Results Summary Meet Criteria. (If not met, list the sample and corresponding recovery which falls outside the acceptable range). _____ _____		✓
5. IR Spectra submitted for standards, blanks, & samples	—	NA —
6. Chromatograms submitted for standards, blanks, and samples if GC fingerprinting was conducted.	—	✓
7. Analysis holding time met. (If not met, list number of days exceeded for each sample) _____ _____	—	✓
Additional Comments: _____ _____ _____		

Laboratory Authentication Statement

I certify under penalty of law, where applicable, that this laboratory meets the Laboratory Performance Standards and Quality Control requirements specified in N.J.A.C. 7:18 and 40 CFR Part 136 for Water and Wastewater Analyses and SW 846 for Solid Waste Analysis. I have personally examined the information contained in this report, and to the best of my knowledge, I believe that the submitted information is true, accurate, complete, and meets the above referenced standards where applicable. I am aware that there are significant penalties for purposefully submitting falsified information, including the possibility of a fine and imprisonment.



Daniel K. Wright
Laboratory Manager



Fort Monmouth Environmental Testing Laboratory

Bldg. 173, SELFM-PW-EV, Fort Monmouth, NJ 07703

Tel (908)532-4359 Fax (908)532-3484 EMail:appleby@doim6.monmouth.army.mil

NJDEP Certification #13461

Chain of Custody Record

Customer: <u>GENE LESINSKI-DPW</u>		Project No: <u>96-1262</u>		Analysis Parameters						Comments:									
Phone #: <u>20989</u>		Location: <u>B.291</u>		<table border="1"> <tr> <td>TPHC</td> <td>% Solids</td> <td>Murser</td> <td>VOC+10 (TO BE DETERMINED)</td> <td></td> <td></td> <td></td> <td></td> <td>OUA</td> </tr> </table>						TPHC	% Solids	Murser	VOC+10 (TO BE DETERMINED)					OUA	* = SAMPLES KEPT BELOW 4°C.
TPHC	% Solids	Murser	VOC+10 (TO BE DETERMINED)											OUA					
() DERA (X) OMA () Other: _____																			
Samplers Name / Company: <u>GARY DIMARTINIS - TUS</u>				Sample #						Remarks / Preservation Method									
Lab Sample I.D.	Sample Location	Date	Time	Type	bottles														
2969.01	291-A	9/5/97	1358	SOIL	1	X	X	X		15.11	ND	Exc. Floor @ 9.0' *							
.02	B		1349							15.70	ND								
.03	C		1352							15.25	ND								
.04	D		1340							15.20	ND								
.05	E (VOC.01)		1501		2		X	X		15.43	15.46	15	SIDEWALL @ 5.5'						
.06	F (VOC.02)		1447				X	X		16.12		5							
.07	G		1409		1					15.90		ND							
.08	H		1406						MS	15.49		ND							
.09	DUP									15.42	15.66	15.54	FIELD DUPLICATE						
.10	TRIP BLANK (VOC.03)			METHANOL			X	X					TRIP BLANK						
NOTE: OUA (AST903) CALIBRATED w/95 ppm CH ₄ & ZERO (w) AIR @ 1330 HRS ON 9/5/97 by G. DIMARTINIS.																			
Relinquished by (signature): <u>[Signature]</u>		Date/Time: <u>9/5/97 1542</u>		Received by (signature): <u>[Signature]</u>		Relinquished by (signature):		Date/Time:		Received by (signature):									
Relinquished by (signature):		Date/Time:		Received by (signature):		Relinquished by (signature):		Date/Time:		Received by (signature):									
Report Type: () Full, (X) Reduced, () Standard, () Screen / non-certified						Remarks: <u>DEDICATED SAMPLING TOOLS USED</u>													
Turnaround time: () Standard 4 wks, (X) Rush _____ Days, (X) ASAP Verbal _____ Hrs.																			


Report of Analysis
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification # 13461

Client :	U.S. Army	Lab. ID # :	2969
	DPW. SELFM-PW-EV	Date Rec'd:	05-Sep-97
	Bldg. 173	Analysis Start:	10-Sep-97
	Ft. Monmouth, NJ 07703	Analysis Complete:	11-Sep-97

Analysis:	OQA-QAM-025	UST Reg. #:	
Matrix:	Soil	Closure #:	
Analyst:	D.DEINHARDT	DICAR #:	
Ext. Meth:	Shake	Location #:	B.291

Sample	Field ID	Dilution Factor	Weight (g)	% Solid	MDL (mg/kg)	TPHC Result (mg/kg)
2969.01	291-A	1.00	15.11	70.89	219	468.87
2969.02	291-B	1.00	15.70	70.47	212	ND
2969.03	291-C	1.00	15.25	68.12	226	330.72
2969.04	291-D	1.00	15.20	69.15	224	274.33
2969.05	291-E	1.00	15.46	69.22	220	1143.98
2969.06	291-F	1.00	16.12	76.89	190	262.31
2969.07	291-G	1.00	15.90	77.77	190	306.81
2969.08	291-H	1.00	15.49	76.67	198	557.41
2969.09	291-DUP	1.00	15.54	65.53	231	ND
METHOD BLANK	10-Sep-97	1.00	15.00	100.00	157	ND

ND = Not Detected
MDL = Method Detection Limit


Daniel K. Wright
Laboratory Director


LABORATORY DELIVERABLES CHECKLIST AND NON-CONFORMANCE SUMMARY

THIS FORM MUST BE COMPLETED BY THE LABORATORY OR ENVIRONMENTAL CONSULTANT AND ACCOMPANY ALL DATA SUBMISSIONS

The following Laboratory Deliverables checklist and Non-Conformance Summary shall be included in the data submission. All deviations from the accepted methodology and procedures, of performance values outside acceptable ranges shall be summarized in the Non-Conformance Summary. The Technical Requirements for Site Remediation, effective June 7, 1993, provides further details. The document shall be bound and paginated, contain a table of contents, and all pages shall be legible. Incomplete packages will be returned or held without review until the data package is completed.

It is recommended that the analytical results summary sheets listing all targeted and non-targeted compounds with the method detection limits, practical quantitation limits, and the laboratory and/or sample numbers be included in one section of the data package and in the main body of the report.

- 1. Cover page, Title Page listing Lab Certification #, facility name and address, & date of report submitted
- 2. Table of Contents submitted
- 3. Summary Sheets listing analytical results for all targeted and non-targeted compounds submitted
- 4. Document paginated and legible
- 5. Chain of Custody submitted
- 6. Samples submitted to lab within 48 hours of sample collection
- 7. Methodology Summary submitted
- 8. Laboratory Chronicle and Holding Time Check submitted
- 9. Results submitted on a dry weight basis
- 10. Method Detection Limits submitted
- 11. Lab certified by NJDEP for parameters of appropriate category of parameters or a member of the USEPA CLP

Laboratory Manager/ or Environmental Consultant's Signature 
Date 1/20/94

Laboratory Certification #13461

*Refer to NJAC 7:26E - Appendix A, Section IV - Reduced Data Deliverables - Non-USEPA/CLP Methods for further guidance

US ARMY FT. MONMOUTH ENVIRONMENTAL LABORATORY
NJDEPE # 13461

REPORT OF ANALYSIS

Client: U.S. Army
DPW, SELFM-PW-EV
Bldg. 173
Ft. Monmouth, NJ 07703

Project: Volatiles - EPA Method 8260
96-1262
Bldg. 291

Project # 2969
Date Rec. 09/05/97
Date Compl. 09/25/97
Released by:



Daniel K. Wright
Laboratory Director

Table of Contents

<u>Section</u>	<u>Pages</u>
Cover Sheet	1
Table of Contents	2
Method Summary	3
Conformance/Non-Conformance	4-5
Chain of Custody	6
Qualifiers	7
Results Summary	8-11
Tentatively Identified Compound Summary	12-13
Initial Calibration Summary	14-15
Continuing Calibration Summary	16-17
Tune Summary	18
Blank Summary	19
MS/MSD Results Summary	20
Internal Standard Summary	21
Surrogate Summary	22
Raw Sample Data	23-26
Laboratory Deliverable Checklist	27

Method Summary

NJDEP Method 8260

Gas Chromatographic Determination of Volatiles in Soil

A 50uL volume of Methanol Samples soil is added to 5mL aliquot of water. Surrogates and internal standards are added and the sample is placed on a purge and trap concentrator. The sample as purged and desorbed into a GC/MS system.

Volatiles are identified and quantitated. The final concentration is calculated using soil weight, percent solid, methanol volume and concentration.

GC/MS ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY FORMAT

Indicate
Yes, No, N/A

- 1. Chromatograms Labeled/Compounds Identified
(Field Samples and Method Blanks) Y

- 2. Retention times for chromatograms provided Y

- 3. GC/MS Tune Specifications
 - a. BFB Meet Criteria Y
 - b. DFTPP Meet Criteria Y

- 4. GC/MS Tuning Frequency - Performed every 24 hours for 600 series and 12 hours for 8000 series Y

- 5. GC/MS Calibration - Initial Calibration performed before sample analysis and continuing calibration performed within 24 hours of sample analysis for 600 series and 12 hours for 8000 series Y

- 6. GC/MS Calibration Requirements
 - a. Calibration Check Compounds Meet Criteria Y
 - b. System Performance Check Compounds Meet Criteria Y

- 7. Blank Contamination - If yes, List compounds and concentrations in each blank: N
 - a. VOA Fraction _____
 - b. B/N Fraction _____
 - c. Acid Fraction _____

- 8. Surrogate Recoveries Meet Criteria Y

If not met, list those compounds and their recoveries which fall outside the acceptable range:

 - a. VOA Fraction _____
 - b. B/N Fraction _____
 - c. Acid Fraction _____

If not met, were the calculations checked and the results qualified as "estimated"?

- 9. Matrix Spike/Matrix Spike Duplicate Recoveries Meet Criteria Y

(If not met, list those compounds and their recoveries which fall outside the acceptable range)

 - a. VOA Fraction _____
 - b. B/N Fraction _____
 - c. Acid Fraction _____

GC/MS Analysis Conformance/Non-Conformance Summary (cont.)

Indicate
Yes, No, N/A

10. Internal Standard Area/Retention Time Shift Meet Criteria Y
(If not met, list those compounds which fall outside the acceptable range)
a. VOA Fraction _____
b. B/N Fraction _____
c. Acid Fraction _____

11. Extraction Holding Time Met Y

If not met, list number of days exceeded for each sample: _____

12. Analysis Holding Time Met Y

If not met, list number of days exceeded for each sample: _____

Additional Comments:

Laboratory Manager : [Signature] Date: 1-20-98



Fort Monmouth Environmental Testing Laboratory

Bldg. 173, SELFM-PW-EV, Fort Monmouth, NJ 07703

Tel (908)532-4359 Fax (908)532-3484 EMail:appleby@doim6.monmouth.army.mil

NJDEP Certification #13461

Chain of Custody Record

Customer: <u>GENE LESINSKI-DPW</u>		Project No: <u>961262</u>		Analysis Parameters					Comments:								
Phone #: <u>20989</u>		Location: <u>B.291</u>		<table border="1"> <tr> <td>TPHC</td> <td>% Solids</td> <td>Munsell</td> <td>UVA+10 (TO BE DETERMINED)</td> <td></td> <td></td> <td></td> <td>OUA</td> </tr> </table>					TPHC	% Solids	Munsell	UVA+10 (TO BE DETERMINED)				OUA	* = SAMPLES KEPT BELOW 4°C.
TPHC	% Solids	Munsell	UVA+10 (TO BE DETERMINED)									OUA					
() DERA (X) OMA () Other: _____																	
Samplers Name / Company: <u>GARY DIMARTINIUS - TUS</u>				Sample #					Remarks / Preservation Method								
Lab Sample I.D.	Sample Location	Date	Time	Type	bottles												
2969.01	291-A	9/5/97	1358	SOIL	1	X	X	X	ND	Exc. FLOOR @ 9.0' *							
.02	B		1349						ND								
.03	C		1352						ND								
.04	D		1340						ND								
.05	E (UVA.01)		1501		2		X		15		SIDEWALL @ 5.5'						
.06	F (UVA.02)		1447				X		5								
.07	G		1409		1				ND								
.08	H		1406						ND								
.09	DUP		—						—		FIELD DUPLICATE						
.10	TRIP BLANK (UVA.03)		—	METHANOL			X		—		TRIP BLANK						
NOTE: OUA (AST903) CALIBRATED w/95 ppm CH4 & ZERO (w) AIR @ 1330 HRS ON 9/5/97 by G. DIMARTINIUS.																	
Relinquished by (signature): <u>[Signature]</u>		Date/Time: <u>9/5/97 1542</u>		Received by (signature): <u>[Signature]</u>		Relinquished by (signature):		Date/Time:		Received by (signature):							
Relinquished by (signature):		Date/Time:		Received by (signature):		Relinquished by (signature):		Date/Time:		Received by (signature):							
Report Type: () Full, (X) Reduced, () Standard, () Screen / non-certified					Remarks: <u>DEDICATED SAMPLING TOOLS USED</u>												
Turnaround time: () Standard 4 wks, (X) Rush Days, (X) ASAP Verbal Hrs.																	

**US ARMY FT. MONMOUTH ENVIRONMENTAL LABORATORY
NJDEPE # 13461**

Definition of Qualifiers

- MDL** : Method Detection Limit
J : Compound identified below detection limit
B : Compound in both sample and blank
D : Results from dilution of sample
U : Compound searched for but not detected

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD ID.

Daily Blank

Lab Name: FMETL NJDEP # 13461
 Project: 961262 Case No.: 2969 Location: B.291 SDG No.: _____
 Matrix: (soil/water) SOIL Lab Sample ID: Daily Blank
 Sample wt/vol: 10.0 (g/ml) G Lab File ID: V02017.D
 Level: (low/med) MED Date Received: 09/05/97
 % Moisture: not dec. 0 Date Analyzed: 09/24/97
 GC Column: Rtx502.2 ID: 0.25 (mm) Dilution Factor: 1.0
 Soil Extract Volume: 25000 (uL) Soil Aliquot Volume: 50 (uL)

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) UG/KG Q

107028	Acrolein	1800	U
107131	Acrylonitrile	1800	U
75650	tert-Butyl alcohol	3200	U
1634044	Methyl-tert-Butyl ether	750	U
108203	Di-isopropyl ether	500	U
	Dichlorodifluoromethane	1000	U
74-87-3	Chloromethane	250	U
75-01-4	Vinyl Chloride	750	U
74-83-9	Bromomethane	500	U
75-00-3	Chloroethane	750	U
75-69-4	Trichlorofluoromethane	500	U
75-35-4	1,1-Dichloroethene	250	U
67-64-1	Acetone	500	U
75-15-0	Carbon Disulfide	250	U
75-09-2	Methylene Chloride	500	U
156-60-5	trans-1,2-Dichloroethene	500	U
75-35-3	1,1-Dichloroethane	250	U
108-05-4	Vinyl Acetate	750	U
78-93-3	2-Butanone	750	U
	cis-1,2-Dichloroethene	250	U
67-66-3	Chloroform	250	U
75-55-6	1,1,1-Trichloroethane	250	U
56-23-5	Carbon Tetrachloride	500	U
71-43-2	Benzene	250	U
107-06-2	1,2-Dichloroethane	500	U
79-01-6	Trichloroethene	250	U
78-87-5	1,2-Dichloropropane	250	U
75-27-4	Bromodichloromethane	250	U
110-75-8	2-Chloroethyl vinyl ether	500	U
10061-01-5	cis-1,3-Dichloropropene	250	U
108-10-1	4-Methyl-2-Pentanone	500	U
108-88-3	Toluene	250	U
10061-02-6	trans-1,3-Dichloropropene	500	U
79-00-5	1,1,2-Trichloroethane	500	U
127-18-4	Tetrachloroethene	250	U
591-78-6	2-Hexanone	500	U
126-48-1	Dibromochloromethane	500	U
108-90-7	Chlorobenzene	250	U
100-41-4	Ethylbenzene	500	U

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD ID.

Daily Blank

Lab Name: FMETL NJDEP # 13461
 Project: 961262 Case No.: 2969 Location: B.291 SDG No.: _____
 Matrix: (soil/water) SOIL Lab Sample ID: Daily Blank
 Sample wt/vol: 10.0 (g/ml) G Lab File ID: V02017.D
 Level: (low/med) MED Date Received: 09/05/97
 % Moisture: not dec. 0 Date Analyzed: 09/24/97
 GC Column: Rtx502.2 ID: 0.25 (mm) Dilution Factor: 1.0
 Soil Extract Volume: 25000 (uL) Soil Aliquot Volume: 50 (uL)

CONCENTRATION UNITS:

CAS NO.	COMPOUND	(ug/L or ug/Kg)	<u>UG/KG</u>	Q
1330-20-7	m+p-Xylenes		750	U
1330-20-7	o-Xylene		500	U
100-42-5	Styrene		500	U
75-25-2	Bromoform		500	U
79-34-5	1,1,2,2-Tetrachloroethane		500	U
541-73-1	1,3-Dichlorobenzene		750	U
106-46-7	1,4-Dichlorobenzene		750	U
95-50-1	1,2-Dichlorobenzene		750	U

9

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD ID.

291-E

Lab Name: FMETL NJDEP # 13461
 Project: 961262 Case No.: 2969 Location: B.291 SDG No.: _____
 Matrix: (soil/water) SOIL Lab Sample ID: 2969.05
 Sample wt/vol: 9.8 (g/ml) G Lab File ID: V02018.D
 Level: (low/med) MED Date Received: 09/05/97
 % Moisture: not dec. 30.78 Date Analyzed: 09/24/97
 GC Column: Rtx502.2 ID: 0.25 (mm) Dilution Factor: 1.0
 Soil Extract Volume: 25000 (uL) Soil Aliquot Volume: 50 (uL)

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) UG/KG Q

107028	Acrolein	2600	U
107131	Acrylonitrile	2600	U
75650	tert-Butyl alcohol	4800	U
1634044	Methyl-tert-Butyl ether	1100	U
108203	Di-isopropyl ether	740	U
	Dichlorodifluoromethane	1500	U
74-87-3	Chloromethane	370	U
75-01-4	Vinyl Chloride	1100	U
74-83-9	Bromomethane	740	U
75-00-3	Chloroethane	1100	U
75-69-4	Trichlorofluoromethane	740	U
75-35-4	1,1-Dichloroethene	370	U
67-64-1	Acetone	740	U
75-15-0	Carbon Disulfide	370	U
75-09-2	Methylene Chloride	740	U
156-60-5	trans-1,2-Dichloroethene	740	U
75-35-3	1,1-Dichloroethane	370	U
108-05-4	Vinyl Acetate	1100	U
78-93-3	2-Butanone	1100	U
	cis-1,2-Dichloroethene	370	U
67-66-3	Chloroform	370	U
75-55-6	1,1,1-Trichloroethane	370	U
56-23-5	Carbon Tetrachloride	740	U
71-43-2	Benzene	370	U
107-06-2	1,2-Dichloroethane	740	U
79-01-6	Trichloroethene	370	U
78-87-5	1,2-Dichloropropane	370	U
75-27-4	Bromodichloromethane	370	U
110-75-8	2-Chloroethyl vinyl ether	740	U
10061-01-5	cis-1,3-Dichloropropene	370	U
108-10-1	4-Methyl-2-Pentanone	740	U
108-88-3	Toluene	370	U
10061-02-6	trans-1,3-Dichloropropene	740	U
79-00-5	1,1,2-Trichloroethane	740	U
127-18-4	Tetrachloroethene	370	U
591-78-6	2-Hexanone	740	U
126-48-1	Dibromochloromethane	740	U
108-90-7	Chlorobenzene	370	U
100-41-4	Ethylbenzene	740	U

1A
VOLATILE ORGANICS ANALYSIS DATA SHEET

FIELD ID.

291-E

Lab Name: FMETL NJDEP # 13461

Project: 961262 Case No.: 2969 Location: B.291 SDG No.: _____

Matrix: (soil/water) SOIL Lab Sample ID: 2969.05

Sample wt/vol: 9.8 (g/ml) G Lab File ID: V02018.D

Level: (low/med) MED Date Received: 09/05/97

% Moisture: not dec. 30.78 Date Analyzed: 09/24/97

GC Column: Rtx502.2 ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: 25000 (uL) Soil Aliquot Volume: 50 (uL)

CONCENTRATION UNITS:

CAS NO. COMPOUND (ug/L or ug/Kg) UG/KG Q

1330-20-7	m+p-Xylenes	1100	U
1330-20-7	o-Xylene	740	U
100-42-5	Styrene	740	U
75-25-2	Bromoform	740	U
79-34-5	1,1,2,2-Tetrachloroethane	740	U
541-73-1	1,3-Dichlorobenzene	1100	U
106-46-7	1,4-Dichlorobenzene	1100	U
95-50-1	1,2-Dichlorobenzene	1100	U

1E
VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID.

Daily Blank

Lab Name: FMETL NJDEP # 13461
Project: 961262 Case No.: 2969 Location: B.291 SDG No.: _____
Matrix: (soil/water) SOIL Lab Sample ID: Daily Blank
Sample wt/vol: 10.0 (g/ml) G Lab File ID: V02017.D
Level: (low/med) MED Date Received: 09/05/97
% Moisture: not dec. 0 Date Analyzed: 09/24/97
GC Column: Rtx502.2 ID: 0.25 (mm) Dilution Factor: 1.0
Soil Extract Volume: 25000 (uL) Soil Aliquot Volume: 50 (uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/KG
Number TICs found: 0

CAS NO.	COMPOUND	RT	EST. CONC.	Q
---------	----------	----	------------	---

1E
VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID.

291-E

Lab Name: FMETL NJDEP # 13461

Project: 961262 Case No.: 2969 Location: B.291 SDG No.: _____

Matrix: (soil/water) SOIL Lab Sample ID: 2969.05

Sample wt/vol: 9.8 (g/ml) G Lab File ID: V02018.D

Level: (low/med) MED Date Received: 09/05/97

% Moisture: not dec. 30.78 Date Analyzed: 09/24/97

GC Column: Rtx502.2 ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: 25000 (uL) Soil Aliquot Volume: 50 (uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/KG

Number TICs found: 1

CAS NO.	COMPOUND	RT	EST. CONC.	Q
1.	unknown hydrocarbon	30.88	2000	J

LABORATORY DELIVERABLES CHECKLIST AND NON-CONFORMANCE SUMMARY

Indicate*
Yes, No, N/A

- | | |
|--|----------|
| 1. Cover Page, Title Page listing Lab Certification #, facility name & address, & data of report submitted | <u>Y</u> |
| 2. Summary Sheets listing analytical results for all targeted and non-targeted compounds submitted | <u>Y</u> |
| 3. Summary Table cross-referencing field ID #'s vs. Lab ID #'s Lab ID's submitted | <u>Y</u> |
| 4. Document bound, paginated and legible | <u>Y</u> |
| 5. Chain of Custody submitted | <u>Y</u> |
| 6. Samples submitted to lab within 48 hours of sample collection | <u>Y</u> |
| 7. Methodology Summary submitted | <u>Y</u> |
| 8. Results submitted on a dry weight basis | <u>Y</u> |
| 9. Method Detection Limits | <u>Y</u> |
| 10. Lab certified by NJDEP for parameters of appropriate category of parameters or a member of the USEPA CLP | <u>Y</u> |

Laboratory Manager of Environmental Consultant's Signature _____
Date 1/20/04



Laboratory Certification # 13461

- *Refer to NJAC 7:26E - Appendix A, Section IV - Reduced Data Deliverables - Non-USEPA/CLP Methods for further guidance

US ARMY FT. MONMOUTH ENVIRONMENTAL LABORATORY
NJDEPE # 13461

REPORT OF ANALYSIS

Client: U.S. Army
DPW, SELFM-PW-EV
Bldg. 173
Ft. Monmouth, NJ 07703

Project: Total Petroleum Hydrocarbons
96-1262
Bldg.291

Project # 2971
Date Rec. 09/08/97
Date Comp. 09/11/97
Released by:



Daniel K. Wright
Laboratory Director

Table of Contents

<u>Section</u>	<u>Pages</u>
Cover Sheet	1
Table of Contents	2
Method Summary	3
Conformance/Non-Conformance	4
Chain of Custody	5
Results Summary	6
Initial Calibration Summary	7
Continuing Calibration Summary	8
Surrogate Results Summary	9
MS/MSD Results Summary	10
Quality Control Spike Summary	11
Raw Sample Data	12-23
Laboratory Deliverable Checklist	24

Method Summary

NJDEP Method OQA-QAM-025-10/97

Gas Chromatographic Determination of Total Petroleum Hydrocarbons in Soil

Fifteen grams (15g)(wet weight) of a soil sample is added to a 125 mL acid cleaned, solvent rinsed, capped Erlenmeyer flask. 15g anhydrous sodium sulfate is added to dry sample. Surrogate standard spiking solution is then added to the flask.

Twenty five milliliters(25mL) Methylene Chloride is added to the flask and it is secured on a gyrotory shaker table. The agitation rate is set to 400rpm and the sample is shaken for 30 minutes. The flask is the removed from the table and the particulate matter is allowed to settle. The extract is transferred to a Teflon capped vial. A second 25mL of Methylene Chloride is added to the flask and shaken for an additional 30 minutes. The flask is again removed and allowed to settle. The extracts are combined in the vial then transferred to a 1mL autosampler vial.

The extract is then injected directly into a GC-FID for analysis. The sample is analyzed for petroleum hydrocarbons covering a range of C8-C42 including pristane and phytane. Total Petroleum Hydrocarbon concentration is determined by integrating between 5 minutes and 22 minutes. The baseline is established by starting the integration after the end of the solvent peak and stopping after the last peak.

The final concentration of Total Petroleum Hydrocarbons is calculated using percent solid, sample weight and concentration.

PHC Conformance/Non-conformance Summary Report

- | | <u>No</u> | <u>Yes</u> |
|--|-------------------------------------|-------------------------------------|
| 1. Method Detection Limits provided. | — | <input checked="" type="checkbox"/> |
| 2. Method Blank Contamination - If yes, list the sample and the corresponding concentrations in each blank.

_____ | <input checked="" type="checkbox"/> | — |
| 3. Matrix Spike Results Summary Meet Criteria.
(If not met, list the sample and corresponding recovery which falls outside the acceptable range).

_____ | — | <input checked="" type="checkbox"/> |
| 4. Duplicate Results Summary Meet Criteria.

(If not met, list the sample and corresponding recovery which falls outside the acceptable range).


_____ | | <input checked="" type="checkbox"/> |
| 5. IR Spectra submitted for standards, blanks, & samples | — | NA — |
| 6. Chromatograms submitted for standards, blanks, and samples if GC fingerprinting was conducted. | — | <input checked="" type="checkbox"/> |
| 7. Analysis holding time met.
(If not met, list number of days exceeded for each sample)

_____ | — | <input checked="" type="checkbox"/> |
| Additional Comments: _____

_____ | | |

Laboratory Authentication Statement

I certify under penalty of law, where applicable, that this laboratory meets the Laboratory Performance Standards and Quality Control requirements specified in N.J.A.C. 7:18 and 40 CFR Part 136 for Water and Wastewater Analyses and SW 846 for Solid Waste Analysis. I have personally examined the information contained in this report, and to the best of my knowledge, I believe that the submitted information is true, accurate, complete, and meets the above referenced standards where applicable. I am aware that there are significant penalties for purposefully submitting falsified information, including the possibility of a fine and imprisonment.



Daniel K. Wright
Laboratory Manager



Fort Monmouth Environmental Testing Laboratory

Bldg. 173, SELFM-PW-EV, Fort Monmouth, NJ 07703

Tel (908)532-4359 Fax (908)532-3484 EMail:appleby@doim6.monmouth.army.mil

NJDEP Certification #13461

Chain of Custody Record

Customer: <i>GEVE LESINSKI - DPLW</i>		Project No: <i>96-1262</i>		Analysis Parameters						Comments:			
Phone #: <i>20989</i>		Location: <i>B. 291</i>								<i>* = SAMPLES KEPT BELOW 4°C.</i>			
() DERA (X) OMA () Other: _____		Samplers Name / Company: <i>GARY DIMARTINIS - TUS</i>		Sample #	TPHC	% Solids	Munsell	MS	M10	OUA	Remarks / Preservation Method		
Lab Sample I.D.	Sample Location	Date	Time	Type	bottles								
<i>2971.01</i>	<i>291-A</i>	<i>9-8-97</i>	<i>1324</i>	<i>SOIL</i>	<i>1</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>15.81</i>	<i>16.41</i>	<i>16.35</i>	<i>NO</i>	<i>EXC. FLOOR @ 9.0'*</i>
<i>.02</i>	<i>-B</i>		<i>1327</i>						<i>15.90</i>			<i>NO</i>	<i>↓</i>
<i>.03</i>	<i>-C</i>		<i>1330</i>						<i>19.70</i>			<i>NO</i>	<i>SIDE WALL @ 5.5'</i>
<i>.04</i>	<i>-D</i>		<i>1333</i>						<i>16.07</i>			<i>NO</i>	<i>↓</i>
<i>.05</i>	<i>-E</i>		<i>1315</i>						<i>16.09</i>			<i>NO</i>	<i>↓</i>
<i>.06</i>	<i>-DUP</i>		<i>—</i>						<i>15.97</i>			<i>NO</i>	<i>FIELD DUPLICATE ↓</i>
<p><i>NOTE: OUA (#A51903) CALIBRATED w/ 95 ppm CH4 & ZERO (0) AIR @ 1250 HRS. on 9/8/97 by G. Dimartinis</i></p>													
Relinquished by (signature): <i>[Signature]</i>		Date/Time: <i>9-8-97 1505</i>		Received by (signature): <i>[Signature]</i>		Date/Time:		Received by (signature):					
Relinquished by (signature):		Date/Time:		Received by (signature):		Date/Time:		Received by (signature):					
Report Type: () Full, (X) Reduced, () Standard, () Screen / non-certified						Remarks:							
Turnaround time: () Standard 4 wks, (X) Rush Days, (X) ASAP Verbal Hrs.						<i>DEDICATED SAMPLING TOOLS USED.</i>							

Report of Analysis
 U.S. Army, Fort Monmouth Environmental Laboratory
 NJDEP Certification # 13461

Client :	U.S. Army	Lab. ID #:	2971
	DPW. SELFM-PW-EV	Date Rec'd:	08-Sep-97
	Bldg. 173	Analysis Start:	10-Sep-97
	Ft. Monmouth, NJ 07703	Analysis Complete:	11-Sep-97

Analysis:	OQA-QAM-025	UST Reg. #:	
Matrix:	Soil	Closure #:	
Analyst:	D.DEINHARDT	DICAR #:	
Ext. Meth:	Shake	Location #:	B.291

Sample	Field ID	Dilution Factor	Weight (g)	% Solid	MDL (mg/kg)	TPHC Result (mg/kg)
2971.01	291-A	1.00	15.81	67.74	219	ND
2971.02	291-B	1.00	15.40	69.75	219	269.43
2971.03	291-C	1.00	15.70	84.98	176	ND
2971.04	291-D	1.00	16.07	84.20	174	272.14
2971.05	291-E	1.00	16.09	81.32	180	ND
2971.06	291-DUP	1.00	15.57	81.03	186	278.92
METHOD BLANK	10-Sep-97	1.00	15.00	100.00	157	ND

ND = Not Detected
 MDL = Method Detection Limit


 Daniel K. Wright
 Laboratory Director

LABORATORY DELIVERABLES CHECKLIST AND NON-CONFORMANCE SUMMARY

THIS FORM MUST BE COMPLETED BY THE LABORATORY OR ENVIRONMENTAL CONSULTANT AND ACCOMPANY ALL DATA SUBMISSIONS

The following Laboratory Deliverables checklist and Non-Conformance Summary shall be included in the data submission. All deviations from the accepted methodology and procedures, of performance values outside acceptable ranges shall be summarized in the Non-Conformance Summary. The Technical Requirements for Site Remediation, effective June 7, 1993, provides further details. The document shall be bound and paginated, contain a table of contents, and all pages shall be legible. Incomplete packages will be returned or held without review until the data package is completed.

It is recommended that the analytical results summary sheets listing all targeted and non-targeted compounds with the method detection limits, practical quantitation limits, and the laboratory and/or sample numbers be included in one section of the data package and in the main body of the report.

- 1. Cover page, Title Page listing Lab Certification #, facility name and address, & date of report submitted
- 2. Table of Contents submitted
- 3. Summary Sheets listing analytical results for all targeted and non-targeted compounds submitted
- 4. Document paginated and legible
- 5. Chain of Custody submitted
- 6. Samples submitted to lab within 48 hours of sample collection
- 7. Methodology Summary submitted
- 8. Laboratory Chronicle and Holding Time Check submitted
- 9. Results submitted on a dry weight basis
- 10. Method Detection Limits submitted
- 11. Lab certified by NJDEP for parameters of appropriate category of parameters or a member of the USEPA CLP

Laboratory Manager or Environmental Consultant's Signature _____

Date 11/25/97

Laboratory Certification #13461

*Refer to NJAC 7:26E - Appendix A, Section IV - Reduced Data Deliverables - Non-USEPA/CLP Methods for further guidance

**US ARMY FT. MONMOUTH ENVIRONMENTAL LABORATORY
NJDEPE # 13461**

REPORT OF ANALYSIS

Client: U.S. Army
DPW, SELFM-PW-EV
Bldg. 173
Ft. Monmouth, NJ 07703

Project: Total Petroleum Hydrocarbons
96-1262
Bldg. 291

**Project #3005
Date Rec. 09/22/97
Date Comp. 09/23/97
Released by:**



**Daniel K. Wright
Laboratory Director**

Table of Contents

<u>Section</u>	<u>Pages</u>
Cover Sheet	1
Table of Contents	2
Method Summary	3
Conformance/Non-Conformance	4
Chain of Custody	5
Results Summary	6
Initial Calibration Summary	7
Continuing Calibration Summary	8-9
Surrogate Results Summary	10
MS/MSD Results Summary	11
Quality Control Spike Summary	12
Raw Sample Data	13-32
Laboratory Deliverable Checklist	33

Method Summary

NJDEP Method OQA-QAM-025-10/97

Gas Chromatographic Determination of Total Petroleum Hydrocarbons in Soil

Fifteen grams (15g)(wet weight) of a soil sample is added to a 125 mL acid cleaned, solvent rinsed, capped Erlenmeyer flask. 15g anhydrous sodium sulfate is added to dry sample. Surrogate standard spiking solution is then added to the flask.

Twenty five milliliters(25mL) Methylene Chloride is added to the flask and it is secured on a gyrotory shaker table. The agitation rate is set to 400rpm and the sample is shaken for 30 minutes. The flask is the removed from the table and the particulate matter is allowed to settle. The extract is transferred to a Teflon capped vial. A second 25mL of Methylene Chloride is added to the flask and shaken for an additional 30 minutes. The flask is again removed and allowed to settle. The extracts are combined in the vial then transferred to a 1mL autosampler vial.

The extract is then injected directly into a GC-FID for analysis. The sample is analyzed for petroleum hydrocarbons covering a range of C8-C42 including pristane and phytane. Total Petroleum Hydrocarbon concentration is determined by integrating between 5 minutes and 22 minutes. The baseline is established by starting the integration after the end of the solvent peak and stopping after the last peak.

The final concentration of Total Petroleum Hydrocarbons is calculated using percent solid, sample weight and concentration.

PHC Conformance/Non-conformance Summary Report

	<u>No</u>	<u>Yes</u>
1. Method Detection Limits provided.	—	✓
2. Method Blank Contamination - If yes, list the sample and the corresponding concentrations in each blank. _____ _____	✓	—
3. Matrix Spike Results Summary Meet Criteria. (If not met, list the sample and corresponding recovery which falls outside the acceptable range). _____ _____	—	✓
4. Duplicate Results Summary Meet Criteria. (If not met, list the sample and corresponding recovery which falls outside the acceptable range). _____ _____		✓
5. IR Spectra submitted for standards, blanks, & samples	—	NA —
6. Chromatograms submitted for standards, blanks, and samples if GC fingerprinting was conducted.	—	✓
7. Analysis holding time met. (If not met, list number of days exceeded for each sample) _____ _____	—	✓
Additional Comments: _____ _____ _____		

Laboratory Authentication Statement

I certify under penalty of law, where applicable, that this laboratory meets the Laboratory Performance Standards and Quality Control requirements specified in N.J.A.C. 7:18 and 40 CFR Part 136 for Water and Wastewater Analyses and SW 846 for Solid Waste Analysis. I have personally examined the information contained in this report, and to the best of my knowledge, I believe that the submitted information is true, accurate, complete, and meets the above referenced standards where applicable. I am aware that there are significant penalties for purposefully submitting falsified information, including the possibility of a fine and imprisonment.



Daniel K. Wright
Laboratory Manager



Fort Monmouth Environmental Testing Laboratory

Bldg. 173, SELFM-PW-EV, Fort Monmouth, NJ 07703

Tel (908)532-4359 Fax (908)532-3484 EMail:appleby@doim6.monmouth.army.mil

NJDEP Certification #13461

Chain of Custody Record

Customer: DPW-ENV		Project No: 96-1262		Analysis Parameters						Comments:		
Phone #:		Location: B. 291		TPHC	% Solids	Munsell	Volatile Organics (to be determined)	VOC #	OVA	* = SAMPLES KEPT BELOW 4°C.		
() DERA (X) OMA () Other:		Samplers Name / Company: GARY DIMARTINIS - TUS								Sample #	Remarks / Preservation Method	
Lab Sample I.D.	Sample Location	Date	Time	Type	bottles							
3005.01	291-A	9-20-97	0751	SOIL	1	X	X	X	15.52		10	EXC. FLOOR @ 9.0' *
02	B		0804		↓				15.21		2	↓
03	C		0848		↓				15.91		ND	↓
04	D		0814		2			X	970909.15		7	SIDEWALL @ 5.5' 15.06
05	E		0828		↓				15.83	.16	25	↓
06	F		0837		↓				15.57	.17	25	↓
07	G		0857		↓			↓	15.36	.18	15	↓
08	H		0904		↓				16.26		ND	↓
09	I		0919		↓				15.34		ND	Piping Run @ 1.0'
10	DUP				↓				15.96	M5 15.92	M50 15.28	FIELD DUPLICATE
NOTE: OVA (#A51903) CALIBRATED w/95ppm CH ₄ + ZERO (0) AIR @ 0730 HRS. ON 9/19/97 by G. DIMARTINIS.												
Relinquished by (signature):		Date/Time:		Received by (signature):		Relinquished by (signature):		Date/Time:		Received by (signature):		
<i>[Signature]</i>		9/22/97 0920		<i>[Signature]</i>								
Relinquished by (signature):		Date/Time:		Received by (signature):		Relinquished by (signature):		Date/Time:		Received by (signature):		
Report Type: () Full, (X) Reduced, () Standard, () Screen / non-certified						Remarks:						
Turnaround time: () Standard 4 wks, (X) Rush Days, (X) ASAP Verbal Hrs.						DEDICATED SAMPLING TOOLS USED.						

Report of Analysis
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification # 13461

Client : U.S. Army
 DPW. SELFM-PW-EV
 Bldg. 173
 Ft. Monmouth, NJ 07703

Lab. ID # : 3005
Date Rec'd: 22-Sep-97
Analysis Start: 22-Sep-97
Analysis Complete: 23-Sep-97

Analysis: OQA-QAM-025
Matrix: Soil
Analyst: D.DEINHARDT
Ext. Meth: Shake

UST Reg. #:
Closure #:
DICAR #:
Location #: B.291

Sample	Field ID	Dilution Factor	Weight (g)	% Solid	MDL (mg/kg)	TPHC Result (mg/kg)
3005.01	291-A	1.00	15.52	76.84	197	250.16
3005.02	291-B	1.00	15.21	68.93	224	261.27
3005.03	291-C	1.00	15.91	69.45	213	272.52
3005.04	291-D	1.00	15.06	83.33	187	4046.92
3005.05	291-E	1.00	15.83	80.48	184	9298.83
3005.06	291-F	1.00	15.57	81.27	186	5881.51
3005.07	291-G	1.00	15.36	79.70	192	6854.91
3005.08	291-H	1.00	16.26	80.69	179	ND
3005.09	291-I	1.00	15.34	87.49	175	ND
3005.10	291-DUP	1.00	15.96	71.37	206	269.67
METHOD BLANK	22-Sep-97	1.00	15.00	100.00	157	ND

ND = Not Detected
 MDL = Method Detection Limit


 Daniel K. Wright
 Laboratory Director

LABORATORY DELIVERABLES CHECKLIST AND NON-CONFORMANCE SUMMARY

THIS FORM MUST BE COMPLETED BY THE LABORATORY OR ENVIRONMENTAL CONSULTANT AND ACCOMPANY ALL DATA SUBMISSIONS

The following Laboratory Deliverables checklist and Non-Conformance Summary shall be included in the data submission. All deviations from the accepted methodology and procedures, of performance values outside acceptable ranges shall be summarized in the Non-Conformance Summary. The Technical Requirements for Site Remediation, effective June 7, 1993, provides further details. The document shall be bound and paginated, contain a table of contents, and all pages shall be legible. Incomplete packages will be returned or held without review until the data package is completed.

It is recommended that the analytical results summary sheets listing all targeted and non-targeted compounds with the method detection limits, practical quantitation limits, and the laboratory and/or sample numbers be included in one section of the data package and in the main body of the report.

- 1. Cover page, Title Page listing Lab Certification #, facility name and address, & date of report submitted
- 2. Table of Contents submitted
- 3. Summary Sheets listing analytical results for all targeted and non-targeted compounds submitted
- 4. Document paginated and legible
- 5. Chain of Custody submitted
- 6. Samples submitted to lab within 48 hours of sample collection
- 7. Methodology Summary submitted
- 8. Laboratory Chronicle and Holding Time Check submitted
- 9. Results submitted on a dry weight basis
- 10. Method Detection Limits submitted
- 11. Lab certified by NJDEP for parameters of appropriate category of parameters or a member of the USEPA CLP

Laboratory Manager or Environmental Consultant's Signature 
Date 1/27/96

Laboratory Certification #13461

*Refer to NJAC 7:26E - Appendix A, Section IV - Reduced Data Deliverables - Non-USEPA/CLP Methods for further guidance

**US ARMY FT. MONMOUTH ENVIRONMENTAL LABORATORY
NJDEPE # 13461**

REPORT OF ANALYSIS

Client: U.S. Army
DPW, SELFM-PW-EV
Bldg. 173
Ft. Monmouth, NJ 07703

Project: Total Petroleum Hydrocarbons
96-1262
Bldg. 291

Project #3020
Date Rec. 10/01/97
Date Comp. 10/03/97
Released by:



Daniel K. Wright
Laboratory Director

Table of Contents

<u>Section</u>	<u>Pages</u>
Cover Sheet	1
Table of Contents	2
Method Summary	3
Conformance/Non-Conformance	4
Chain of Custody	5
Results Summary	6
Initial Calibration Summary	7
Continuing Calibration Summary	8-10
Surrogate Results Summary	11
MS/MSD Results Summary	12
Quality Control Spike Summary	13
Raw Sample Data	14-29
Laboratory Deliverable Checklist	30

Method Summary

NJDEP Method OQA-QAM-025-10/97

Gas Chromatographic Determination of Total Petroleum Hydrocarbons in Soil

Fifteen grams (15g)(wet weight) of a soil sample is added to a 125 mL acid cleaned, solvent rinsed, capped Erlenmeyer flask. 15g anhydrous sodium sulfate is added to dry sample. Surrogate standard spiking solution is then added to the flask.

Twenty five milliliters(25mL) Methylene Chloride is added to the flask and it is secured on a gyrotory shaker table. The agitation rate is set to 400rpm and the sample is shaken for 30 minutes. The flask is the removed from the table and the particulate matter is allowed to settle. The extract is transferred to a Teflon capped vial. A second 25mL of Methylene Chloride is added to the flask and shaken for an additional 30 minutes. The flask is again removed and allowed to settle. The extracts are combined in the vial then transferred to a 1mL autosampler vial.

The extract is then injected directly into a GC-FID for analysis. The sample is analyzed for petroleum hydrocarbons covering a range of C8-C42 including pristane and phytane. Total Petroleum Hydrocarbon concentration is determined by integrating between 5 minutes and 22 minutes. The baseline is established by starting the integration after the end of the solvent peak and stopping after the last peak.

The final concentration of Total Petroleum Hydrocarbons is calculated using percent solid, sample weight and concentration.

PHC Conformance/Non-conformance Summary Report

No Yes

1. Method Detection Limits provided.

— ✓

2. Method Blank Contamination - If yes, list the sample and the corresponding concentrations in each blank.

✓ —

3. Matrix Spike Results Summary Meet Criteria. (If not met, list the sample and corresponding recovery which falls outside the acceptable range).

— ✓

4. Duplicate Results Summary Meet Criteria.

✓

(If not met, list the sample and corresponding recovery which falls outside the acceptable range).

5. IR Spectra submitted for standards, blanks, & samples

— NA —

6. Chromatograms submitted for standards, blanks, and samples if GC fingerprinting was conducted.

— ✓

7. Analysis holding time met.

— ✓

(If not met, list number of days exceeded for each sample)

Additional Comments:

Laboratory Authentication Statement

I certify under penalty of law, where applicable, that this laboratory meets the Laboratory Performance Standards and Quality Control requirements specified in N.J.A.C. 7:18 and 40 CFR Part 136 for Water and Wastewater Analyses and SW 846 for Solid Waste Analysis. I have personally examined the information contained in this report, and to the best of my knowledge, I believe that the submitted information is true, accurate, complete, and meets the above referenced standards where applicable. I am aware that there are significant penalties for purposefully submitting falsified information, including the possibility of a fine and imprisonment.

[Signature] Daniel K. Wright Laboratory Manager

Fort Monmouth Environmental Testing Laboratory

Bldg. 173, SELFM-PW-EV, Fort Monmouth, NJ 07703

Tel (908)532-4359 Fax (908)532-3484 EMail:appleby@doim6.monmouth.army.mil

NJDEP Certification #13461

Chain of Custody Record

Customer: DPW-ENV		Project No: 96-1262		Analysis Parameters					Comments:									
Phone #:		Location: B. 291		<table border="1"> <tr> <td>TPHC</td> <td>DB SOLIDS</td> <td>Aluminum</td> <td>CVA</td> <td>(To be Determined)</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>					TPHC	DB SOLIDS	Aluminum	CVA	(To be Determined)					* = SAMPLES KEPT BELOW 4°C.
TPHC	DB SOLIDS	Aluminum	CVA						(To be Determined)									
() DERA (X) OMA () Other:		Samplers Name / Company: GARY DIMARTINIS - TVS		Remarks / Preservation Method														
Lab Sample I.D.	Sample Location	Date	Time	Sample Type	# bottles	TPHC	DB SOLIDS	Aluminum	CVA	(To be Determined)					Remarks / Preservation Method			
15.35 3020.01	291-A	9-30-97	0911	Soil	1	X	X	X						ND	EXC. FLOOR @ 9.0' *			
15.19 02	B		0921											2				
15.38 03	C		0936		1									ND				
15.18 04	D		0904		2				X	(#970923.08)				ND	SIDEWALL @ 5.5'			
15.35 05	E		0917		1									ND				
15.93 06	F		0925		1									2				
15.79 07	G		0931		1									ND				
15.02 08	DUP				1									-	FIELD DUPLICATE			
<p>NOTE: OVA (#AS2114) CALIBRATED w/ 85 ppm CH4 & ZERO (w) AIR @ 0845 HRS ON 9/30/97 by G. DIMARTINIS</p>																		
Relinquished by (signature): <i>[Signature]</i>		Date/Time: 10-1-97 0855		Received by (signature): <i>[Signature]</i>		Date/Time: 10/1/97		Relinquished by (signature):		Date/Time:		Received by (signature):						
Relinquished by (signature):		Date/Time:		Received by (signature):		Date/Time:		Relinquished by (signature):		Date/Time:		Received by (signature):						
Report Type: () Full, (X) Reduced, () Standard, () Screen / non-certified								Remarks: DEDICATED SAMPLING TOOLS USED.										
Turnaround time: (X) Standard 4 wks, () Rush Days, () ASAP Verbal Hrs.																		

Report of Analysis
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification # 13461

Client : U.S. Army
DPW. SELFM-PW-EV
Bldg. 173
Ft. Monmouth, NJ 07703

Lab. ID # : 3020
Date Rec'd: 01-Oct-97
Analysis Start: 01-Oct-97
Analysis Complete: 03-Oct-97

Analysis: OQA-QAM-025
Matrix: Soil
Analyst: D.DEINHARDT
Ext. Meth: Shake

UST Reg. #: _____
Closure #: _____
DICAR #: _____
Location #: B.291

Sample	Field ID	Dilution Factor	Weight (g)	% Solid	MDL (mg/kg)	TPHC Result (mg/kg)
3020.01	291-A	1.00	15.35	72.17	212	ND
3020.02	291-B	1.00	15.19	69.51	223	ND
3020.03	291-C	1.00	15.38	78.67	194	196.27
3020.04	291-D	1.00	15.18	76.88	201	ND
3020.05	291-E	1.00	15.35	80.55	190	ND
3020.06	291-F	1.00	15.93	79.81	185	ND
3020.07	291-G	1.00	15.79	81.56	182	ND
3020.08	291-DUP	1.00	15.02	78.57	199	ND
METHOD BLANK	1-Oct-97	1.00	15.00	100.00	157	ND

ND = Not Detected
MDL = Method Detection Limit


Daniel K. Wright
Laboratory Director

LABORATORY DELIVERABLES CHECKLIST AND NON-CONFORMANCE SUMMARY

THIS FORM MUST BE COMPLETED BY THE LABORATORY OR ENVIRONMENTAL CONSULTANT AND ACCOMPANY ALL DATA SUBMISSIONS

The following Laboratory Deliverables checklist and Non-Conformance Summary shall be included in the data submission. All deviations from the accepted methodology and procedures, of performance values outside acceptable ranges shall be summarized in the Non-Conformance Summary. The Technical Requirements for Site Remediation, effective June 7, 1993, provides further details. The document shall be bound and paginated, contain a table of contents, and all pages shall be legible. Incomplete packages will be returned or held without review until the data package is completed.

It is recommended that the analytical results summary sheets listing all targeted and non-targeted compounds with the method detection limits, practical quantitation limits, and the laboratory and/or sample numbers be included in one section of the data package and in the main body of the report.

1. Cover page, Title Page listing Lab Certification #, facility name and address, & date of report submitted
2. Table of Contents submitted
3. Summary Sheets listing analytical results for all targeted and non-targeted compounds submitted
4. Document paginated and legible
5. Chain of Custody submitted
6. Samples submitted to lab within 48 hours of sample collection
7. Methodology Summary submitted
8. Laboratory Chronicle and Holding Time Check submitted
9. Results submitted on a dry weight basis
10. Method Detection Limits submitted
11. Lab certified by NJDEP for parameters of appropriate category of parameters or a member of the USEPA CLP

✓
✓
✓
✓
✓
✓
✓
✓
✓
✓
✓

Laboratory Manager or Environmental Consultant's Signature
Date 12/22/91



Laboratory Certification #13461

*Refer to NJAC 7:26E - Appendix A, Section IV - Reduced Data Deliverables - Non-USEPA/CLP Methods for further guidance

APPENDIX F

GROUNDWATER ANALYTICAL DATA PACKAGE

FORT MONMOUTH ENVIRONMENTAL TESTING LABORATORY

DIRECTORATE OF PUBLIC WORKS

PHONE: (732)532-6224 FAX: (732)532-3484

WET-CHEM - METALS - ORGANICS - FIELD SAMPLING
NJDEP LABORATORY CERTIFICATION # 13461



ANALYTICAL DATA REPORT
Fort Monmouth Environmental Laboratory
ENVIRONMENTAL DIVISION
Fort Monmouth, New Jersey
PROJECT: UST Program

BLDG. 291

Field Location No. & Location	Laboratory Sample ID#	Matrix	Date and Time Of Collection	Date Received
Trip Blank	3973.01	Aqueous	13-Oct-98	10/13/98
Field Blank	3973.02	Aqueous	13-Oct-98 09:24	10/13/98
Bldg. 291 - 7-10'	3973.04	Aqueous	13-Oct-98 11:05	10/13/98
Field Dup	3973.06	Aqueous	13-Oct-98	10/13/98

ANALYSIS:
FORT MONMOUTH ENVIRONMENTAL LAB.
VOA+15, BN+15


Daniel Wright/Date 11/24/98
Laboratory Director

ENCLOSURE:
CHAIN OF CUSTODY
FIELD DOCUMENTATION
RESULTS

Table of Contents

<u>Section</u>	<u>Pages</u>
Chain of Custody	1-2
Field Documentation	3-5
Methodology Review	6-7
Laboratory Chronicle	8-9
Conformance/Non-Conformance Summary	10-12
Volatile Organics	13-14
Analytical Results Summary	15-24
Tune Results Summary	25-28
Method Blank Results Summary	29
Calibration Summary	30-33
Surrogate Recovery Summary	34
MS/MSD Results Summary	35-36
Internal Standard Area & RT Summary	37
Chromatograms	38-47
Base Neutrals	48
Analytical Results Summary	49-60
Tune Results Summary	61-66
Method Blank Results Summary	67
Calibration Summary	68-75
Surrogate Recovery Summary	76
MS/MSD Results Summary	77
Internal Standard Area & RT Summary	78-81
Chromatograms	82-89
Laboratory Deliverables Checklist	90
Laboratory Authentication Statement	91

CHAIN OF CUSTODY

0001



Fort Monmouth Environmental Testing Laboratory

Bldg. 173, SELFM-PW-EV, Fort Monmouth, NJ 07703

Tel (732)532-4359 Fax (732)532-3484 Email:appleby@doim6.monmouth.army.mil

NJDEP Certification #13461

Chain of Custody Record

Customer: CHAS APPLEBY / JMC		Project No: U.S.T.		Analysis Parameters						Comments:																																	
Phone #: 26224		Location: BLDG. 270, 291 + 165		<table border="1"> <tr> <td>V</td> <td>B</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>O</td> <td>N</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>A</td> <td>+</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>+</td> <td>15</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>						V	B							O	N							A	+							+	15							NO HNU NO OVA	
V	B																																										
O	N																																										
A	+																																										
+	15																																										
() DERA () OMA () Other: _____																																											
Samplers Name / Company: MARK LAURA - T.V.S. BWS-007				Sample #																																							
Lab Sample I.D.	Sample Location	Date	Time	Type	bottles	V	B					Remarks / Preservation Method																															
3973	1 TRIP BLANK	10-13-98	-	AQ.	2	X																																					
	2 FIELD BLANK	"	0924	AQ.	3	X	X																																				
	3 BLDG. 270 - 8-11'	"	1000	AQ.	3	X	X																																				
	→ 4 BLDG. 291 - 7-10'	"	1105	AQ.	3	X	X																																				
	5 BLDG. 165 - 20-23'	"	1345	AQ.	2	X																																					
	6 FIELD DUP.	"	-	AQ.	3	X	X																																				
	7 BLDG. 165 - 20-23'	"	1505	AQ.	1		X																																				
Relinquished by (signature):		Date/Time:		Received by (signature):		Relinquished by (signature):		Date/Time:		Received by (signature):																																	
<i>[Signature]</i>		10-13-98 1530		<i>[Signature]</i>																																							
Relinquished by (signature):		Date/Time:		Received by (signature):		Relinquished by (signature):		Date/Time:		Received by (signature):																																	
Report Type: () Full, (X) Reduced, (X) Standard, () Screen / non-certified						Remarks:																																					
Turnaround time: (X) Standard 4 wks, () Rush _____ Days, () ASAP Verbal _____ Hrs.																																											

0002

FIELD DOCUMENTATION

Post Remedial Groundwater Sampling At Former Underground Storage Tank Site [# 2 fuel oil]

FOR BLDG. # 291

Ground Water Sampling with the use of a Passively Placed Narrow Diameter Point
(PPNDP)

Objective:

To collect a representative groundwater sample utilizing a narrow diameter point [PPNDP] This is a small diameter [1-inch OD] screened casing passively placed in a borehole. The casing is of p.v.c. construction.

1. Methods

- A. A solid pushrod (bull point) is used to create a narrow diameter hole to a depth below the water table. A piece of schedule 40 PVC screen with 0.010-inch slots and an end cap is placed to the bottom of the hole. Glues or adhesives are not used for joining the casing. Threaded PVC casing is used. No filter or gravel pack is used.

2. Installation

- A. Using a Geoprobe, a borehole was advanced with a pre-probe with a diameter slightly larger than the casing. The hole was made to a depth 12 of feet. The water table was at 7 feet below ground surface.
- B. The screened section of PVC was placed into the borehole so the screened section was across the ground water table from 5 - 10 feet. Riser casing from 5 -+ 3 feet.

3. Purging

- A. Three volumes of the standing water in the point were purged. The amount of water extracted was app. 0.123 gal. Three to five volumes are purged due to the potential for cross contamination of the screen from upper soil horizons. This was accomplished utilizing a peristaltic pump, and utilizing food grade tubing.

4. Sampling

- A. Sampling methods, sample preservation requirements, sample handling times, decontamination procedure for field equipment, and frequency for field blanks, field duplicates and trip blanks conform to applicable industry methods such as those specified in the NJDEP "Field Sampling Procedures Manual" in effect as of the date on which sampling is performed. Any deviations from the methods in the "Field Sampling Procedures Manual" pursuant to N.J.A.C. 7:26E-1.6(c) has been approved by the person responsible for conducting the remediation.

All samples were preserved in the field immediately after collection and submitted to the laboratory as soon as possible and no later than 48 hours after sample collection.

The acquisition of samples and water level measurements were performed as recommended and described in the May 1992 edition of NJDEP Field Sampling Procedures Manual.

5. Quality Assurance/Quality Control

A. Decontamination

The associated equipment (bull point, riser pipe, etc.) was decontaminated between borings using the following procedure:

1. Remove all adherent soil material.
2. Wash with a laboratory grade glassware detergent.
3. Rinsed with potable water.
4. Rinse with distilled and deionized ASTM Type II water.

B. Field Blanks

1 Field blank was shared with bldgs. 270 and 165

C. Sample bottles: Supplied by Environmental Sampling Supply, Oakland, Calif. The sample bottles are certified clean and are sealed upon delivery.

D. P.V.C. Screens: Supplied by Bedrock Enterprises, Forked River N.J.

Geoprobe Operator: Mark Laura
Employer: U.S. Army, Fort Monmouth
Phone Number: [732] 532-8990
NJDEP License #: J-1486

Mark Laura 11-23-98
Mark Laura / Date

METHODOLOGY REVIEW

Methodology Summary

EPA Method 624

Gas Chromatographic Determination of Volatiles in Water

Surrogates and internal standards are added to a 5 ml aliquot of sample. The sample is then purged and desorbed into a GC/MS system. The organic compounds are separated by the gas chromatograph and detected using the mass spectrometer. Volatiles are identified and quantitated.

EPA Method 3510/8270

Gas Chromatographic Determination of Semi-volatiles in Water

Surrogates are added to a measured volume of sample, usually 1 liter, at a specified pH. The sample is serially extracted with Methylene Chloride using a separatory funnel. The extract concentrated and internal standards are added. The sample is injected into a GC/MS system. Semi-volatiles are identified and quantitated.

LABORATORY CHRONICLE

Laboratory Chronicle

Lab ID: 3973

Site: Bldg. 291

	Date	Hold Time
Date Sampled	10/13/98	NA
Receipt/Refrigeration	10/13/98	NA
Extractions		
1. Base Neutrals	10/20/98	14 days
Analyses		
1. Volatiles	10/21/98	14 days
2. Base Neutrals	10/26,27/98	40 days

CONFORMANCE/ NON-CONFORMANCE SUMMARIES

GC/MS ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY FORMAT

Indicate
Yes, No, N/A

1. Chromatograms labeled/Compounds identified
(Field samples and method blanks) yes

2. Retention times for chromatograms provided yes

3. GC/MS Tune Specifications
 - a. BFB Meet Criteria yes
 - b. DFTPP Meet Criteria yes

4. GC/MS Tuning Frequency – Performed every 24 hours for 600 series and 12 hours for 8000 series yes

5. GC/MS Calibration – Initial Calibration performed before sample analysis and continuing calibration performed within 24 hours of sample analysis for 600 series and 12 hours for 8000 series yes

6. GC/MS Calibration requirements
 - a. Calibration Check Compounds Meet Criteria yes
 - b. System Performance Check Compounds Meet Criteria yes

7. Blank Contamination – If yes, List compounds and concentrations in each blank: NO
 - a. VOA Fraction _____
 - b. B/N Fraction _____
 - c. Acid Fraction NA _____

8. Surrogate Recoveries Meet Criteria yes

If not met, list those compounds and their recoveries, which fall outside the acceptable range:

 - a. VOA Fraction _____
 - b. B/N Fraction _____
 - c. Acid Fraction NA _____

If not met, were the calculations checked and the results qualified as “estimated”?

9. Matrix Spike/Matrix Spike Duplicate Recoveries Meet Criteria yes

(If not met, list those compounds and their recoveries, which fall outside the acceptable range)

 - a. VOA Fraction _____
 - b. B/N Fraction _____
 - c. Acid Fraction NA _____

GC/MS ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY FORMAT (cont.)

Indicate
Yes, No, N/A

10. Internal Standard Area/Retention Time Shift Meet Criteria
(If not met, list those compounds, which fall outside the acceptable range)

Yes

- a. VOA Fraction _____
- b. B/N Fraction _____
- c. Acid Fraction NA

11. Extraction Holding Time Met

Yes

If not met, list the number of days exceeded for each sample: _____

12. Analysis Holding Time Met

Yes

If not met, list the number of days exceeded for each sample: _____

Additional Comments:

Field duplicate performed on 3973.04 (Bldg 291 7-10')

Laboratory Manager: _____

Date: 11/24/98

VOLATILE ORGANICS

**US ARMY FT. MONMOUTH ENVIRONMENTAL LABORATORY
NJDEPE # 13461**

Definition of Qualifiers

MDL : Method Detection Limit

J : Compound identified below detection limit

B : Compound in both sample and blank

D : Results from dilution of sample

U : Compound searched for but not detected

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Nam VB01773.D
 Operator Skelton
 Date Acquired 21 Oct 98 12:14 pm

Sample Name VBLK56
 Field ID VBLK56
 Sample Multiplier 1

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethan			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone			not detected	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride			not detected	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene			not detected	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ethe			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloroprope			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes			not detected	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethan			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
 E = Value above linear range
 D = Value from dilution
 PQL = Practical Quantitation Limit

MDL = Method Detection Limit
 NLE = No Limit Established
 R.T. = Retention Time

1E
VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID

VBLK56

Lab Name: FMETL Project _____
NJDEP# 13461 Case No.: 3973 SDG No _____ Location UST
Matrix: (soil/water) WATER Lab Sample ID: VBLK56
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: VB01773.D
Level: (low/med) LOW Date Received: 10/13/98
% Moisture: not dec. _____ Date Analyzed: 10/21/98
GC Column: HP5MS ID: 0.25 (mm) Dilution Factor: 1.0
Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q
---------	---------------	----	------------	---

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Nam vb01777.d
 Operator Skelton
 Date Acquired 21 Oct 98 4:09 pm

Sample Name 3973.01
 Field ID Trip Blank
 Sample Multiplier 1

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethan			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone			not detected	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride			not detected	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene			not detected	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ethe			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloroprope			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes			not detected	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethan			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
 E = Value above linear range
 D = Value from dilution
 PQL = Practical Quantitation Limit

MDL = Method Detection Limit
 NLE = No Limit Established
 R.T. = Retention Time

1E
VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID

Trip Blank

Lab Name: FMETL Project _____

NJDEP# 13461 Case No.: 3973 SDG No _____ Location UST

Matrix: (soil/water) WATER Lab Sample ID: 3973.01

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: VB01777.D

Level: (low/med) LOW Date Received: 10/13/98

% Moisture: not dec. _____ Date Analyzed: 10/21/98

GC Column: HP5MS ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

Number TICs found: 0 (ug/L or ug/Kg) UG/L

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Nam vb01778.d
 Operator Skelton
 Date Acquired 21 Oct 98 4:53 pm

Sample Name 3973.02
 Field ID Field Blank
 Sample Multiplier 1

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethan			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone			not detected	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride			not detected	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene			not detected	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ethe			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloropropo			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes			not detected	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethan			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
 E = Value above linear range
 D = Value from dilution
 PQL = Practical Quantitation Limit

MDL = Method Detection Limit
 NLE = No Limit Established
 R.T. = Retention Time

0019

1E
VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID

Field Blank

Lab Name: FMETL Project _____

NJDEP# 13461 Case No.: 3973 SDG No _____ Location UST

Matrix: (soil/water) WATER Lab Sample ID: 3973.02

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: VB01778.D

Level: (low/med) LOW Date Received: 10/13/98

% Moisture: not dec. _____ Date Analyzed: 10/21/98

GC Column: HP5MS ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Nam vb01780.d
 Operator Skelton
 Date Acquired 21 Oct 98 6:22 pm

Sample Name 3973.04
 Field ID Bldg 291 7-10'
 Sample Multiplier 1

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethan			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone			not detected	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride			not detected	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene			not detected	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ethe			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloroprope			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes			not detected	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethan			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
 E = Value above linear range
 D = Value from dilution
 PQL = Practical Quantitation Limit

MDL = Method Detection Limit
 NLE = No Limit Established
 R.T. = Retention Time

1E
VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID

Bldg291 7-10'

Lab Name: FMETL Project _____

NJDEP# 13461 Case No.: 3973 SDG No _____ Location UST

Matrix: (soil/water) WATER Lab Sample ID: 3973.04

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: VB01780.D

Level: (low/med) LOW Date Received: 10/13/98

% Moisture: not dec. _____ Date Analyzed: 10/21/98

GC Column: HP5MS ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/L

Number TICs found: 4

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q
1. 000075-45-6	Methane, chlorodifluoro-	4.88	52	JN
2. 002039-89-6	Benzene, 2-ethenyl-1,4-dimethyl-	24.41	4	JN
3. 003877-19-8	Naphthalene, 1,2,3,4-tetrahydro-	31.84	4	JN
4. 002809-64-5	Naphthalene, 1,2,3,4-tetrahydro-	37.38	6	JN

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Nam vb01782.d
 Operator Skelton
 Date Acquired 21 Oct 98 7:52 pm

Sample Name 3973.06
 Field ID Field Dup
 Sample Multiplier 1

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethan			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone			not detected	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride			not detected	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene			not detected	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ethe			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloropropene			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes			not detected	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethan			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
 E = Value above linear range
 D = Value from dilution
 PQL = Practical Quantitation Limit

MDL = Method Detection Limit
 NLE = No Limit Established
 R.T. = Retention Time

1E
VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID

Field Dup

Lab Name: FMETL Project _____
NJDEP# 13461 Case No.: 3973 SDG No _____ Location UST
Matrix: (soil/water) WATER Lab Sample ID: 3973.06
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: VB01782.D
Level: (low/med) LOW Date Received: 10/13/98
% Moisture: not dec. _____ Date Analyzed: 10/21/98
GC Column: HP5MS ID: 0.25 (mm) Dilution Factor: 1.0
Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/L

Number TICs found: 1

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q
1. 000075-45-6	Methane, chlorodifluoro-	4.87	52	JN

BASE NEUTRALS

Semi-Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Name **bna00993.d**

Sample Name **Sblk145**

Operator **Skelton**

Misc Info **Sblk145 A 981020**

Date Acquired **10/27/19 -1:8:**

Sample Multiplier **1**

CAS#	Name	R.T.	Response	Result	GW Criteria	MDL	Qualifiers
110-86-1	Pyridine			not detected	NLE	2.52 ug/L	
62-75-9	N-nitroso-dimethylamine			not detected	20	2.64 ug/L	
62-53-3	Aniline			not detected	NLE	2.90 ug/L	
111-44-4	bis(2-Chloroethyl)ether			not detected	10	2.45 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	2.65 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	2.50 ug/L	
100-51-6	Benzyl alcohol			not detected	NLE	2.09 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	2.44 ug/L	
108-60-1	bis(2-chloroisopropyl)ether			not detected	300	2.96 ug/L	
621-64-7	n-Nitroso-di-n-propylamine			not detected	20	2.22 ug/L	
67-72-1	Hexachloroethane			not detected	10	2.59 ug/L	
98-95-3	Nitrobenzene			not detected	10	2.45 ug/L	
111-91-1	bis(2-Chloroethoxy)methane			not detected	NLE	2.54 ug/L	
120-82-1	1,2,4-Trichlorobenzene			not detected	9	2.58 ug/L	
91-20-3	Naphthalene			not detected	NLE	3.03 ug/L	
106-47-8	4-Chloroaniline			not detected	NLE	2.55 ug/L	
87-68-3	Hexachlorobutadiene			not detected	1	0.64 ug/L	
91-57-6	2-Methylnaphthalene			not detected	NLE	2.49 ug/L	
77-47-4	Hexachlorocyclopentadiene			not detected	50	1.59 ug/L	
91-58-7	2-Chloronaphthalene			not detected	NLE	2.15 ug/L	
88-74-4	2-Nitroaniline			not detected	NLE	1.62 ug/L	
131-11-3	Dimethylphthalate			not detected	7000	2.74 ug/L	
208-96-8	Acenaphthylene			not detected	NLE	2.35 ug/L	
606-20-2	2,6-Dinitrotoluene			not detected	NLE	1.54 ug/L	
99-09-2	3-Nitroaniline			not detected	NLE	1.62 ug/L	
83-32-9	Acenaphthene			not detected	400	1.98 ug/L	
132-64-9	Dibenzofuran			not detected	NLE	2.13 ug/L	

Semi-Volatile Analysis Report
Page 2

Data File Name **bn00993.d**
Operator **Skelton**
Date Acquired **10/27/19 -1:8:**

Sample Name **Sblk145**
Misc Info **Sblk145 A 981020**
Sample Multiplier **1**

121-14-2	2,4-Dinitrotoluene			not detected	10	1.22	ug/L
84-66-2	Diethylphthalate			not detected	5000	1.68	ug/L
86-73-7	Fluorene			not detected	300	1.93	ug/L
7005-72-3	4-Chlorophenyl-phenylether			not detected	NLE	1.53	ug/L
100-01-6	4-Nitroaniline			not detected	NLE	2.70	ug/L
86-30-6	n-Nitrosodiphenylamine			not detected	20	1.73	ug/L
103-33-3	Azobenzene			not detected	NLE	1.92	ug/L
101-55-3	4-Bromophenyl-phenylether			not detected	NLE	1.54	ug/L
118-74-1	Hexachlorobenzene			not detected	10	1.88	ug/L
85-01-8	Phenanthrene			not detected	NLE	1.67	ug/L
120-12-7	Anthracene			not detected	2000	1.79	ug/L
84-74-2	Di-n-butylphthalate			not detected	900	1.83	ug/L
206-44-0	Fluoranthene			not detected	300	1.85	ug/L
92-87-5	Benzidine			not detected	50	4.11	ug/L
129-00-0	Pyrene			not detected	200	1.02	ug/L
85-68-7	Butylbenzylphthalate			not detected	100	1.15	ug/L
56-55-3	Benzo[a]anthracene			not detected	10	1.57	ug/L
91-94-1	3,3'-Dichlorobenzidine			not detected	60	2.28	ug/L
218-01-9	Chrysene			not detected	20	2.32	ug/L
117-81-7	bis(2-Ethylhexyl)phthalate			not detected	30	1.29	ug/L
117-84-0	Di-n-octylphthalate			not detected	100	1.30	ug/L
205-99-2	Benzo[b]fluoranthene			not detected	10	1.31	ug/L
207-08-9	Benzo[k]fluoranthene			not detected	2	1.57	ug/L
50-32-8	Benzo[a]pyrene			not detected	20	1.36	ug/L
193-39-5	Indeno[1,2,3-cd]pyrene			not detected	20	1.22	ug/L
53-70-3	Dibenz[a,h]anthracene			not detected	20	3.12	ug/L
191-24-2	Benzo[g,h,i]perylene			not detected	NLE	1.13	ug/L

Qualifiers

E = Value exceeded linear range

D = Value from dilution

B = Compound in related blank

MDL = Method Detection Limit

NLE = No Limit Established

R.T. = Retention Time

1F
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET FIELD ID
TENTATIVELY IDENTIFIED COMPOUNDS

Sblk145

Lab Name: FMETL Lab Code 13461
 Project 980932 Case No.: 3973 Location UST SDG No.: _____
 Matrix: (soil/water) WATER Lab Sample ID: Sblk145
 Sample wt/vol: 1000 (g/ml) ML Lab File ID: BNA00993.D
 Level: (low/med) LOW Date Received: 10/13/98
 % Moisture: _____ decanted: (Y/N) N Date Extracted: 10/20/98
 Concentrated Extract Volume: 1000 (uL) Date Analyzed: 10/27/98
 Injection Volume: 1.0 (uL) Dilution Factor: 1.0
 GPC Cleanup: (Y/N) N pH: 7

CONCENTRATION UNITS:

Number TICs found: 6 (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. 000629-50-5	Tridecane	12.09	9	JN
2. 000629-59-4	Tetradecane	13.43	12	JN
3. 000629-62-9	Pentadecane	14.68	12	JN
4. 000544-76-3	Hexadecane	15.86	12	JN
5. 000629-78-7	Heptadecane	16.99	10	JN
6. 000593-45-3	Octadecane	18.05	8	JN

Semi-Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Name **bna00974.d**
 Operator **Skelton**
 Date Acquired **10/26/19 -1:9:**

Sample Name **3973.02**
 Misc Info **Field Blank**
 Sample Multiplier **1**

CAS#	Name	R.T.	Response	Result	GW Criteria	MDL	Qualifiers
110-86-1	Pyridine			not detected	NLE	2.52 ug/L	
62-75-9	N-nitroso-dimethylamine			not detected	20	2.64 ug/L	
62-53-3	Aniline			not detected	NLE	2.90 ug/L	
111-44-4	bis(2-Chloroethyl)ether			not detected	10	2.45 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	2.65 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	2.50 ug/L	
100-51-6	Benzyl alcohol			not detected	NLE	2.09 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	2.44 ug/L	
108-60-1	bis(2-chloroisopropyl)ether			not detected	300	2.96 ug/L	
621-64-7	n-Nitroso-di-n-propylamine			not detected	20	2.22 ug/L	
67-72-1	Hexachloroethane			not detected	10	2.59 ug/L	
98-95-3	Nitrobenzene			not detected	10	2.45 ug/L	
111-91-1	bis(2-Chloroethoxy)methane			not detected	NLE	2.54 ug/L	
120-82-1	1,2,4-Trichlorobenzene			not detected	9	2.58 ug/L	
91-20-3	Naphthalene			not detected	NLE	3.03 ug/L	
106-47-8	4-Chloroaniline			not detected	NLE	2.55 ug/L	
87-68-3	Hexachlorobutadiene			not detected	1	0.64 ug/L	
91-57-6	2-Methylnaphthalene			not detected	NLE	2.49 ug/L	
77-47-4	Hexachlorocyclopentadiene			not detected	50	1.59 ug/L	
91-58-7	2-Chloronaphthalene			not detected	NLE	2.15 ug/L	
88-74-4	2-Nitroaniline			not detected	NLE	1.62 ug/L	
131-11-3	Dimethylphthalate			not detected	7000	2.74 ug/L	
208-96-8	Acenaphthylene			not detected	NLE	2.35 ug/L	
606-20-2	2,6-Dinitrotoluene			not detected	NLE	1.54 ug/L	
99-09-2	3-Nitroaniline			not detected	NLE	1.62 ug/L	
83-32-9	Acenaphthene			not detected	400	1.98 ug/L	
132-64-9	Dibenzofuran			not detected	NLE	2.13 ug/L	

Semi-Volatile Analysis Report
Page 2

Data File Name **bn00974.d**
Operator **Skelton**
Date Acquired **10/26/19 -1:9:**

Sample Name **3973.02**
Misc Info **Field Blank**
Sample Multiplier **1**

121-14-2	2,4-Dinitrotoluene			not detected	10	1.22	ug/L
84-66-2	Diethylphthalate			not detected	5000	1.68	ug/L
86-73-7	Fluorene			not detected	300	1.93	ug/L
7005-72-3	4-Chlorophenyl-phenylether			not detected	NLE	1.53	ug/L
100-01-6	4-Nitroaniline			not detected	NLE	2.70	ug/L
86-30-6	n-Nitrosodiphenylamine			not detected	20	1.73	ug/L
103-33-3	Azobenzene			not detected	NLE	1.92	ug/L
101-55-3	4-Bromophenyl-phenylether			not detected	NLE	1.54	ug/L
118-74-1	Hexachlorobenzene			not detected	10	1.88	ug/L
85-01-8	Phenanthrene			not detected	NLE	1.67	ug/L
120-12-7	Anthracene			not detected	2000	1.79	ug/L
84-74-2	Di-n-butylphthalate			not detected	900	1.83	ug/L
206-44-0	Fluoranthene			not detected	300	1.85	ug/L
92-87-5	Benzidine			not detected	50	4.11	ug/L
129-00-0	Pyrene			not detected	200	1.02	ug/L
85-68-7	Butylbenzylphthalate			not detected	100	1.15	ug/L
56-55-3	Benzo[a]anthracene			not detected	10	1.57	ug/L
91-94-1	3,3'-Dichlorobenzidine			not detected	60	2.28	ug/L
218-01-9	Chrysene			not detected	20	2.32	ug/L
117-81-7	bis(2-Ethylhexyl)phthalate			not detected	30	1.29	ug/L
117-84-0	Di-n-octylphthalate			not detected	100	1.30	ug/L
205-99-2	Benzo[b]fluoranthene			not detected	10	1.31	ug/L
207-08-9	Benzo[k]fluoranthene			not detected	2	1.57	ug/L
50-32-8	Benzo[a]pyrene			not detected	20	1.36	ug/L
193-39-5	Indeno[1,2,3-cd]pyrene			not detected	20	1.22	ug/L
53-70-3	Dibenz[a,h]anthracene			not detected	20	3.12	ug/L
191-24-2	Benzo[g,h,i]perylene			not detected	NLE	1.13	ug/L

Qualifiers

E = Value exceeded linear range

D = Value from dilution

B = Compound in related blank

MDL = Method Detection Limit

NLE = No Limit Established

R.T. = Retention Time

1F
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID

Field Blank

Lab Name: FMETL Lab Code 13461
 Project 980932 Case No.: 3973 Location UST SDG No.: _____
 Matrix: (soil/water) WATER Lab Sample ID: 3973.02
 Sample wt/vol: 1000 (g/ml) ML Lab File ID: BNA00974.D
 Level: (low/med) LOW Date Received: 10/13/98
 % Moisture: _____ decanted: (Y/N) N Date Extracted: 10/20/98
 Concentrated Extract Volume: 1000 (uL) Date Analyzed: 10/26/98
 Injection Volume: 1.0 (uL) Dilution Factor: 1.0
 GPC Cleanup: (Y/N) N pH: 7

CONCENTRATION UNITS:

Number TICs found: 0 (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

Semi-Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Name **baa00976.d**
 Operator **Skelton**
 Date Acquired **10/26/19 -1:1:**

Sample Name **3973.04**
 Misc Info **Bldg 29**
 Sample Multiplier **1**

CAS#	Name	R.T.	Response	Result	GW Criteria	MDL	Qualifiers
110-86-1	Pyridine			not detected	NLE	2.52 ug/L	
62-75-9	N-nitroso-dimethylamine			not detected	20	2.64 ug/L	
62-53-3	Aniline			not detected	NLE	2.90 ug/L	
111-44-4	bis(2-Chloroethyl)ether			not detected	10	2.45 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	2.65 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	2.50 ug/L	
100-51-6	Benzyl alcohol			not detected	NLE	2.09 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	2.44 ug/L	
108-60-1	bis(2-chloroisopropyl)ether			not detected	300	2.96 ug/L	
621-64-7	n-Nitroso-di-n-propylamine			not detected	20	2.22 ug/L	
67-72-1	Hexachloroethane			not detected	10	2.59 ug/L	
98-95-3	Nitrobenzene			not detected	10	2.45 ug/L	
111-91-1	bis(2-Chloroethoxy)methane			not detected	NLE	2.54 ug/L	
120-82-1	1,2,4-Trichlorobenzene			not detected	9	2.58 ug/L	
91-20-3	Naphthalene			not detected	NLE	3.03 ug/L	
106-47-8	4-Chloroaniline			not detected	NLE	2.55 ug/L	
87-68-3	Hexachlorobutadiene			not detected	1	0.64 ug/L	
91-57-6	2-Methylnaphthalene			not detected	NLE	2.49 ug/L	
77-47-4	Hexachlorocyclopentadiene			not detected	50	1.59 ug/L	
91-58-7	2-Chloronaphthalene			not detected	NLE	2.15 ug/L	
88-74-4	2-Nitroaniline			not detected	NLE	1.62 ug/L	
131-11-3	Dimethylphthalate			not detected	7000	2.74 ug/L	
208-96-8	Acenaphthylene			not detected	NLE	2.35 ug/L	
606-20-2	2,6-Dinitrotoluene			not detected	NLE	1.54 ug/L	
99-09-2	3-Nitroaniline			not detected	NLE	1.62 ug/L	
83-32-9	Acenaphthene			not detected	400	1.98 ug/L	
132-64-9	Dibenzofuran			not detected	NLE	2.13 ug/L	

Semi-Volatile Analysis Report
Page 2

Data File Name **bn00976.d**
Operator **Skelton**
Date Acquired **10/26/19 -1:1:**

Sample Name **3973.04**
Misc Info **Bldg 29**
Sample Multiplier **1**

121-14-2	2,4-Dinitrotoluene			not detected	10	1.22	ug/L
84-66-2	Diethylphthalate			not detected	5000	1.68	ug/L
86-73-7	Fluorene			not detected	300	1.93	ug/L
7005-72-3	4-Chlorophenyl-phenylether			not detected	NLE	1.53	ug/L
100-01-6	4-Nitroaniline			not detected	NLE	2.70	ug/L
86-30-6	n-Nitrosodiphenylamine			not detected	20	1.73	ug/L
103-33-3	Azobenzene			not detected	NLE	1.92	ug/L
101-55-3	4-Bromophenyl-phenylether			not detected	NLE	1.54	ug/L
118-74-1	Hexachlorobenzene			not detected	10	1.88	ug/L
85-01-8	Phenanthrene			not detected	NLE	1.67	ug/L
120-12-7	Anthracene			not detected	2000	1.79	ug/L
84-74-2	Di-n-butylphthalate			not detected	900	1.83	ug/L
206-44-0	Fluoranthene			not detected	300	1.85	ug/L
92-87-5	Benzidine			not detected	50	4.11	ug/L
129-00-0	Pyrene			not detected	200	1.02	ug/L
85-68-7	Butylbenzylphthalate			not detected	100	1.15	ug/L
56-55-3	Benzo[a]anthracene			not detected	10	1.57	ug/L
91-94-1	3,3'-Dichlorobenzidine			not detected	60	2.28	ug/L
218-01-9	Chrysene			not detected	20	2.32	ug/L
117-81-7	bis(2-Ethylhexyl)phthalate			not detected	30	1.29	ug/L
117-84-0	Di-n-octylphthalate			not detected	100	1.30	ug/L
205-99-2	Benzo[b]fluoranthene			not detected	10	1.31	ug/L
207-08-9	Benzo[k]fluoranthene			not detected	2	1.57	ug/L
50-32-8	Benzo[a]pyrene			not detected	20	1.36	ug/L
193-39-5	Indeno[1,2,3-cd]pyrene			not detected	20	1.22	ug/L
53-70-3	Dibenz[a,h]anthracene			not detected	20	3.12	ug/L
191-24-2	Benzo[g,h,i]perylene			not detected	NLE	1.13	ug/L

Qualifiers

E = Value exceeded linear range
D = Value from dilution
B = Compound in related blank
MDL = Method Detection Limit
NLE = No Limit Established
R.T. = Retention Time

1F
 SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET FIELD ID
 TENTATIVELY IDENTIFIED COMPOUNDS

Bldg 291

Lab Name: FMETL Lab Code 13461

Project 980932 Case No.: 3973 Location UST SDG No.: _____

Matrix: (soil/water) WATER Lab Sample ID: 3973.04

Sample wt/vol: 1000 (g/ml) ML Lab File ID: BNA00976.D

Level: (low/med) LOW Date Received: 10/13/98

% Moisture: _____ decanted: (Y/N) N Date Extracted: 10/20/98

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 10/26/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7

CONCENTRATION UNITS:

Number TICs found: 0 (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

Semi-Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Name **bn00977.d**
 Operator **Skelton**
 Date Acquired **10/27/19 -1:2:**

Sample Name **3973.06**
 Misc Info **Field Dup**
 Sample Multiplier **1**

CAS#	Name	R.T.	Response	Result	GW Criteria	MDL	Qualifiers
110-86-1	Pyridine			not detected	NLE	2.52 ug/L	
62-75-9	N-nitroso-dimethylamine			not detected	20	2.64 ug/L	
62-53-3	Aniline			not detected	NLE	2.90 ug/L	
111-44-4	bis(2-Chloroethyl)ether			not detected	10	2.45 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	2.65 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	2.50 ug/L	
100-51-6	Benzyl alcohol			not detected	NLE	2.09 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	2.44 ug/L	
108-60-1	bis(2-chloroisopropyl)ether			not detected	300	2.96 ug/L	
621-64-7	n-Nitroso-di-n-propylamine			not detected	20	2.22 ug/L	
67-72-1	Hexachloroethane			not detected	10	2.59 ug/L	
98-95-3	Nitrobenzene			not detected	10	2.45 ug/L	
111-91-1	bis(2-Chloroethoxy)methane			not detected	NLE	2.54 ug/L	
120-82-1	1,2,4-Trichlorobenzene			not detected	9	2.58 ug/L	
91-20-3	Naphthalene			not detected	NLE	3.03 ug/L	
106-47-8	4-Chloroaniline			not detected	NLE	2.55 ug/L	
87-68-3	Hexachlorobutadiene			not detected	1	0.64 ug/L	
91-57-6	2-Methylnaphthalene			not detected	NLE	2.49 ug/L	
77-47-4	Hexachlorocyclopentadiene			not detected	50	1.59 ug/L	
91-58-7	2-Chloronaphthalene			not detected	NLE	2.15 ug/L	
88-74-4	2-Nitroaniline			not detected	NLE	1.62 ug/L	
131-11-3	Dimethylphthalate			not detected	7000	2.74 ug/L	
208-96-8	Acenaphthylene			not detected	NLE	2.35 ug/L	
606-20-2	2,6-Dinitrotoluene			not detected	NLE	1.54 ug/L	
99-09-2	3-Nitroaniline			not detected	NLE	1.62 ug/L	
83-32-9	Acenaphthene			not detected	400	1.98 ug/L	
132-64-9	Dibenzofuran			not detected	NLE	2.13 ug/L	

Semi-Volatile Analysis Report

Page 2

Data File Name **bnA00977.d**

Operator **Skelton**

Date Acquired **10/27/19 -1:2:**

Sample Name **3973.06**

Misc Info **Field Dup**

Sample Multiplier **1**

121-14-2	2,4-Dinitrotoluene			not detected	10	1.22	ug/L
84-66-2	Diethylphthalate			not detected	5000	1.68	ug/L
86-73-7	Fluorene			not detected	300	1.93	ug/L
7005-72-3	4-Chlorophenyl-phenylether			not detected	NLE	1.53	ug/L
100-01-6	4-Nitroaniline			not detected	NLE	2.70	ug/L
86-30-6	n-Nitrosodiphenylamine			not detected	20	1.73	ug/L
103-33-3	Azobenzene			not detected	NLE	1.92	ug/L
101-55-3	4-Bromophenyl-phenylether			not detected	NLE	1.54	ug/L
118-74-1	Hexachlorobenzene			not detected	10	1.88	ug/L
85-01-8	Phenanthrene			not detected	NLE	1.67	ug/L
120-12-7	Anthracene			not detected	2000	1.79	ug/L
84-74-2	Di-n-butylphthalate			not detected	900	1.83	ug/L
206-44-0	Fluoranthene			not detected	300	1.85	ug/L
92-87-5	Benzidine			not detected	50	4.11	ug/L
129-00-0	Pyrene			not detected	200	1.02	ug/L
85-68-7	Butylbenzylphthalate			not detected	100	1.15	ug/L
56-55-3	Benzo[a]anthracene			not detected	10	1.57	ug/L
91-94-1	3,3'-Dichlorobenzidine			not detected	60	2.28	ug/L
218-01-9	Chrysene			not detected	20	2.32	ug/L
117-81-7	bis(2-Ethylhexyl)phthalate			not detected	30	1.29	ug/L
117-84-0	Di-n-octylphthalate			not detected	100	1.30	ug/L
205-99-2	Benzo[b]fluoranthene			not detected	10	1.31	ug/L
207-08-9	Benzo[k]fluoranthene			not detected	2	1.57	ug/L
50-32-8	Benzo[a]pyrene			not detected	20	1.36	ug/L
193-39-5	Indeno[1,2,3-cd]pyrene			not detected	20	1.22	ug/L
53-70-3	Dibenz[a,h]anthracene			not detected	20	3.12	ug/L
191-24-2	Benzo[g,h,i]perylene			not detected	NLE	1.13	ug/L

Qualifiers

E = Value exceeded linear range

D = Value from dilution

B = Compound in related blank

MDL = Method Detection Limit

NLE = No Limit Established

R.T. = Retention Time

1F
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET **FIELD ID**
TENTATIVELY IDENTIFIED COMPOUNDS

Field Dup

Lab Name: FMETL Lab Code 13461
 Project 980932 Case No.: 3973 Location UST SDG No.: _____
 Matrix: (soil/water) WATER Lab Sample ID: 3973.06
 Sample wt/vol: 1000 (g/ml) ML Lab File ID: BNA00977.D
 Level: (low/med) LOW Date Received: 10/13/98
 % Moisture: _____ decanted: (Y/N) N Date Extracted: 10/20/98
 Concentrated Extract Volume: 1000 (uL) Date Analyzed: 10/27/98
 Injection Volume: 1.0 (uL) Dilution Factor: 1.0
 GPC Cleanup: (Y/N) N pH: 7

Number TICs found: 0 CONCENTRATION UNITS:
 (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

LABORATORY DELIVERABLES CHECKLIST AND NON-CONFORMANCE SUMMARY

THIS FORM MUST BE COMPLETED BY THE LABORATORY OR ENVIRONMENTAL CONSULTANT AND ACCOMPANY ALL DATA SUBMISSIONS

The following Laboratory Deliverables checklist and Non-Conformance Summary shall be included in the data submission. All deviations from the accepted methodology and procedures, of performance values outside acceptable ranges shall be summarized in the Non-Conformance Summary. The Technical Requirements for Site Remediation, effective June 7, 1993, provides further details. The document shall be bound and paginated, contain a table of contents, and all pages shall be legible. Incomplete packages will be returned or held without review until the data package is completed.

It is recommended that the analytical results summary sheets listing all targeted and non-targeted compounds with the method detection limits, practical quantitation limits, and the laboratory and/or sample numbers be included in one section of the data package and in the main body of the report.

- 1. Cover page, Title Page listing Lab Certification #, facility name and address, & date of report submitted
- 2. Table of Contents submitted
- 3. Summary Sheets listing analytical results for all targeted and non-targeted compounds submitted
- 4. Document paginated and legible
- 5. Chain of Custody submitted
- 6. Samples submitted to lab within 48 hours of sample collection
- 7. Methodology Summary submitted
- 8. Laboratory Chronicle and Holding Time Check submitted
- 9. Results submitted on a dry weight basis
- 10. Method Detection Limits submitted
- 11. Lab certified by NJDEP for parameters of appropriate category of parameters or a member of the USEPA CLP

Laboratory Manager or Environmental Consultant's Signature 
Date 11/24/95

Laboratory Certification #13461

*Refer to NJAC 7:26E - Appendix A, Section IV - Reduced Data Deliverables - Non-USEPA/CLP Methods for further guidance.

Laboratory Authentication Statement

I certify under penalty of law, where applicable, that this laboratory meets the Laboratory Performance Standards and Quality Control requirements specified in N.J.A.C. 7:18 and 40 CFR Part 136 for Water and Wastewater Analyses and SW-846 for Solid Waste Analysis. I have personally examined the information contained in this report and to the best of my knowledge, I believe that the submitted information is true, accurate, complete and meets the above referenced standards where applicable. I am aware that there are significant penalties for purposefully submitting falsified information, including the possibility of a fine and imprisonment.



Daniel K. Wright
Laboratory Manager

FORT MONMOUTH ENVIRONMENTAL TESTING LABORATORY

DIRECTORATE OF PUBLIC WORKS

PHONE: (732)532-6224 FAX: (732)532-3484

WET-CHEM - METALS - ORGANICS - FIELD SAMPLING
NJDEP LABORATORY CERTIFICATION # 13461



ANALYTICAL DATA REPORT
Fort Monmouth Environmental Laboratory
ENVIRONMENTAL DIVISION
Fort Monmouth, New Jersey
PROJECT: UST Program

BLDG. 291

Field Location No. & Location	Laboratory Sample ID#	Matrix	Date and Time Of Collection	Date Received
Trip Blank	4056.01	Aqueous	14-Nov-98	11/16/98
Field Blank	4056.02	Aqueous	14-Nov-98 09:10	11/16/98
Bldg. 291 7-10'	4056.06	Aqueous	14-Nov-98 11:11	11/16/98

ANALYSIS:
FORT MONMOUTH ENVIRONMENTAL LAB.
VOA+15, BN+15


12/8/98
Daniel Wright/Date
Laboratory Director

ENCLOSURE:
CHAIN OF CUSTODY
FIELD DOCUMENTATION
RESULTS

Table of Contents

<u>Section</u>	<u>Pages</u>
Chain of Custody	1-2
Field Documentation	3-5
Methodology Review	6-7
Conformance/Non-Conformance Summary	8-10
Laboratory Chronicle	11-12
Volatile Organics	13-14
Analytical Results Summary	15-22
Tune Results Summary	23-26
Method Blank Results Summary	27
Calibration Summary	28-31
Surrogate Recovery Summary	32
MS/MSD Results Summary	33-34
Internal Standard Area & RT Summary	35
Chromatograms	36-43
Base Neutrals	44
Analytical Results Summary	45-50
Tune Results Summary	51-56
Method Blank Results Summary	57
Calibration Summary	58-65
Surrogate Recovery Summary	66
MS/MSD Results Summary	67
Internal Standard Area & RT Summary	68-71
Chromatograms	72-77
Laboratory Deliverables Checklist	78
Laboratory Authentication Statement	79

CHAIN OF CUSTODY

000001



Fort Monmouth Environmental Testing Laboratory

Bldg. 173, SELFM-PW-EV, Fort Monmouth, NJ 07703

Tel (732)532-4359 Fax (732)532-3484 EMail:appleby@doim6.monmouth.army.mil

NJDEP Certification #13461

Chain of Custody Record

Customer: <i>CA/VERSAR</i>		Project No:		Analysis Parameters						Comments:		
Phone #: <i>X26624</i>		Location: <i>BLDG'S 165, 167 + 291</i>		V O A + 15	B 2 + 15							
() DERA () OMA () Other: _____												
Samplers Name / Company: <i>MARK LAURA - T.V.S. PWS07</i>				Sample #								
Lab Sample I.D.	Sample Location	Date	Time	Type	bottles						Remarks / Preservation Method	
<i>4056</i>	<i>1 TRIP BLANK</i>	<i>11-14-98</i>	<i>---</i>	<i>AQ</i>	<i>2</i>	<i>X</i>					<i>HCL</i>	
	<i>2 FIELD BLANK</i>	<i>"</i>	<i>0910</i>	<i>"</i>	<i>3</i>	<i>X</i>	<i>X</i>				<i>HCL/240c</i>	
	<i>3 BLDG. 165 - 14-17'</i>	<i>"</i>	<i>0940</i>	<i>"</i>	<i>2</i>	<i>X</i>					<i>"</i>	
	<i>4 BLDG. 165 - "</i>	<i>"</i>	<i>1130</i>	<i>"</i>	<i>1</i>		<i>X</i>				<i>"</i>	
	<i>5 BLDG. 167 - 8-11'</i>	<i>"</i>	<i>1025</i>	<i>"</i>	<i>3</i>	<i>X</i>	<i>X</i>				<i>"</i>	
	<i>6 BLDG. 291 - 7-10'</i>	<i>"</i>	<i>1111</i>	<i>"</i>	<i>3</i>	<i>X</i>	<i>X</i>				<i>"</i>	
	<i>7 FIELD DUP. - X</i>	<i>"</i>	<i>---</i>	<i>"</i>	<i>3</i>	<i>X</i>	<i>X</i>				<i>"</i>	
Relinquished by (signature): <i>[Signature]</i>		Date/Time: <i>11-16-98 0730</i>	Received by (signature): <i>[Signature]</i>		Relinquished by (signature):		Date/Time:	Received by (signature):				
Relinquished by (signature):		Date/Time:	Received by (signature):		Relinquished by (signature):		Date/Time:	Received by (signature):				
Report Type: () Full, (X) Reduced, () Standard, () Screen / non-certified					Remarks:							
Turnaround time: (X) Standard 4 wks, () Rush ___ Days, () ASAP Verbal ___ Hrs.												

000002

FIELD DOCUMENTATION

000003

Post Remedial Groundwater Sampling At Former Underground Storage Tank Site [# 2 fuel oil]

FOR BLDG. # 291

Ground Water Sampling with the use of a Passively Placed Narrow Diameter Point
(PPNDP)

Objective:

To collect a representative groundwater sample utilizing a narrow diameter point [PPNDP] This is a small diameter [1-inch OD] screened casing passively placed in a borehole. The casing is of p.v.c. construction.

1. Methods

- A. A solid pushrod (bull point) is used to create a narrow diameter hole to a depth below the water table. A piece of schedule 40 PVC screen with 0.010-inch slots and an end cap is placed to the bottom of the hole. Glues or adhesives are not used for joining the casing. Threaded PVC casing is used. No filter or gravel pack is used.

2. Installation

- A. Using a Geoprobe, a borehole was advanced with a pre-probe with a diameter slightly larger than the casing. The hole was made to a depth 12 of feet. The water table was at 7 feet below ground surface.
- B. The screened section of PVC was placed into the borehole so the screened section was across the ground water table from 5 - 10 feet. Riser casing from 5 -+ 3 feet.

3. Purging

- A. Three volumes of the standing water in the point were purged. The amount of water extracted was app. 0.123 gal. Three to five volumes are purged due to the potential for cross contamination of the screen from upper soil horizons. This was accomplished utilizing a peristaltic pump, and utilizing food grade tubing.

4. Sampling

- A. Sampling methods, sample preservation requirements, sample handling times, decontamination procedure for field equipment, and frequency for field blanks, field duplicates and trip blanks conform to applicable industry methods such as those specified in the NJDEP "Field Sampling Procedures Manual" in effect as of the date on which sampling is performed. Any deviations from the methods in the "Field Sampling Procedures Manual" pursuant to N.J.A.C. 7:26E-1.6(c) has been approved by the person responsible for conducting the remediation.

000004

All samples were preserved in the field immediately after collection and submitted to the laboratory as soon as possible and no later than 48 hours after sample collection.

The acquisition of samples and water level measurements were performed as recommended and described in the May 1992 edition of NJDEP Field Sampling Procedures Manual.

5. Quality Assurance/Quality Control

A. Decontamination

The associated equipment (bull point, riser pipe, etc.) was decontaminated between borings using the following procedure:

1. Remove all adherent soil material.
2. Wash with a laboratory grade glassware detergent.
3. Rinsed with potable water.
4. Rinse with distilled and deionized ASTM Type II water.

B. Field Blanks

1 Field blank was shared with bldgs. 270 and 165

C. Sample bottles: Supplied by Environmental Sampling Supply, Oakland, Calif. The sample bottles are certified clean and are sealed upon delivery.

D. P.V.C. Screens: Supplied by Bedrock Enterprises, Forked River N.J.

Geoprobe Operator: Mark Laura
Employer: U.S. Army, Fort Monmouth
Phone Number: [732] 532-8990
NJDEP License #: J-1486

Mark Laura 11-23-98
Mark/Laura / Date

000005

METHODOLOGY SUMMARY

000006

Methodology Summary

EPA Method 624 Gas Chromatographic Determination of Volatiles in Water

Surrogates and internal standards are added to a 5 ml aliquot of sample. The sample is then purged and desorbed into a GC/MS system. The organic compounds are separated by the gas chromatograph and detected using the mass spectrometer. Volatiles are identified and quantitated.

EPA Method 3510/8270 Gas Chromatographic Determination of Semi-volatiles in Water

Surrogates are added to a measured volume of sample, usually 1 liter, at a specified pH. The sample is serially extracted with Methylene Chloride using a separatory funnel. The extract concentrated and internal standards are added. The sample is injected into a GC/MS system. Semi-volatiles are identified and quantitated.

000007

CONFORMANCE/ NON-CONFORMANCE SUMMARY

800008

GC/MS ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY FORMAT

Indicate
Yes, No, N/A

1. Chromatograms labeled/Compounds identified
(Field samples and method blanks) yes
2. Retention times for chromatograms provided yes
3. GC/MS Tune Specifications
 - a. BFB Meet Criteria yes
 - b. DFTPP Meet Criteria yes
4. GC/MS Tuning Frequency – Performed every 24 hours for 600 series and 12 hours for 8000 series yes
5. GC/MS Calibration – Initial Calibration performed before sample analysis and continuing calibration performed within 24 hours of sample analysis for 600 series and 12 hours for 8000 series yes
6. GC/MS Calibration requirements
 - a. Calibration Check Compounds Meet Criteria yes
 - b. System Performance Check Compounds Meet Criteria yes
7. Blank Contamination – If yes, List compounds and concentrations in each blank: NO
 - a. VOA Fraction _____
 - b. B/N Fraction _____
 - c. Acid Fraction NA _____
8. Surrogate Recoveries Meet Criteria yes

If not met, list those compounds and their recoveries, which fall outside the acceptable range:

 - a. VOA Fraction _____
 - b. B/N Fraction _____
 - c. Acid Fraction NA _____

If not met, were the calculations checked and the results qualified as “estimated”?

9. Matrix Spike/Matrix Spike Duplicate Recoveries Meet Criteria yes

(If not met, list those compounds and their recoveries, which fall outside the acceptable range)

 - a. VOA Fraction _____
 - b. B/N Fraction _____
 - c. Acid Fraction NA _____

GC/MS ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY FORMAT (cont.)

Indicate
Yes, No, N/A

10. Internal Standard Area/Retention Time Shift Meet Criteria
(If not met, list those compounds, which fall outside the acceptable range)

YES

- a. VOA Fraction _____
- b. B/N Fraction _____
- c. Acid Fraction NA _____

11. Extraction Holding Time Met

YES

If not met, list the number of days exceeded for each sample: _____

12. Analysis Holding Time Met

YES

If not met, list the number of days exceeded for each sample: _____

Additional Comments:

Field dup taken with this batch 4056.07 Bldg 167 8-11'

Laboratory Manager: _____

Date: 12/8/98

000010

LABORATORY CHRONICLE

000011

Laboratory Chronicle

Lab ID: 4056

Site: Bldg 291

	Date	Hold Time
Date Sampled	11/14/98	NA
Receipt/Refrigeration	11/16/98	NA
Extractions		
1. Base Neutrals	11/16/98	14 days
Analyses		
1. Volatile Organics	11/20/98	14 days
2. Base Neutrals	11/24/98	40 days

000012

VOLATILE ORGANICS

000013

**US ARMY FT. MONMOUTH ENVIRONMENTAL LABORATORY
NJDEPE # 13461**

Definition of Qualifiers

- MDL** : Method Detection Limit
J : Compound identified below detection limit
B : Compound in both sample and blank
D : Results from dilution of sample
U : Compound searched for but not detected

000014

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Nam **vb02158.d**
 Operator **Skelton**
 Date Acquired **20 Nov 98 11:54 am**

Sample Name **Vblk65**
 Field ID **Vblk65**
 Sample Multiplier **1**

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethan			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone			not detected	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride			not detected	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene			not detected	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ethe			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloropropene			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes			not detected	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethan			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
 E = Value above linear range
 D = Value from dilution
 PQL = Practical Quantitation Limit

MDL = Method Detection Limit
 NLE = No Limit Established
 R.T. = Retention Time

000015

1E
VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID

Vblk65

Lab Name: FMETL Project 980932
 NJDEP# 13461 Case No.: 4056 SDG No _____ Location UST
 Matrix: (soil/water) WATER Lab Sample ID: Vblk65
 Sample wt/vol: 5.0 (g/ml) ML Lab File ID: VB02158.D
 Level: (low/med) LOW Date Received: 11/12/98
 % Moisture: not dec. _____ Date Analyzed: 11/20/98
 GC Column: HP5MS ID: 0.25 (mm) Dilution Factor: 1.0
 Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Nam vb02159.d
 Operator Skelton
 Date Acquired 20 Nov 98 1:07 pm

Sample Name 4056.01
 Field ID Trip Blank
 Sample Multiplier 1

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethan			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone			not detected	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride			not detected	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene			not detected	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ethe			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloropropene			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes			not detected	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethan			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
 E = Value above linear range
 D = Value from dilution
 PQL = Practical Quantitation Limit

MDL = Method Detection Limit
 NLE = No Limit Established
 R.T. = Retention Time

000017

1E
VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID

Trip Blank

Lab Name: FMETL Project 980932
 NJDEP# 13461 Case No.: 4056 SDG No _____ Location UST
 Matrix: (soil/water) WATER Lab Sample ID: 4056.01
 Sample wt/vol: 5.0 (g/ml) ML Lab File ID: VB02159.D
 Level: (low/med) LOW Date Received: 11/12/98
 % Moisture: not dec. _____ Date Analyzed: 11/20/98
 GC Column: HP5MS ID: 0.25 (mm) Dilution Factor: 1.0
 Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Nam **vb02160.d**
 Operator **Skelton**
 Date Acquired **20 Nov 98 1:52 pm**

Sample Name **4056.02**
 Field ID **Field Blank**
 Sample Multiplier **1**

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethan			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone			not detected	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride			not detected	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene			not detected	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ethe			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloroprope			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes			not detected	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethan			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
 E = Value above linear range
 D = Value from dilution
 PQL = Practical Quantitation Limit

MDL = Method Detection Limit
 NLE = No Limit Established
 R.T. = Retention Time

000019

1E
VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID

Field Blank

Lab Name: FMETL Project 980932
NJDEP# 13461 Case No.: 4056 SDG No _____ Location UST
Matrix: (soil/water) WATER Lab Sample ID: 4056.02
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: VB02160.D
Level: (low/med) LOW Date Received: 11/12/98
% Moisture: not dec. _____ Date Analyzed: 11/20/98
GC Column: HP5MS ID: 0.25 (mm) Dilution Factor: 1.0
Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q
---------	---------------	----	------------	---

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Nam vb02163.d
 Operator Skelton
 Date Acquired 20 Nov 98 4:08 pm

Sample Name 4056.06
 Field ID Bldg 291
 Sample Multiplier 1

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethan			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone			not detected	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride			not detected	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene			not detected	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ethe			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloropropene			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes			not detected	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethan			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
 E = Value above linear range
 D = Value from dilution
 PQL = Practical Quantitation Limit

MDL = Method Detection Limit
 NLE = No Limit Established
 R.T. = Retention Time

000021

1E
VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID

Bldg. 291

Lab Name: FMETL Project 980932
NJDEP# 13461 Case No.: 4056 SDG No _____ Location UST
Matrix: (soil/water) WATER Lab Sample ID: 4056.06
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: VB02163.D
Level: (low/med) LOW Date Received: 11/12/98
% Moisture: not dec. _____ Date Analyzed: 11/20/98
GC Column: HP5MS ID: 0.25 (mm) Dilution Factor: 1.0
Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q
---------	---------------	----	------------	---

BASE NEUTRALS

000044

Semi-Volatile Base Neutral Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Name **bn01324.d**
 Operator **Skelton**
 Date Acquired **20 Nov 1998 1:23 am**

Sample Name **Sblk166**
 Misc Info **Sblk166 A 98111**
 Sample Multiplier **1**

CAS#	Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
110-86-1	Pyridine			not detected	NLE	2.52 ug/L	
62-75-9	N-nitroso-dimethylamine			not detected	20	2.64 ug/L	
62-53-3	Aniline			not detected	NLE	2.90 ug/L	
111-44-4	bis(2-Chloroethyl)ether			not detected	10	2.45 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	2.65 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	2.50 ug/L	
100-51-6	Benzyl alcohol			not detected	NLE	2.09 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	2.44 ug/L	
108-60-1	bis(2-chloroisopropyl)ether			not detected	300	2.96 ug/L	
621-64-7	n-Nitroso-di-n-propylamine			not detected	20	2.22 ug/L	
67-72-1	Hexachloroethane			not detected	10	2.59 ug/L	
98-95-3	Nitrobenzene			not detected	10	2.45 ug/L	
78-59-1	Isophorone			not detected	100	2.31 ug/L	
111-91-1	bis(2-Chloroethoxy)methane			not detected	NLE	2.54 ug/L	
120-82-1	1,2,4-Trichlorobenzene			not detected	9	2.58 ug/L	
91-20-3	Naphthalene			not detected	NLE	3.03 ug/L	
106-47-8	4-Chloroaniline			not detected	NLE	2.55 ug/L	
87-68-3	Hexachlorobutadiene			not detected	1	0.64 ug/L	
91-57-6	2-Methylnaphthalene			not detected	NLE	2.49 ug/L	
77-47-4	Hexachlorocyclopentadiene			not detected	50	1.59 ug/L	
91-58-7	2-Chloronaphthalene			not detected	NLE	2.15 ug/L	
88-74-4	2-Nitroaniline			not detected	NLE	1.62 ug/L	
131-11-3	Dimethylphthalate			not detected	7000	2.74 ug/L	
208-96-8	Acenaphthylene			not detected	NLE	2.35 ug/L	
606-20-2	2,6-Dinitrotoluene			not detected	NLE	1.54 ug/L	
99-09-2	3-Nitroaniline			not detected	NLE	1.62 ug/L	
83-32-9	Acenaphthene			not detected	400	1.98 ug/L	
132-64-9	Dibenzofuran			not detected	NLE	2.13 ug/L	
121-14-2	2,4-Dinitrotoluene			not detected	10	1.22 ug/L	
84-66-2	Diethylphthalate			not detected	5000	1.68 ug/L	
86-73-7	Fluorene			not detected	300	1.93 ug/L	
7005-72-3	4-Chlorophenyl-phenylether			not detected	NLE	1.53 ug/L	
100-01-6	4-Nitroaniline			not detected	NLE	2.70 ug/L	
86-30-6	n-Nitrosodiphenylamine			not detected	20	1.73 ug/L	
103-33-3	Azobenzene			not detected	NLE	1.92 ug/L	
101-53-3	4-Bromophenyl-phenylether			not detected	NLE	1.54 ug/L	
118-74-1	Hexachlorobenzene			not detected	10	1.88 ug/L	
85-01-8	Phenanthrene			not detected	NLE	1.67 ug/L	
120-12-7	Anthracene			not detected	2000	1.79 ug/L	
84-74-2	Di-n-butylphthalate			not detected	900	1.83 ug/L	
206-44-0	Fluoranthene			not detected	300	1.85 ug/L	
92-87-5	Benzidine			not detected	50	4.11 ug/L	
129-00-0	Pyrene			not detected	200	1.02 ug/L	
85-68-7	Butylbenzylphthalate			not detected	100	1.15 ug/L	
56-55-3	Benzo[a]anthracene			not detected	10	1.57 ug/L	
91-94-1	3,3'-Dichlorobenzidine			not detected	60	2.28 ug/L	
218-01-9	Chrysene			not detected	20	2.32 ug/L	
117-81-7	bis(2-Ethylhexyl)phthalate			not detected	30	1.29 ug/L	
117-84-0	Di-n-octylphthalate			not detected	100	1.30 ug/L	
205-99-2	Benzo[b]fluoranthene			not detected	10	1.31 ug/L	
207-08-9	Benzo[k]fluoranthene			not detected	2	1.57 ug/L	
50-32-8	Benzo[a]pyrene			not detected	20	1.36 ug/L	
193-39-5	Indeno[1,2,3-cd]pyrene			not detected	20	1.22 ug/L	
53-70-3	Dibenz[a,h]anthracene			not detected	20	3.12 ug/L	
191-24-2	Benzo[g,h,i]perylene			not detected	NLE	1.13 ug/L	

* Higher of PQL's and Ground Water Criteria as per NJAC 7:9-

Qualifiers

E = Value exceeded linear range
 D = Value from dilution
 B = Compound in related blank
 PQL = Practical Quantitation Limit

MDL = Method Detection Limit
 NLE = No Limit Established
 R.T. = Retention Time

000045

1F
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET FIELD ID
TENTATIVELY IDENTIFIED COMPOUNDS

Sblk166

Lab Name: FMETL Lab Code 13461

Project 980932 Case No.: 4056 Location UST SDG No.: _____

Matrix: (soil/water) WATER Lab Sample ID: Sblk166

Sample wt/vol: 1000 (g/ml) ML Lab File ID: BNA01324.D

Level: (low/med) LOW Date Received: 11/14/98

% Moisture: _____ decanted: (Y/N) N Date Extracted: 11/16/98

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/20/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7

CONCENTRATION UNITS:

Number TICs found: 1 (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	unknown	26.38	15	J

Semi-Volatile Base Neutral Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Name **bna01366.d**
 Operator **Skelton**
 Date Acquired **24 Nov 1998 2:28 am**

Sample Name **4056.02**
 Misc Info **Field Blank**
 Sample Multiplier **1**

CAS#	Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
110-86-1	Pyridine			not detected	NLE	2.52 ug/L	
62-75-9	N-nitroso-dimethylamine			not detected	20	2.64 ug/L	
62-53-3	Aniline			not detected	NLE	2.90 ug/L	
111-44-4	bis(2-Chloroethyl)ether			not detected	10	2.45 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	2.65 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	2.50 ug/L	
100-51-6	Benzyl alcohol			not detected	NLE	2.09 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	2.44 ug/L	
108-60-1	bis(2-chloroisopropyl)ether			not detected	300	2.96 ug/L	
621-64-7	n-Nitroso-di-n-propylamine			not detected	20	2.22 ug/L	
67-72-1	Hexachloroethane			not detected	10	2.59 ug/L	
98-95-3	Nitrobenzene			not detected	10	2.45 ug/L	
78-59-1	Isophorone			not detected	100	2.31 ug/L	
111-91-1	bis(2-Chloroethoxy)methane			not detected	NLE	2.54 ug/L	
120-82-1	1,2,4-Trichlorobenzene			not detected	9	2.58 ug/L	
91-20-3	Naphthalene			not detected	NLE	3.03 ug/L	
106-47-8	4-Chloroaniline			not detected	NLE	2.55 ug/L	
87-68-3	Hexachlorobutadiene			not detected	1	0.64 ug/L	
91-57-6	2-Methylnaphthalene			not detected	NLE	2.49 ug/L	
77-47-4	Hexachlorocyclopentadiene			not detected	50	1.59 ug/L	
91-58-7	2-Chloronaphthalene			not detected	NLE	2.15 ug/L	
88-74-4	2-Nitroaniline			not detected	NLE	1.62 ug/L	
131-11-3	Dimethylphthalate			not detected	7000	2.74 ug/L	
208-96-8	Acenaphthylene			not detected	NLE	2.35 ug/L	
606-20-2	2,6-Dinitrotoluene			not detected	NLE	1.54 ug/L	
99-09-2	3-Nitroaniline			not detected	NLE	1.62 ug/L	
83-32-9	Acenaphthene			not detected	400	1.98 ug/L	
132-64-9	Dibenzofuran			not detected	NLE	2.13 ug/L	
121-14-2	2,4-Dinitrotoluene			not detected	10	1.22 ug/L	
84-66-2	Diethylphthalate			not detected	5000	1.68 ug/L	
86-73-7	Fluorene			not detected	300	1.93 ug/L	
7005-72-3	4-Chlorophenyl-phenylether			not detected	NLE	1.53 ug/L	
100-01-6	4-Nitroaniline			not detected	NLE	2.70 ug/L	
86-30-6	n-Nitrosodiphenylamine			not detected	20	1.73 ug/L	
103-33-3	Azobenzene			not detected	NLE	1.92 ug/L	
101-55-3	4-Bromophenyl-phenylether			not detected	NLE	1.54 ug/L	
118-74-1	Hexachlorobenzene			not detected	10	1.88 ug/L	
85-01-8	Phenanthrene			not detected	NLE	1.67 ug/L	
120-12-7	Anthracene			not detected	2000	1.79 ug/L	
84-74-2	Di-n-butylphthalate			not detected	900	1.83 ug/L	
206-44-0	Fluoranthene			not detected	300	1.85 ug/L	
92-87-5	Benzidine			not detected	50	4.11 ug/L	
129-00-0	Pyrene			not detected	200	1.02 ug/L	
85-68-7	Butylbenzylphthalate			not detected	100	1.15 ug/L	
56-55-3	Benzo[a]anthracene			not detected	10	1.57 ug/L	
91-94-1	3,3'-Dichlorobenzidine			not detected	60	2.28 ug/L	
218-01-9	Chrysene			not detected	20	2.32 ug/L	
117-81-7	bis(2-Ethylhexyl)phthalate	24.54	97646	4.01 ug/L	30	1.29 ug/L	
117-84-0	Di-n-octylphthalate			not detected	100	1.30 ug/L	
205-99-2	Benzo[b]fluoranthene			not detected	10	1.31 ug/L	
207-08-9	Benzo[k]fluoranthene			not detected	2	1.57 ug/L	
50-32-8	Benzo[a]pyrene			not detected	20	1.36 ug/L	
193-39-5	Indeno[1,2,3-cd]pyrene			not detected	20	1.22 ug/L	
53-70-3	Dibenz[a,h]anthracene			not detected	20	3.12 ug/L	
191-24-2	Benzo[g,h,i]perylene			not detected	NLE	1.13 ug/L	

* Higher of PQL's and Ground Water Criteria as per NJAC 7-9-

Qualifiers

E = Value exceeded linear range
 D = Value from dilution
 B = Compound in related blank
 PQL = Practical Quantitation Limit

MDL = Method Detection Limit
 NLE = No Limit Established
 R.T. = Retention Time

000047

1F
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID

Field Blank

Lab Name: FMETL Lab Code 13461
Project 980932 Case No.: 4056 Location UST SDG No.: _____
Matrix: (soil/water) WATER Lab Sample ID: 4056.02
Sample wt/vol: 1000 (g/ml) ML Lab File ID: BNA01366.D
Level: (low/med) LOW Date Received: 11/14/98
% Moisture: _____ decanted: (Y/N) N Date Extracted: 11/16/98
Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/24/98
Injection Volume: 1.0 (uL) Dilution Factor: 1.0
GPC Cleanup: (Y/N) N pH: 7

CONCENTRATION UNITS:

Number TICs found: 1 (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	unknown	26.22	14	J

Semi-Volatile Base Neutral Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Name **bn01369.d**
 Operator **Skelton**
 Date Acquired **24 Nov 1998 4:34 am**

Sample Name **4056.06**
 Misc Info **Bldg 291**
 Sample Multiplier **1**

CAS#	Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
110-86-1	Pyridine			not detected	NLE	2.52	ug/L
62-75-9	N-nitroso-dimethylamine			not detected	20	2.64	ug/L
62-53-3	Aniline			not detected	NLE	2.90	ug/L
111-44-4	bis(2-Chloroethyl)ether			not detected	10	2.45	ug/L
541-73-1	1,3-Dichlorobenzene			not detected	600	2.65	ug/L
106-46-7	1,4-Dichlorobenzene			not detected	75	2.50	ug/L
100-51-6	Benzyl alcohol			not detected	NLE	2.09	ug/L
95-50-1	1,2-Dichlorobenzene			not detected	600	2.44	ug/L
108-60-1	bis(2-chloroisopropyl)ether			not detected	300	2.96	ug/L
621-64-7	n-Nitroso-di-n-propylamine			not detected	20	2.22	ug/L
67-72-1	Hexachloroethane			not detected	10	2.59	ug/L
98-95-3	Nitrobenzene			not detected	10	2.45	ug/L
78-59-1	Isophorone			not detected	100	2.31	ug/L
111-91-1	bis(2-Chloroethoxy)methane			not detected	NLE	2.54	ug/L
120-82-1	1,2,4-Trichlorobenzene			not detected	9	2.58	ug/L
91-20-3	Naphthalene			not detected	NLE	3.03	ug/L
106-47-8	4-Chloroaniline			not detected	NLE	2.55	ug/L
87-68-3	Hexachlorobutadiene			not detected	1	0.64	ug/L
91-57-6	2-Methylnaphthalene			not detected	NLE	2.49	ug/L
77-47-4	Hexachlorocyclopentadiene			not detected	50	1.59	ug/L
91-58-7	2-Chloronaphthalene			not detected	NLE	2.15	ug/L
88-74-4	2-Nitroaniline			not detected	NLE	1.62	ug/L
131-11-3	Dimethylphthalate			not detected	7000	2.74	ug/L
208-96-8	Acenaphthylene			not detected	NLE	2.35	ug/L
606-20-2	2,6-Dinitrotoluene			not detected	NLE	1.54	ug/L
99-09-2	3-Nitroaniline			not detected	NLE	1.62	ug/L
83-32-9	Acenaphthene			not detected	400	1.98	ug/L
132-64-9	Dibenzofuran			not detected	NLE	2.13	ug/L
121-14-2	2,4-Dinitrotoluene			not detected	10	1.22	ug/L
84-66-2	Diethylphthalate			not detected	5000	1.68	ug/L
86-73-7	Fluorene			not detected	300	1.93	ug/L
7005-72-3	4-Chlorophenyl-phenylether			not detected	NLE	1.53	ug/L
100-01-6	4-Nitroaniline			not detected	NLE	2.70	ug/L
86-30-6	n-Nitrosodiphenylamine			not detected	20	1.73	ug/L
103-33-3	Azobenzene			not detected	NLE	1.92	ug/L
101-55-3	4-Bromophenyl-phenylether			not detected	NLE	1.54	ug/L
118-74-1	Hexachlorobenzene			not detected	10	1.88	ug/L
85-01-8	Phenanthrene			not detected	NLE	1.67	ug/L
120-12-7	Anthracene			not detected	2000	1.79	ug/L
84-74-2	Di-n-butylphthalate			not detected	900	1.83	ug/L
206-44-0	Fluoranthene			not detected	300	1.85	ug/L
92-87-5	Benidine			not detected	50	4.11	ug/L
129-00-0	Pyrene			not detected	200	1.02	ug/L
85-68-7	Butylbenzylphthalate			not detected	100	1.15	ug/L
56-55-3	Benzo[a]anthracene			not detected	10	1.57	ug/L
91-94-1	3,3'-Dichlorobenzidine			not detected	60	2.28	ug/L
218-01-9	Chrysene			not detected	20	2.32	ug/L
117-81-7	bis(2-Ethylhexyl)phthalate			not detected	30	1.29	ug/L
117-84-0	Di-n-octylphthalate			not detected	100	1.30	ug/L
205-99-2	Benzo[b]fluoranthene			not detected	10	1.31	ug/L
207-08-9	Benzo[k]fluoranthene			not detected	2	1.57	ug/L
50-32-8	Benzo[a]pyrene			not detected	20	1.36	ug/L
193-39-5	Indeno[1,2,3-cd]pyrene			not detected	20	1.22	ug/L
53-70-3	Dibenz[a,h]anthracene			not detected	20	3.12	ug/L
191-24-2	Benzo[g,h,i]perylene			not detected	NLE	1.13	ug/L

* Higher of PQL's and Ground Water Criteria as per NJAC 7:9-

Qualifiers

E = Value exceeded linear range
 D = Value from dilution
 B = Compound in related blank
 PQL = Practical Quantitation Limit

MDL = Method Detection Limit
 NLE = No Limit Established
 R.T. = Retention Time

000049

1F
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET FIELD ID
TENTATIVELY IDENTIFIED COMPOUNDS

Bldg291

Lab Name: FMETL Lab Code 13461
 Project 980932 Case No.: 4056 Location UST SDG No.: _____
 Matrix: (soil/water) WATER Lab Sample ID: 4056.06
 Sample wt/vol: 1000 (g/ml) ML Lab File ID: BNA01369.D
 Level: (low/med) LOW Date Received: 11/14/98
 % Moisture: _____ decanted: (Y/N) N Date Extracted: 11/16/98
 Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/24/98
 Injection Volume: 1.0 (uL) Dilution Factor: 1.0
 GPC Cleanup: (Y/N) N pH: 7

CONCENTRATION UNITS:

Number TICs found: 2 (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	unknown	23.07	11	J
2.	unknown	26.22	20	J

LABORATORY DELIVERABLES CHECKLIST AND NON-CONFORMANCE SUMMARY

THIS FORM MUST BE COMPLETED BY THE LABORATORY OR ENVIRONMENTAL CONSULTANT AND ACCOMPANY ALL DATA SUBMISSIONS


The following Laboratory Deliverables checklist and Non-Conformance Summary shall be included in the data submission. All deviations from the accepted methodology and procedures, of performance values outside acceptable ranges shall be summarized in the Non-Conformance Summary. The Technical Requirements for Site Remediation, effective June 7, 1993, provides further details. The document shall be bound and paginated, contain a table of contents, and all pages shall be legible. Incomplete packages will be returned or held without review until the data package is completed.

It is recommended that the analytical results summary sheets listing all targeted and non-targeted compounds with the method detection limits, practical quantitation limits, and the laboratory and/or sample numbers be included in one section of the data package and in the main body of the report.

1. Cover page, Title Page listing Lab Certification #, facility name and address, & date of report submitted
2. Table of Contents submitted
3. Summary Sheets listing analytical results for all targeted and non-targeted compounds submitted
4. Document paginated and legible
5. Chain of Custody submitted
6. Samples submitted to lab within 48 hours of sample collection
7. Methodology Summary submitted
8. Laboratory Chronicle and Holding Time Check submitted
9. Results submitted on a dry weight basis
10. Method Detection Limits submitted
11. Lab certified by NJDEP for parameters of appropriate category of parameters or a member of the USEPA CLP

Laboratory Manager or Environmental Consultant's Signature

Date 12/18/94




Laboratory Certification #13461

*Refer to NJAC 7:26E - Appendix A, Section IV - Reduced Data Deliverables - Non-USEPA/CLP Methods for further guidance.

Laboratory Authentication Statement

I certify under penalty of law, where applicable, that this laboratory meets the Laboratory Performance Standards and Quality Control requirements specified in N.J.A.C. 7:18 and 40 CFR Part 136 for Water and Wastewater Analyses and SW-846 for Solid Waste Analysis. I have personally examined the information contained in this report and to the best of my knowledge, I believe that the submitted information is true, accurate, complete and meets the above referenced standards where applicable. I am aware that there are significant penalties for purposefully submitting falsified information, including the possibility of a fine and imprisonment.



Daniel K. Wright
Laboratory Manager

APPENDIX G
PHOTOGRAPHS



AUGUST 18, 1997

PHOTOGRAPHIC LOG

UST NO. 81533-65

**Building 291
Main Post-West
Fort Monmouth**

VERSAR
Engineers, Managers, Scientists & Planners
Bristol, PA