

United States Army
Fort Monmouth, New Jersey

COPY

Underground Storage Tank Closure and Site Investigation Report

***Building 1109
Main Post-West Area***

NJDEP UST Registration No. 81533-169

December 1998

**UNDERGROUND STORAGE TANK
CLOSURE AND SITE INVESTIGATION REPORT**

BUILDING 1109

**MAIN POST-WEST AREA
NJDEP UST REGISTRATION NO. 81533-169**

DECEMBER 1998

PREPARED FOR:

**UNITED STATES ARMY, FORT MONMOUTH, NEW JERSEY
DIRECTORATE OF PUBLIC WORKS
BUILDING 167
FORT MONMOUTH, NJ 07703**

PREPARED BY:

**VERSAR
1900 FROST ROAD
SUITE 110
BRISTOL, PA 19007**

PROJECT NO. 2429-308

TABLE OF CONTENTS

EXECUTIVE SUMMARY	iv
1.0 UNDERGROUND STORAGE TANK DECOMMISSIONING ACTIVITIES	1
1.1 OVERVIEW	1
1.2 SITE DESCRIPTION	2
1.2.1 Geological/Hydrogeological Setting	2
1.3 HEALTH AND SAFETY	4
1.4 REMOVAL OF UNDERGROUND STORAGE TANK	4
1.4.1 General Procedures	4
1.4.2 Underground Storage Tank Excavation and Cleaning	4
1.5 UNDERGROUND STORAGE TANK TRANSPORTATION AND DISPOSAL	5
1.6 MANAGEMENT OF EXCAVATED SOILS	5
2.0 SITE INVESTIGATION ACTIVITIES	6
2.1 OVERVIEW	6
2.2 FIELD SCREENING/MONITORING	6
2.3 SOIL SAMPLING	7
2.4 GROUNDWATER SAMPLING	7
3.0 CONCLUSIONS AND RECOMMENDATIONS	8
3.1 SOIL SAMPLING RESULTS	8
3.2 GROUNDWATER SAMPLING RESULTS	8

TABLE OF CONTENTS (CONTINUED)

TABLES

Table 1	Summary of Post-Excavation Sampling Activities
Table 2	Post-Excavation Soil Sampling Results

FIGURES

Figure 1	Site Location Map
Figure 2	Site Map
Figure 3	Cross Sectional View
Figure 4	Soil Sampling Location Map
Figure 5	Groundwater Sampling Location Map

APPENDICES

Appendix A	NJDEP Standard Reporting Form
Appendix B	Site Assessment Summary
Appendix C	Waste Manifest
Appendix D	UST Disposal Certificate
Appendix E	Soil Analytical Data Package
Appendix F	Groundwater Analytical Data Package
Appendix G	Photographs

EXECUTIVE SUMMARY

UST Closure

On July 2, 1998, a fiberglass underground storage tank (UST) was closed by removal in accordance with New Jersey Department of Environmental Protection (NJDEP) underground storage tank closure procedures at the Main Post-West area of the U.S. Army Fort Monmouth, Fort Monmouth, New Jersey. The UST, NJDEP Registration No. 81533-169 (Fort Monmouth ID No. 1109), was located northeast of Building 1109. UST No. 81533-169 was a 1,000-gallon No. 2 fuel oil UST.

Site Assessment

The site assessment was performed by U.S. Army personnel in accordance with the NJDEP *Technical Requirements for Site Remediation* (N.J.A.C. 7:26E) and the NJDEP *Field Sampling Procedures Manual*. The sampling and laboratory analysis conducted during the site assessment were performed in accordance with Section 7:26E-2.1 of the *Technical Requirements for Site Remediation*. Soils surrounding the tank were screened visually and with air monitoring equipment for evidence of contamination. Following removal, the UST was inspected for corrosion holes or punctures. No holes or punctures were noted in the UST. Stained soil was observed and appeared to be from a previous tank. On July 7, 1998, potentially contaminated soil was removed from the excavation area.

In total, approximately 8 cubic yards of potentially contaminated soil were removed from the excavated area and stored at the Fort Monmouth petroleum contaminated soil staging area. Soil samples that were collected after the removal of the potentially contaminated soil contained non-detectable levels of Total Petroleum Hydrocarbons (TPHC). Groundwater was encountered at 7.0 feet below ground surface and no sheen was observed.

All post excavation soil samples collected from the UST excavation at Building 1109 contained TPHC concentrations below the NJDEP residential direct contact total organic contaminants soil cleanup criteria of 10,000 milligrams per kilogram (mg/kg) (N.J.A.C. 7:26D and revisions dated February 3, 1994). Following receipt of all post-excavation soil sampling results, the excavation was backfilled to grade with a combination of uncontaminated excavated soil and certified clean fill. The excavation site was then restored to its original condition.

In response to the observation of potentially contaminated soil near the water table, two (2) groundwater samples were collected at Building 1109. On November 7, 1998, and December 2, 1998, Building 1109 was sampled for volatile organic compounds calibrated for xylene plus 15 tentatively identified compounds (VOC's), and semivolatile organic compounds plus 15 tentatively identified compounds (SVOC's). All groundwater analytical results were either below the detection limit or in compliance with the New Jersey Ground Water Quality Criteria (GWQC).

No further action is proposed in regard to the closure and site assessment of UST No. 81533-169 at Building 1109.

1.0 UNDERGROUND STORAGE TANK DECOMMISSIONING ACTIVITIES

1.1 OVERVIEW

One underground storage tank (UST), New Jersey Department of Environmental Protection (NJDEP) Registration No. 81533-169, was closed at Building 1109 at the Main Post-West area of U.S. Army Fort Monmouth, Fort Monmouth, New Jersey on July 2, 1998. Refer to the site location map on Figure 1. This report presents the results of the Department of Public Works' (DPW) implementation of the UST Decommissioning/Closure Plan approved by the NJDEP. The UST was a fiberglass 1,000-gallon tank containing No. 2 fuel oil.

Decommissioning activities for UST No. 81533-169 complied with all applicable Federal, State, and Local laws and ordinances in effect at the date of decommissioning. These laws included but were not limited to N.J.A.C. 7:14B-1 et seq., N.J.A.C. 5:23-1 et seq., and Occupational Safety and Health Administration (OSHA) 1910.146 & 1910.120. All permits including but not limited to the NJDEP approved Decommissioning/Closure Plan were posted onsite for inspection. The decommissioning activities were conducted by DPW personnel who are registered and certified by the NJDEP for performing UST closure activities. Closure of UST No. 81533-169 proceeded under the approval of the NJDEP Bureau of Underground Storage Tanks (NJDEP-BFCM). The Standard Reporting Form and signed Site Assessment Summary form for UST No. 81533-169 are included in Appendices A and B, respectively.

After removal of the potentially contaminated soil, the site was assessed. Based on inspecting the UST, field screening of remaining subsurface soils, and reviewing analytical results of soil samples and groundwater samples, the DPW has concluded that no significant historical discharges are associated with the UST or associated piping.

This UST Closure and Site Investigation Report has been prepared by Versar, to assist the U.S. Army DPW in complying with the NJDEP-BUST regulations. The applicable NJDEP-BUST regulations at the date of closure were the *Interim Closure Requirements for Underground Storage Tank Systems* (N.J.A.C. 7:14B-1 et seq. October 1990 and revisions dated November 1, 1991).

This report was prepared using information collected at the time of closure. Section 1 of this UST Closure and Site Investigation Report provides a summary of the UST decommissioning activities. Section 2 of this report describes the site investigation activities. Conclusions and recommendations, including the results of the soil sampling investigation, are presented in the final section of this report.

1.2 SITE DESCRIPTION

Building 1109 is located in the Main Post-West area of the Fort Monmouth Army Base. UST No. 81533-169 was located northeast of Building 1109 and appurtenant copper piping ran approximately five (5) feet southeast from the excavation to Building 1109. A site map is provided on Figure 2.

1.2.1 Geological/Hydrogeological Setting

The following is a description of the geological/hydrogeological setting of the area surrounding Building 1109. Included is a description of the regional geology of the area surrounding Fort Monmouth as well as descriptions of the local geology and hydrogeology of the Main Post area.

Regional Geology

Monmouth County lies within the New Jersey Section of the Atlantic Coastal Plain physiographic province. The Main Post, Charles Wood, and the Evans areas are located in what may be referred to as the Outer Coastal Plain subprovince, or the Outer Lowlands.

In general, New Jersey Coastal Plain formations consist of a seaward-dipping wedge of unconsolidated deposits of clay, silt, and gravel. These formations typically strike northeast-southwest with a dip ranging from 10 to 60 feet per mile and were deposited on Precambrian and lower Paleozoic rocks (Zapeczka, 1989). These sediments, predominantly derived from deltaic, shallow marine, and continental shelf environments, date from Cretaceous through the Quaternary Periods. The mineralogy ranges from quartz to glauconite.

The formations record several major transgressive/regressive cycles and contain units which are generally thicker to the southeast and reflect a deeper water environment. More than 20 regional geologic units are present within the sediments of the Coastal Plain. Regressive, upward coarsening deposits are usually aquifers (e.g., Englishtown and Kirkwood Formations, and the Cohansey Sand) while the transgressive deposits act as confining units (e.g., the Merchantville, Marshalltown, and Navesink Formations). The individual thicknesses for these units vary greatly (i.e., from several feet to several hundred feet). The Coastal Plain deposits thicken to the southeast from the Fall Line to greater than 6,500 feet in Cape May County (Brown and Zapeczka, 1990).

Local Geology

Based on the regional geologic map (Jablonski, 1968), the Cretaceous age Red Bank and Tinton Sands outcrop at the Main Post area. The Red Bank sand conformably overlies the Navesink Formation and dips to the southeast at 35 feet per mile. The upper member (Shrewsbury) of the Red Bank sand is a yellowish-gray to reddish brown clayey, medium-to-coarse-grained sand that contains abundant rock fragments, minor mica and glauconite (Jablonski). The lower member (Sandy Hook) is a dark gray to black, medium-to-fine grained sand with abundant clay, mica, and glauconite.

The Tinton sand conformably overlies the Red Bank Sand and ranges from a clayey medium to very coarse grained feldspathic quartz and glauconite sand to a glauconitic coarse sand. The color varies from dark yellowish orange or light brown to moderate brown and from light olive to grayish olive. Glauconite may constitute 60 to 80 percent of the sand fraction in the upper part of the unit (Minard, 1969). The upper part of the Tinton is often highly oxidized and iron oxide encrusted (Minard).

Hydrogeology

The water table aquifer in the Main Post area is identified as part of the "composite confining units," or minor aquifers. The minor aquifers include the Navesink formation, Red Bank Sand, Tinton Sand, Hornerstown Sand, Vincentown Formation, Manasquan Formation, Shark River Formation, Piney Point Formation, and the basal clay of the Kirkwood Formation.

Based on records of wells drilled in the Main Post area, water is typically encountered at depths of 2 to 9 feet below ground surface (bgs). According to Jablonski, wells drilled in the Red Bank and Tinton Sands may produce 2 to 25 gallons per minute (gpm). Some well owners have reported acidic water that requires treatment to remove iron.

Due to the proximity of the Atlantic Ocean to Fort Monmouth, shallow groundwater may be tidally influenced and may flow toward creeks and brooks as the tide goes out, and away from creeks and brooks as the tide comes in. However, an abundance of clay lenses and sand deposits were noted in borings installed throughout Fort Monmouth. Therefore, the direction of shallow groundwater should be determined on a case-by-case basis.

Shallow groundwater is locally influenced within the Main Post area by the following factors:

- tidal influence (based on proximity to the Atlantic Ocean, rivers, and tributaries)
- topography
- nature of the fill material within the Main Post area
- presence of clay and silt lenses in the natural overburden deposits
- local groundwater recharge areas (i.e., streams, lakes)

Due to the fluvial nature of the overburden deposits (i.e., sand and clay lenses), shallow groundwater flow direction is best determined on a case-by-case basis. This is consistent with lithologies observed in borings installed within the Main Post area, which primarily consisted of fine-to-medium grained sands, with occasional lenses or laminations of gravel silt and/or clay.

Building 1109 located approximately 200 feet southeast of Wampum Brook, the nearest water body. Based on the Main Post topography, the groundwater flow in the area of Building 1109 is anticipated to be to the northwest.

1.3 HEALTH AND SAFETY

Before, during, and after all decommissioning activities, hazards at the work site which may have posed a threat to the Health and Safety of all personnel who were involved with, or were affected by, the decommissioning of the UST system were minimized. All areas, which posed, or may have been suspected to pose a vapor hazard were monitored by a qualified individual utilizing an organic vapor analyzer (OVA). The individual ascertained if the area was properly vented to render the area safe, as defined by OSHA.

1.4 REMOVAL OF UNDERGROUND STORAGE TANK

1.4.1 General Procedures

- The contractor performing the closure prior to excavation activities identified all underground obstructions (utilities, etc.).
- All activities were carried out with the greatest regard to safety and health and the safeguarding of the environment.
- All excavated soils were visually examined and screened with an OVA for evidence of contamination. Potentially contaminated soils were identified and logged during closure activities.
- Surface materials (i.e., asphalt, concrete, etc.) were excavated and staged separately from all soil and recycled in accordance with all applicable regulations and laws.
- A Sub-Surface Evaluator from the DPW was present during all site assessment activities.

1.4.2 Underground Storage Tank Excavation and Cleaning

Prior to UST decommissioning activities, surficial soil was removed to expose the UST and associated piping. All free product present in the piping was drained into the UST, and the UST was purged to remove vapors prior to cutting and removal of the piping. After removal of the associated piping, a manway was made in the UST to allow for proper cleaning. The UST was completely emptied of all liquids prior to removal from the ground. Approximately 50 gallons of liquid from the UST and its associated piping were transported by Casie Protank to Casie Ecology Oil Salvage, Inc. facility, a NJDEP-approved petroleum recycling and disposal company located in Vineland, New Jersey. Refer to Appendix C for the waste manifest.

The UST was cleaned prior to removal from the excavation in accordance with the NJDEP-BUST regulations. After the UST was removed from the excavation, it was staged on polyethylene sheeting and examined for holes. No holes or punctures were observed during the inspection by the Sub-Surface Evaluator. Soils surrounding the UST were screened visually and with an OVA for evidence of contamination. Potentially contaminated soils were observed. Approximately 8 cubic yards of potentially contaminated soil were removed, respectively from the excavated area. Soil screening was also performed along the piping run associated with the UST closure. No contamination was noted anywhere along the piping length. Groundwater was encountered at 7.0 feet below ground surface and no sheen was observed. See Figure 3 for a cross-sectional view of the excavated area.

1.5 UNDERGROUND STORAGE TANK TRANSPORTATION AND DISPOSAL

The steel tank was transported in compliance with all applicable regulations and laws to Marpal Company. Refer to Appendix D for the UST disposal certificate and Appendix G for photographs of the UST.

The UST was labeled prior to transport with the following information:

- Site of origin
- Contact person
- NJDEP UST Facility ID number
- Former contents
- Destination site
- Date

1.6 MANAGEMENT OF EXCAVATED SOILS

Based on OVA air monitoring and TPHC analysis results from the post-excavation soil samples, approximately 8 cubic yards of potentially contaminated soil were removed from the UST excavation. All potentially contaminated soils were stockpiled separately from other excavated material and were placed on and covered with polyethylene sheets. Potentially contaminated soils were transported to the soil staging area. Soils that did not exhibit signs of contamination were used as backfill following the removal of the UST. Groundwater was encountered at 7.0 feet below ground surface and no sheen was observed.

2.0 SITE INVESTIGATION ACTIVITIES

2.1 OVERVIEW

The Site Investigation was managed and carried out by U.S. Army DPW personnel. All analyses were performed and reported by U.S. Army Fort Monmouth Environmental Laboratory, a NJDEP-certified testing laboratory. All sampling was performed under the direct supervision of a NJDEP Certified Sub-Surface Evaluator according to the methods described in the NJDEP *Field Sampling Procedures Manual* (1992). Sampling frequency and parameters analyzed complied with the NJDEP-BUST document *Interim Closure Requirements for Underground Storage Tank Systems* (October 1990 and revisions dated November 1, 1991) which was the applicable regulation at the date of the closure. The Fort Monmouth DPW Environmental Office maintains all records of the Site Investigation activities.

The following Parties participated in Closure and Site Investigation Activities:

- Subsurface Evaluator: Charles Appleby
Employer: U.S. Army, Fort Monmouth
Phone Number: (908) 532-0989
NJDEP Certification No.: 2056
- Analytical Laboratory: U.S. Army Fort Monmouth Environmental Laboratory
Contact Person: Daniel K. Wright
Phone Number: (908) 532-4359
NJDEP Company Certification No.: 13461
- Hazardous Waste Hauler: Casie Protank Environmental Services
Contact Person: Bob Corsiglia
Phone Number: (609) 696-4401
NJDEP Company Certification No.: 16931

2.2 FIELD SCREENING/MONITORING

Field screening was performed by a NJDEP Certified Sub-Surface Evaluator using an OVA and visual observations to identify potentially contaminated material. OVA readings taken during the assessment ranged from non-detect to 50 ppm. Approximately 8 cubic yards of potentially petroleum contaminated soil were removed from the excavated area and transported to the Fort Monmouth petroleum contaminated soil holding area. Soils were removed from the excavation until no evidence of contamination remained. Groundwater was encountered at 7 feet below ground surface and no sheen was observed.

2.3 SOIL SAMPLING

On July 2, 1998, following the removal of the UST and associated piping, post-excitation soil samples A, B, C, D, E, F, and DUP C were collected from a total of six (6) locations of the UST excavation. Sample A was collected along the excavation floor at a depth of 10.0 feet bgs. Sidewall samples B, C, D, E, and DUP C were collected at a depth of 6.5 feet bgs. Sample F was collected along the former piping length of the excavation, which was approximately five (5) feet in length. The piping sample was collected at a depth of 2.0 feet bgs. All samples were analyzed for TPHC and total solids.

On July 7, 1998, due to the detected concentrations of TPHC at sample locations C and D, approximately 8 cubic yards of potentially contaminated soils were removed. Following removal of this soil, post-excitation soil samples C2, D2, and DUP C2 were collected along the sidewalls at a depth of 6.5 feet bgs. All samples were analyzed for TPHC and total solids.

U.S. Army personnel in accordance with the NJDEP Technical Requirements and the NJDEP Field Sampling Procedures Manual performed the site assessment. A summary of sampling activities including parameters analyzed is provided in Table 1. The post-excitation soil samples were collected using NJDEP *Field Sampling Procedures Manual* (1992) standard sampling procedures. Following soil sampling activities, the samples were chilled and delivered to U.S. Army Fort Monmouth Environmental Laboratory located in Fort Monmouth, New Jersey, for analysis.

2.4 GROUNDWATER SAMPLING

On November 7, 1998, and December 2, 1998, Building 1109 was sampled for volatile organic compounds calibrated for xylene plus 15 tentatively identified compounds (VOC's), and semivolatile organic compounds plus 15 tentatively identified compounds (SVOC's). Sampling and analysis were performed in accordance with the NJDEP *Field Sampling Procedures Manual* and the *Technical Requirements For Site Remediation*. Refer to Appendix F for the field sampling documentation.

3.0 CONCLUSIONS AND RECOMMENDATIONS

3.1 SOIL SAMPLING RESULTS

To evaluate soil conditions following removal of the UST and associated piping, post-excavation soil samples were collected on July 2 and 7, 1998 from a total of eight (8) locations. All samples were analyzed for TPHC and total solids. The post-excavation sampling results were compared to the NJDEP residential direct contact total organic contaminants soil cleanup criteria of 10,000 mg/kg (N.J.A.C. 7:26D and revisions dated February 3, 1994). A summary of the analytical results and comparison to the NJDEP soil cleanup criteria is provided in Table 2 and the soil sampling locations are shown on Figure 4. The analytical data package is provided in Appendix E.

All post-excavation soil samples collected on July 2 and 7, 1994, from the UST excavation and from below piping associated with the UST contained concentrations of TPHC below the NJDEP soil cleanup criteria. Samples contained non-detectable levels of Total Petroleum Hydrocarbons (TPHC).

3.2 GROUNDWATER SAMPLING RESULTS

The sample collected from Building 1109 on November 7, 1998, contained 2-methylnaphthalene at a concentration of 5.50 ug/l. No other compounds were detected. Acetone was detected in the field dup at a concentration of 9.36 ug/l. No other compounds were detected in the field dup.

The sample collected from Building 1109 on December 2, 1998, contained m+p-xylenes at a concentration of 1.79 ug/l and 2-methylnaphthalene at a concentration of 4.69 ug/l. No other compounds were detected. Bis (2-ethylhexyl) phthalate was detected in the field blank at a concentration of 2.83 ug/l. No other compounds were detected in the field blank.

All groundwater analytical results are presented in Table 3 and shown on Figure 5. The groundwater analytical data package is provided in Appendix F. The full data package, including quality control, is on file at U.S. Fort Monmouth, DPW.

No further action is proposed in regard to the closure and site assessment of UST No. 81533-169 at Building 1109.

F. E.

Ne. 2

F. 1

Ne. 3

F. 4

Ne. 2

G. 1

Ne. 2

F. 1

Ne. 2

F. E.

Ne. 2

F. 1

Ne. 2

F. 1

Ne. 2

F. 1

Ne. 3

F. 1

Ne. 2

F. 1

Ne. 2

F. 1

Ne. 2

F. 1

Ne. 2

F. 1

Ne. 2

F. 1

Ne. 2

F. 1

Ne. 2

F. 1

Ne. 2

F. 1

Ne. 2

F. 1

Ne. 2

TABLES

TABLE 1

SUMMARY OF POST-EXCAVATION SAMPLING ACTIVITIES
BUILDING 1109, MAIN POST-WEST AREA
FORT MONMOUTH, NEW JERSEY

Page 1 of 3

Sample ID	Date of Collection	Date Analysis Started	Matrix	Sample Type	Analytical Parameters*	NJDEP Method
A	7/2/98	7/2/98	Soil	Post-Excavation	TPHC	OQA-QAM-025
B	7/2/98	7/2/98	Soil	Post-Excavation	TPHC	OQA-QAM-025
**C	7/2/98	7/2/98	Soil	Post-Excavation	TPHC	OQA-QAM-025
**D	7/2/98	7/2/98	Soil	Post-Excavation	TPHC	OQA-QAM-025
E	7/2/98	7/2/98	Soil	Post-Excavation	TPHC	OQA-QAM-025
F	7/2/98	7/2/98	Soil	Post-Excavation	TPHC	OQA-QAM-025
**DUPC	7/2/98	7/2/98	Soil	Post-Excavation	TPHC	OQA-QAM-025

Note:

- * TPHC Total Petroleum Hydrocarbons
- ** Sample was further remediated and resampled

TABLE 1

SUMMARY OF POST-EXCAVATION SAMPLING ACTIVITIES
 BUILDING 1109, MAIN POST-WEST AREA
 FORT MONMOUTH, NEW JERSEY

Page 2 of 3

Sample ID	Date of Collection	Date Analysis Started	Matrix	Sample Type	Analytical Parameters*	NJDEP Method
C2	7/7/98	7/7/94	Soil	Post-Excavation	TPHC	OQA-QAM-025
D2	7/7/98	7/7/94	Soil	Post-Excavation	TPHC	OQA-QAM-025
DUPC2	7/7/98	7/7/94	Soil	Post-Excavation	TPHC	OQA-QAM-025

Note:

* TPHC Total Petroleum Hydrocarbons

TABLE 1

SUMMARY OF SAMPLING ACTIVITIES
 BUILDING 1109, MAIN POST-WEST AREA
 FORT MONMOUTH, NEW JERSEY

Page 3 of 3

Sample ID	Date of Collection	Date Analysis Started	Matrix	Sample Type	Analytical Parameters*	Sampling Method**
4038.01	11/7/98	11/16/98	Aqueous	Groundwater	VOCs, SVOCs	PPNDP
4038.02	11/7/98	11/16/98	Aqueous	Groundwater	VOCs, SVOCs	PPNDP
4038.04	11/7/98	11/16/98	Aqueous	Groundwater	VOCs, SVOCs	PPNDP
4038.05	11/7/98	11/16/98	Aqueous	Groundwater	VOCs, SVOCs	PPNDP
4099.01	12/2/98	12/3/98	Aqueous	Groundwater	VOCs, SVOCs	PPNDP
4099.02	12/2/98	12/3/98	Aqueous	Groundwater	VOCs, SVOCs	PPNDP
4101.01	12/2/98	12/3/98	Aqueous	Groundwater	VOCs, SVOCs	PPNDP
4101.02	12/2/98	12/3/98	Aqueous	Groundwater	VOCs, SVOCs	PPNDP

Note:

- *VOCs: Volatile Organic Compounds plus 15 tentatively identified compounds
 *SVOCs: Semivolatile organic compounds plus 15 tentatively identified compounds
 **PPNDP: Passively Placed Narrow Diameter Point

TABLE 2

POST-EXCAVATION SOIL SAMPLING RESULTS
 BUILDING 1109, MAIN POST-WEST AREA
 FORT MONMOUTH, NEW JERSEY

Page 1 of 2

Sample ID/ Depth	Sample Laboratory ID	Sample Date	Analysis Date	Analytical Parameters	Method Detection Limit (mg/kg)	Compound of Concern	Results (mg/kg) *	NJDEP Soil Cleanup Criteria ** (mg/kg)	Exceeds Cleanup Criteria
A/10.0'	3695.01	7/2/98	7/2/98	Total Solid	--	--	76.60 %	--	--
				TPHC	196	yes	ND	10,000	No
B/6.5'	3695.02	7/2/98	7/2/98	Total Solid	--	--	86.34 %	--	--
				TPHC	167	yes	ND	10,000	No
***C/6.5'	3695.03	7/2/98	7/2/98	Total Solid	--	--	76.19 %	--	--
				TPHC	186	yes	1513.07	10,000	No
***D/6.5'	3695.04	7/2/98	7/2/98	Total Solid	--	--	78.45 %	--	--
				TPHC	192	yes	4174.87	10,000	No
E/6.5'	3695.05	7/2/98	7/2/98	Total Solid	--	--	82.14 %	--	--
				TPHC	189	yes	ND	10,000	No
F/2.0'	3695.06	7/2/98	7/2/98	Total Solid	--	--	81.77 %	--	--
				TPHC	189	yes	ND	10,000	No
***DUPC/6.5'	3695.07	7/2/98	7/2/98	Total Solid	--	--	77.22 %	--	--
				TPHC	187	yes	533.08	10,000	No

Note:

- * Total Solid results are expressed as a percentage.
- ** NJDEP Residential Direct Contact soil cleanup criteria for total organics
- *** Sample was further remediated and resampled
- ND Not detected above stated method detection limit
- TPHC Total Petroleum Hydrocarbons
- Not Applicable

TABLE 2

POST-EXCAVATION SOIL SAMPLING RESULTS
 BUILDING 1109, MAIN POST-WEST AREA
 FORT MONMOUTH, NEW JERSEY

Page 2 of 2

Sample ID/ Depth	Sample Laboratory ID	Sample Date	Analysis Date	Analytical Parameters	Method Detection Limit (mg/kg)	Compound of Concern	Results (mg/kg) *	NJDEP Soil Cleanup Criteria ** (mg/kg)	Exceeds Cleanup Criteria
C2/6.5'	3700.01	7/7/98	7/7/98	Total Solid	--	--	79.20 %	--	--
				TPHC	194	yes	ND	10,000	No
D2/6.5'	3700.02	7/7/98	7/7/98	Total Solid	--	--	69.55 %	--	--
				TPHC	217	yes	ND	10,000	No
DUPC2/6.5'	3700.03	7/7/98	7/7/98	Total Solid	--	--	79.29 %	--	--
				TPHC	196	yes	ND	10,000	No

Note:

- * Total Solid results are expressed as a percentage.
- ** NJDEP Residential Direct Contact soil cleanup criteria for total organics
- ND Not detected above stated method detection limit
- TPHC Total Petroleum Hydrocarbons
- Not Applicable

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 11/7/98 Location: 1109 Lab Sample ID: 4038.01(Trip Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
107028	Acrolein	1.85	Not Detected	--	50	no
107131	Acrylonitrile	2.78	Not Detected	--	50	no
75650	tert-Butyl alcohol	8.52	Not Detected	--	nle	no
1634044	Methyl-tert-Butyl ether	0.16	Not Detected	--	nle	no
108203	Di-isopropyl ether	0.25	Not Detected	--	nle	no
	Dichlorodifluoromethane	1.68	Not Detected	--	nle	no
74-87-3	Chloromethane	1.16	Not Detected	--	30	no
75-01-4	Vinyl Chloride	1.06	Not Detected	--	5	no
74-83-9	Bromomethane	1.10	Not Detected	--	10	no
75-00-3	Chloroethane	1.01	Not Detected	--	nle	no
75-69-4	Trichlorofluoromethane	0.50	Not Detected	--	nle	no
75-35-4	1, 1-Dichloroethene	0.24	Not Detected	--	2	no
67-64-1	Acetone	1.36	Not Detected	--	700	no
75-15-0	Carbon Disulfide	0.46	Not Detected	--	nle	no
75-09-2	Methylene Chloride	0.24	Not Detected	--	2	no
156-60-5	trans-1,2-Dichloroethene	0.16	Not Detected	--	100	no
75-35-3	1,1-Dichloroethane	0.12	Not Detected	--	70	no
108-05-4	Vinyl Acetate	0.78	Not Detected	--	nle	no
78-93-3	2-Butanone	0.62	Not Detected	--	300	no
156-59-2	cis-1,2-Dichloroethene	0.17	Not Detected	--	10	no
67-66-3	Chloroform	0.30	Not Detected	--	6	no
75-55-6	1,1,1-Trichloroethane	0.23	Not Detected	--	30	no
56-23-5	Carbon Tetrachloride	0.47	Not Detected	--	2	no
71-43-2	Benzeze	0.23	Not Detected	--	1	no
107-06-2	1,2-Dichloroethane	0.18	Not Detected	--	2	no
79-01-6	Trichloroethene	0.23	Not Detected	--	1	no
78-87-5	1, 2-Dichloropropane	0.40	Not Detected	--	1	no
75-27-4	Bromodichloromethane	0.55	Not Detected	--	1	no
110-75-8	2-Chloroethyl vinyl ether	0.65	Not Detected	--	nle	no
10061-01-5	cis-1,3-Dichloropropene	0.69	Not Detected	--	nle	no

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 11/7/98 Location: 1109 Lab Sample ID: 4038.01(Trip Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
108-10-1	4-Methyl-2-Pentanone	0.59	Not Detected	--	400	no
108-88-3	Toluene	0.37	Not Detected	--	1000	no
10061-02-6	trans-1,3-Dichloropropene	0.87	Not Detected	--	nle	no
79-00-5	1,1,2-Trichloroethane	0.48	Not Detected	--	3	no
127-18-4	Tetrachloroethene	0.32	Not Detected	--	1	no
591-78-6	2-Hexanone	0.71	Not Detected	--	nle	no
126-48-1	Dibromochloromethane	0.86	Not Detected	--	10	no
108-90-7	Chlorobenzene	0.39	Not Detected	--	4	no
100-41-4	Ethylbenzene	0.65	Not Detected	--	700	no
1330-20-7	m+p-Xylenes	1.14	Not Detected	--	nle	no
1330-20-7	o-Xylene	0.62	Not Detected	--	nle	no
100-42-5	Styrene	0.56	Not Detected	--	100	no
75-25-2	Bromoform	0.70	Not Detected	--	4	no
79-34-5	1,1,2,2-Tetrachloroethane	0.47	Not Detected	--	2	no
541-73-1	1,3-Dichlorobenzene	0.55	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	0.57	Not Detected	--	75	no
95-50-1	1,2-Dichlorobenzene	0.64	Not Detected	--	600	no

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 11/7/98 Location: 1109 Lab Sample ID: 4038.02(Field Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
107028	Acrolein	1.85	Not Detected	--	50	no
107131	Acrylonitrile	2.78	Not Detected	--	50	no
75650	tert-Butyl alcohol	8.52	Not Detected	--	nle	no
1634044	Methyl-tert-Butyl ether	0.16	Not Detected	--	nle	no
108203	Di-isopropyl ether	0.25	Not Detected	--	nle	no
	Dichlorodifluoromethane	1.68	Not Detected	--	nle	no
74-87-3	Chloromethane	1.16	Not Detected	--	30	no
75-01-4	Vinyl Chloride	1.06	Not Detected	--	5	no
74-83-9	Bromomethane	1.10	Not Detected	--	10	no
75-00-3	Chloroethane	1.01	Not Detected	--	nle	no
75-69-4	Trichlorofluoromethane	0.50	Not Detected	--	nle	no
75-35-4	1, 1-Dichloroethene	0.24	Not Detected	--	2	no
67-64-1	Acetone	1.36	Not Detected	--	700	no
75-15-0	Carbon Disulfide	0.46	Not Detected	--	nle	no
75-09-2	Methylene Chloride	0.24	Not Detected	--	2	no
156-60-5	trans-1,2-Dichloroethene	0.16	Not Detected	--	100	no
75-35-3	1,1-Dichloroethane	0.12	Not Detected	--	70	no
108-05-4	Vinyl Acetate	0.78	Not Detected	--	nle	no
78-93-3	2-Butanone	0.62	Not Detected	--	300	no
156-59-2	cis-1,2-Dichloroethene	0.17	Not Detected	--	10	no
67-66-3	Chloroform	0.30	Not Detected	--	6	no
75-55-6	1,1,1-Trichloroethane	0.23	Not Detected	--	30	no
56-23-5	Carbon Tetrachloride	0.47	Not Detected	--	2	no
71-43-2	Benzeze	0.23	Not Detected	--	1	no
107-06-2	1,2-Dichloroethane	0.18	Not Detected	--	2	no
79-01-6	Trichloroethene	0.23	Not Detected	--	1	no
78-87-5	1, 2-Dichloropropane	0.40	Not Detected	--	1	no
75-27-4	Bromodichloromethane	0.55	Not Detected	--	1	no
110-75-8	2-Chloroethyl vinyl ether	0.65	Not Detected	--	nle	no
10061-01-5	cis-1,3-Dichloropropene	0.69	Not Detected	--	nle	no

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 11/7/98 Location: 1109 Lab Sample ID: 4038.02(Field Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
108-10-1	4-Methyl-2-Pentanone	0.59	Not Detected	--	400	no
108-88-3	Toluene	0.37	Not Detected	--	1000	no
10061-02-6	trans-1,3-Dichloropropene	0.87	Not Detected	--	nle	no
79-00-5	1,1,2-Trichloroethane	0.48	Not Detected	--	3	no
127-18-4	Tetrachloroethene	0.32	Not Detected	--	1	no
591-78-6	2-Hexanone	0.71	Not Detected	--	nle	no
126-48-1	Dibromochloromethane	0.86	Not Detected	--	10	no
108-90-7	Chlorobenzene	0.39	Not Detected	--	4	no
100-41-4	Ethylbenzene	0.65	Not Detected	--	700	no
1330-20-7	m+p-Xylenes	1.14	Not Detected	--	nle	no
1330-20-7	o-Xylene	0.62	Not Detected	--	nle	no
100-42-5	Styrene	0.56	Not Detected	--	100	no
75-25-2	Bromoform	0.70	Not Detected	--	4	no
79-34-5	1,1,2,2-Tetrachloroethane	0.47	Not Detected	--	2	no
541-73-1	1,3-Dichlorobenzene	0.55	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	0.57	Not Detected	--	75	no
95-50-1	1,2-Dichlorobenzene	0.64	Not Detected	--	600	no

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 11/07/98 Location: 1109 Lab Sample ID: 4038.04(Bldg 1109)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
107028	Acrolein	1.85	Not Detected	--	50	no
107131	Acrylonitrile	2.78	Not Detected	--	50	no
75650	tert-Butyl alcohol	8.52	Not Detected	--	nle	no
1634044	Methyl-tert-Butyl ether	0.16	Not Detected	--	nle	no
108203	Di-isopropyl ether	0.25	Not Detected	--	nle	no
	Dichlorodifluoromethane	1.68	Not Detected	--	nle	no
74-87-3	Chloromethane	1.16	Not Detected	--	30	no
75-01-4	Vinyl Chloride	1.06	Not Detected	--	5	no
74-83-9	Bromomethane	1.10	Not Detected	--	10	no
75-00-3	Chloroethane	1.01	Not Detected	--	nle	no
75-69-4	Trichlorofluoromethane	0.50	Not Detected	--	nle	no
75-35-4	1, 1-Dichloroethene	0.24	Not Detected	--	2	no
67-64-1	Acetone	1.36	Not Detected	--	700	no
75-15-0	Carbon Disulfide	0.46	Not Detected	--	nle	no
75-09-2	Methylene Chloride	0.24	Not Detected	--	2	no
156-60-5	trans-1,2-Dichloroethene	0.16	Not Detected	--	100	no
75-35-3	1,1-Dichloroethane	0.12	Not Detected	--	70	no
108-05-4	Vinyl Acetate	0.78	Not Detected	--	nle	no
78-93-3	2-Butanone	0.62	Not Detected	--	300	no
156-59-2	cis-1,2-Dichloroethene	0.17	Not Detected	--	10	no
67-66-3	Chloroform	0.30	Not Detected	--	6	no
75-55-6	1,1,1-Trichloroethane	0.23	Not Detected	--	30	no
56-23-5	Carbon Tetrachloride	0.47	Not Detected	--	2	no
71-43-2	Benzeze	0.23	Not Detected	--	1	no
107-06-2	1,2-Dichloroethane	0.18	Not Detected	--	2	no
79-01-6	Trichloroethene	0.23	Not Detected	--	1	no
78-87-5	1, 2-Dichloropropane	0.40	Not Detected	--	1	no
75-27-4	Bromodichloromethane	0.55	Not Detected	--	1	no
110-75-8	2-Chloroethyl vinyl ether	0.65	Not Detected	--	nle	no
10061-01-5	cis-1,3-Dichloropropene	0.69	Not Detected	--	nle	no

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 11/07/98 Location: 1109 Lab Sample ID: 4038.04(Bldg 1109)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
108-10-1	4-Methyl-2-Pentanone	0.59	Not Detected	--	400	no
108-88-3	Toluene	0.37	Not Detected	--	1000	no
10061-02-6	trans-1,3-Dichloropropene	0.87	Not Detected	--	nle	no
79-00-5	1,1,2-Trichloroethane	0.48	Not Detected	--	3	no
127-18-4	Tetrachloroethene	0.32	Not Detected	--	1	no
591-78-6	2-Hexanone	0.71	Not Detected	--	nle	no
126-48-1	Dibromochloromethane	0.86	Not Detected	--	10	no
108-90-7	Chlorobenzene	0.39	Not Detected	--	4	no
100-41-4	Ethylbenzene	0.65	Not Detected	--	700	no
1330-20-7	m+p-Xylenes	1.14	Not Detected	--	nle	no
1330-20-7	o-Xylene	0.62	Not Detected	--	nle	no
100-42-5	Styrene	0.56	Not Detected	--	100	no
75-25-2	Bromoform	0.70	Not Detected	--	4	no
79-34-5	1,1,2,2-Tetrachloroethane	0.47	Not Detected	--	2	no
541-73-1	1,3-Dichlorobenzene	0.55	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	0.57	Not Detected	--	75	no
95-50-1	1,2-Dichlorobenzene	0.64	Not Detected	--	600	no

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 11/7/98 Location: 1109 Lab Sample ID: 4038.05 (DUP 1109)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
107028	Acrolein	1.85	Not Detected	--	50	no
107131	Acrylonitrile	2.78	Not Detected	--	50	no
75650	tert-Butyl alcohol	8.52	Not Detected	--	nle	no
1634044	Methyl-tert-Butyl ether	0.16	Not Detected	--	nle	no
108203	Di-isopropyl ether	0.25	Not Detected	--	nle	no
	Dichlorodifluoromethane	1.68	Not Detected	--	nle	no
74-87-3	Chloromethane	1.16	Not Detected	--	30	no
75-01-4	Vinyl Chloride	1.06	Not Detected	--	5	no
74-83-9	Bromomethane	1.10	Not Detected	--	10	no
75-00-3	Chloroethane	1.01	Not Detected	--	nle	no
75-69-4	Trichlorofluoromethane	0.50	Not Detected	--	nle	no
75-35-4	1, 1-Dichloroethene	0.24	Not Detected	--	2	no
67-64-1	Acetone	1.36	9.36	--	700	no
75-15-0	Carbon Disulfide	0.46	Not Detected	--	nle	no
75-09-2	Methylene Chloride	0.24	Not Detected	--	2	no
156-60-5	trans-1,2-Dichloroethene	0.16	Not Detected	--	100	no
75-35-3	1,1-Dichloroethane	0.12	Not Detected	--	70	no
108-05-4	Vinyl Acetate	0.78	Not Detected	--	nle	no
78-93-3	2-Butanone	0.62	Not Detected	--	300	no
156-59-2	cis-1,2-Dichloroethene	0.17	Not Detected	--	10	no
67-66-3	Chloroform	0.30	Not Detected	--	6	no
75-55-6	1,1,1-Trichloroethane	0.23	Not Detected	--	30	no
56-23-5	Carbon Tetrachloride	0.47	Not Detected	--	2	no
71-43-2	Benzeze	0.23	Not Detected	--	1	no
107-06-2	1,2-Dichloroethane	0.18	Not Detected	--	2	no
79-01-6	Trichloroethene	0.23	Not Detected	--	1	no
78-87-5	1, 2-Dichloropropane	0.40	Not Detected	--	1	no
75-27-4	Bromodichloromethane	0.55	Not Detected	--	1	no
110-75-8	2-Chloroethyl vinyl ether	0.65	Not Detected	--	nle	no
10061-01-5	cis-1,3-Dichloropropene	0.69	Not Detected	--	nle	no

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 11/7/98 Location: 1109 Lab Sample ID: 4038.05(DUP 1109)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
108-10-1	4-Methyl-2-Pentanone	0.59	Not Detected	--	400	no
108-88-3	Toluene	0.37	Not Detected	--	1000	no
10061-02-6	trans-1,3-Dichloropropene	0.87	Not Detected	--	nle	no
79-00-5	1,1,2-Trichloroethane	0.48	Not Detected	--	3	no
127-18-4	Tetrachloroethene	0.32	Not Detected	--	1	no
591-78-6	2-Hexanone	0.71	Not Detected	--	nle	no
126-48-1	Dibromochloromethane	0.86	Not Detected	--	10	no
108-90-7	Chlorobenzene	0.39	Not Detected	--	4	no
100-41-4	Ethylbenzene	0.65	Not Detected	--	700	no
1330-20-7	m+p-Xylenes	1.14	Not Detected	--	nle	no
1330-20-7	o-Xylene	0.62	Not Detected	--	nle	no
100-42-5	Styrene	0.56	Not Detected	--	100	no
75-25-2	Bromoform	0.70	Not Detected	--	4	no
79-34-5	1,1,2,2-Tetrachloroethane	0.47	Not Detected	--	2	no
541-73-1	1,3-Dichlorobenzene	0.55	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	0.57	Not Detected	--	75	no
95-50-1	1,2-Dichlorobenzene	0.64	Not Detected	--	600	no

Table 3
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETLNJDEP # 13461Matrix: (soil/water) WATERDate Sampled: 11/7/98Location: 1109Lab Sample ID: 4038.02(Field Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
110-86-1	Pyridine	2.52	Not Detected	--	nle	no
62-75-9	N-nitroso-dimethylamine	2.64	Not Detected	--	20	no
62-53-3	Aniline	2.90	Not Detected	--	nle	no
111-44-4	bis(2-Chloroethyl)ether	2.45	Not Detected	--	10	no
541-73-1	1,3-Dichlorobenzene	2.65	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	2.50	Not Detected	--	75	no
100-51-6	Benzyl alcohol	2.09	Not Detected	--	nle	no
95-50-1	1,2-Dichlorobenzene	2.44	Not Detected	--	600	no
108-60-1	bis(2-chloroisopropyl)ether	2.96	Not Detected	--	300	no
621-64-7	n-Nitroso-di-n-propylamine	2.22	Not Detected	--	20	no
67-72-1	Hexachloroethane	2.59	Not Detected	--	10	no
98-95-3	Nitrobenzene	2.45	Not Detected	--	10	no
78-59-1	Isophorone	2.31	Not Detected	--	100	no
111-91-1	bis(2-Chloroethoxy)methane	2.54	Not Detected	--	nle	no
120-82-1	1,2,4-Trichlorobenzene	2.58	Not Detected	--	9	no
91-20-3	Naphthalene	3.03	Not Detected	--	nle	no
106-47-8	4-Chloroaniline	2.55	Not Detected	--	nle	no
87-68-3	Hexachlorobutadiene	0.64	Not Detected	--	1	no
91-57-6	2-Methylnaphthalene	2.49	Not Detected	--	nle	no
77-47-4	Hexachlorocyclopentadiene	1.59	Not Detected	--	50	no
91-58-7	2-Chloronaphthalene	2.15	Not Detected	--	nle	no
88-74-4	2-Nitroaniline	1.62	Not Detected	--	nle	no
131-11-3	Dimethylphthalate	2.74	Not Detected	--	7000	no
208-96-8	Acenaphthylene	2.35	Not Detected	--	nle	no

Table 3
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 11/7/98 Location: 1109 Lab Sample ID: 4038.02(Field Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
606-20-2	2,6-Dinitrotoluene	1.54	Not Detected	--	nle	no
99-09-2	3-Nitroaniline	1.62	Not Detected	--	nle	no
83-32-9	Acenaphthene	1.98	Not Detected	--	400	no
132-64-9	Dibenzofuran	2.13	Not Detected	--	nle	no
121-14-2	2,4-Dinitrotoluene	1.22	Not Detected	--	10	no
84-66-2	Diethylphthalate	1.68	Not Detected	--	5000	no
86-73-7	Fluorene	1.93	Not Detected	--	300	no
7005-72-3	4-Chlorophenyl-phenylether	1.53	Not Detected	--	nle	no
100-01-6	4-Nitroaniline	2.70	Not Detected	--	nle	no
86-30-6	n-Nitrosodiphenylamine	1.73	Not Detected	--	20	no
103-33-3	Azobenzene	1.92	Not Detected	--	nle	no
101-55-3	4-Bromophenyl-phenylether	1.54	Not Detected	--	nle	no
118-74-1	Hexachlorobenzene	1.88	Not Detected	--	10	no
85-01-8	Phenanthrene	1.67	Not Detected	--	nle	no
120-12-7	Anthracene	1.79	Not Detected	--	2000	no
84-74-2	Di-n-butylphthalate	1.83	Not Detected	--	900	no
206-44-0	Fluoranthene	1.85	Not Detected	--	300	no
92-87-5	Benzidine	4.11	Not Detected	--	50	no
129-00-0	Pyrene	1.02	Not Detected	--	200	no
85-68-7	Butylbenzylphthalate	1.15	Not Detected	--	100	no
56-55-3	Benzo[a]anthracene	1.57	Not Detected	--	10	no
91-94-1	3,3'-Dichlorobenzidine	2.28	Not Detected	--	60	no
218-01-9	Chrysene	2.32	Not Detected	--	20	no
117-81-7	bis(2-Ethylhexyl)phthalate	1.29	Not Detected	--	30	no
117-84-0	Di-n-octylphthalate	1.30	Not Detected	--	100	no
205-99-2	Benzo[b]fluoranthene	1.31	Not Detected	--	10	no
207-08-9	Benzo[k]fluoranthene	1.57	Not Detected	--	2	no
50-32-8	Benzo[a]pyrene	1.36	Not Detected	--	20	no
193-39-5	Indeno[1,2,3-cd]pyrene	1.22	Not Detected	--	20	no
53-70-3	Dibenz[a,h]anthracene	3.12	Not Detected	--	20	no
191-24-2	Benzo[g,h,i]perylene	1.13	Not Detected	--	nle	no

Table 3
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 11/7/98 Location: 1109 Lab Sample ID: 4038.04(Bldg 1109)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
110-86-1	Pyridine	2.52	Not Detected	--	nle	no
62-75-9	N-nitroso-dimethylamine	2.64	Not Detected	--	20	no
62-53-3	Aniline	2.90	Not Detected	--	nle	no
111-44-4	bis(2-Chloroethyl)ether	2.45	Not Detected	--	10	no
541-73-1	1,3-Dichlorobenzene	2.65	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	2.50	Not Detected	--	75	no
100-51-6	Benzyl alcohol	2.09	Not Detected	--	nle	no
95-50-1	1,2-Dichlorobenzene	2.44	Not Detected	--	600	no
108-60-1	bis(2-chloroisopropyl)ether	2.96	Not Detected	--	300	no
621-64-7	n-Nitroso-di-n-propylamine	2.22	Not Detected	--	20	no
67-72-1	Hexachloroethane	2.59	Not Detected	--	10	no
98-95-3	Nitrobenzene	2.45	Not Detected	--	10	no
78-59-1	Isophorone	2.31	Not Detected	--	100	no
111-91-1	bis(2-Chloroethoxy)methane	2.54	Not Detected	--	nle	no
120-82-1	1,2,4-Trichlorobenzene	2.58	Not Detected	--	9	no
91-20-3	Naphthalene	3.03	Not Detected	--	nle	no
106-47-8	4-Chloroaniline	2.55	Not Detected	--	nle	no
87-68-3	Hexachlorobutadiene	0.64	Not Detected	--	1	no
91-57-6	2-Methylnaphthalene	2.49	5.50	--	nle	no
77-47-4	Hexachlorocyclopentadiene	1.59	Not Detected	--	50	no
91-58-7	2-Chloronaphthalene	2.15	Not Detected	--	nle	no
88-74-4	2-Nitroaniline	1.62	Not Detected	--	nle	no
131-11-3	Dimethylphthalate	2.74	Not Detected	--	7000	no
208-96-8	Acenaphthylene	2.35	Not Detected	--	nle	no

Table 3
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 11/7/98 Location: 1109 Lab Sample ID: 4038.04(Bldg 1109)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
606-20-2	2,6-Dinitrotoluene	1.54	Not Detected	--	nle	no
99-09-2	3-Nitroaniline	1.62	Not Detected	--	nle	no
83-32-9	Acenaphthene	1.98	Not Detected	--	400	no
132-64-9	Dibenzofuran	2.13	Not Detected	--	nle	no
121-14-2	2,4-Dinitrotoluene	1.22	Not Detected	--	10	no
84-66-2	Diethylphthalate	1.68	Not Detected	--	5000	no
86-73-7	Fluorene	1.93	Not Detected	--	300	no
7005-72-3	4-Chlorophenyl-phenylether	1.53	Not Detected	--	nle	no
100-01-6	4-Nitroaniline	2.70	Not Detected	--	nle	no
86-30-6	n-Nitrosodiphenylamine	1.73	Not Detected	--	20	no
103-33-3	Azobenzene	1.92	Not Detected	--	nle	no
101-55-3	4-Bromophenyl-phenylether	1.54	Not Detected	--	nle	no
118-74-1	Hexachlorobenzene	1.88	Not Detected	--	10	no
85-01-8	Phenanthrene	1.67	Not Detected	--	nle	no
120-12-7	Anthracene	1.79	Not Detected	--	2000	no
84-74-2	Di-n-butylphthalate	1.83	Not Detected	--	900	no
206-44-0	Fluoranthene	1.85	Not Detected	--	300	no
92-87-5	Benzdine	4.11	Not Detected	--	50	no
129-00-0	Pyrene	1.02	Not Detected	--	200	no
85-68-7	Butylbenzylphthalate	1.15	Not Detected	--	100	no
56-55-3	Benzo[a]anthracene	1.57	Not Detected	--	10	no
91-94-1	3,3'-Dichlorobenzidine	2.28	Not Detected	--	60	no
218-01-9	Chrysene	2.32	Not Detected	--	20	no
117-81-7	bis(2-Ethylhexyl)phthalate	1.29	Not Detected	--	30	no
117-84-0	Di-n-octylphthalate	1.30	Not Detected	--	100	no
205-99-2	Benzo[b]fluoranthene	1.31	Not Detected	--	10	no
207-08-9	Benzo[k]fluoranthene	1.57	Not Detected	--	2	no
50-32-8	Benzo[a]pyrene	1.36	Not Detected	--	20	no
193-39-5	Indeno[1,2,3-cd]pyrene	1.22	Not Detected	--	20	no
53-70-3	Dibenz[a,h]anthracene	3.12	Not Detected	--	20	no
191-24-2	Benzo[g,h,i]perylene	1.13	Not Detected	--	nle	no

Table 3
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETLNJDEP # 13461Matrix: (soil/water) WATERDate Sampled: 11/7/98Location: 1109Lab Sample ID: 4038.05(DUP 1109)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
110-86-1	Pyridine	2.52	Not Detected	--	nle	no
62-75-9	N-nitroso-dimethylamine	2.64	Not Detected	--	20	no
62-53-3	Aniline	2.90	Not Detected	--	nle	no
111-44-4	bis(2-Chloroethyl)ether	2.45	Not Detected	--	10	no
541-73-1	1,3-Dichlorobenzene	2.65	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	2.50	Not Detected	--	75	no
100-51-6	Benzyl alcohol	2.09	Not Detected	--	nle	no
95-50-1	1,2-Dichlorobenzene	2.44	Not Detected	--	600	no
108-60-1	bis(2-chloroisopropyl)ether	2.96	Not Detected	--	300	no
621-64-7	n-Nitroso-di-n-propylamine	2.22	Not Detected	--	20	no
67-72-1	Hexachloroethane	2.59	Not Detected	--	10	no
98-95-3	Nitrobenzene	2.45	Not Detected	--	10	no
78-59-1	Isophorone	2.31	Not Detected	--	100	no
111-91-1	bis(2-Chloroethoxy)methane	2.54	Not Detected	--	nle	no
120-82-1	1,2,4-Trichlorobenzene	2.58	Not Detected	--	9	no
91-20-3	Naphthalene	3.03	Not Detected	--	nle	no
106-47-8	4-Chloroaniline	2.55	Not Detected	--	nle	no
87-68-3	Hexachlorobutadiene	0.64	Not Detected	--	1	no
91-57-6	2-Methylnaphthalene	2.49	Not Detected	--	nle	no
77-47-4	Hexachlorocyclopentadiene	1.59	Not Detected	--	50	no
91-58-7	2-Chloronaphthalene	2.15	Not Detected	--	nle	no
88-74-4	2-Nitroaniline	1.62	Not Detected	--	nle	no
131-11-3	Dimethylphthalate	2.74	Not Detected	--	7000	no
208-96-8	Acenaphthylene	2.35	Not Detected	--	nle	no

Table 3
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETLNJDEP # 13461Matrix: (soil/water) WATERDate Sampled: 11/7/98Location: 1109Lab Sample ID: 4038.05(DUP 1109)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
606-20-2	2,6-Dinitrotoluene	1.54	Not Detected	--	nle	no
99-09-2	3-Nitroaniline	1.62	Not Detected	--	nle	no
83-32-9	Acenaphthene	1.98	Not Detected	--	400	no
132-64-9	Dibenzofuran	2.13	Not Detected	--	nle	no
121-14-2	2,4-Dinitrotoluene	1.22	Not Detected	--	10	no
84-66-2	Diethylphthalate	1.68	Not Detected	--	5000	no
86-73-7	Fluorene	1.93	Not Detected	--	300	no
7005-72-3	4-Chlorophenyl-phenylether	1.53	Not Detected	--	nle	no
100-01-6	4-Nitroaniline	2.70	Not Detected	--	nle	no
86-30-6	n-Nitrosodiphenylamine	1.73	Not Detected	--	20	no
103-33-3	Azobenzene	1.92	Not Detected	--	nle	no
101-55-3	4-Bromophenyl-phenylether	1.54	Not Detected	--	nle	no
118-74-1	Hexachlorobenzene	1.88	Not Detected	--	10	no
85-01-8	Phenanthrene	1.67	Not Detected	--	nle	no
120-12-7	Anthracene	1.79	Not Detected	--	2000	no
84-74-2	Di-n-butylphthalate	1.83	Not Detected	--	900	no
206-44-0	Fluoranthene	1.85	Not Detected	--	300	no
92-87-5	Benzidine	4.11	Not Detected	--	50	no
129-00-0	Pyrene	1.02	Not Detected	--	200	no
85-68-7	Butylbenzylphthalate	1.15	Not Detected	--	100	no
56-55-3	Benzo[a]anthracene	1.57	Not Detected	--	10	no
91-94-1	3,3'-Dichlorobenzidine	2.28	Not Detected	--	60	no
218-01-9	Chrysene	2.32	Not Detected	--	20	no
117-81-7	bis(2-Ethylhexyl)phthalate	1.29	Not Detected	--	30	no
117-84-0	Di-n-octylphthalate	1.30	Not Detected	--	100	no
205-99-2	Benzo[b]fluoranthene	1.31	Not Detected	--	10	no
207-08-9	Benzo[k]fluoranthene	1.57	Not Detected	--	2	no
50-32-8	Benzo[a]pyrene	1.36	Not Detected	--	20	no
193-39-5	Indeno[1,2,3-cd]pyrene	1.22	Not Detected	--	20	no
53-70-3	Dibenz[a,h]anthracene	3.12	Not Detected	--	20	no
191-24-2	Benzo[g,h,i]perylene	1.13	Not Detected	--	nle	no

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 12/2/98 Location: 1109 Lab Sample ID: 4099.01(Trip Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
107028	Acrolein	1.85	Not Detected	--	50	no
107131	Acrylonitrile	2.78	Not Detected	--	50	no
75650	tert-Butyl alcohol	8.52	Not Detected	--	nle	no
1634044	Methyl-tert-Butyl ether	0.16	Not Detected	--	nle	no
108203	Di-isopropyl ether	0.25	Not Detected	--	nle	no
	Dichlorodifluoromethane	1.68	Not Detected	--	nle	no
74-87-3	Chloromethane	1.16	Not Detected	--	30	no
75-01-4	Vinyl Chloride	1.06	Not Detected	--	5	no
74-83-9	Bromomethane	1.10	Not Detected	--	10	no
75-00-3	Chloroethane	1.01	Not Detected	--	nle	no
75-69-4	Trichlorofluoromethane	0.50	Not Detected	--	nle	no
75-35-4	1, 1-Dichloroethene	0.24	Not Detected	--	2	no
67-64-1	Acetone	1.36	Not Detected	--	700	no
75-15-0	Carbon Disulfide	0.46	Not Detected	--	nle	no
75-09-2	Methylene Chloride	0.24	Not Detected	--	2	no
156-60-5	trans-1,2-Dichloroethene	0.16	Not Detected	--	100	no
75-35-3	1,1-Dichloroethane	0.12	Not Detected	--	70	no
108-05-4	Vinyl Acetate	0.78	Not Detected	--	nle	no
78-93-3	2-Butanone	0.62	Not Detected	--	300	no
156-59-2	cis-1,2-Dichloroethene	0.17	Not Detected	--	10	no
67-66-3	Chloroform	0.30	Not Detected	--	6	no
75-55-6	1,1,1-Trichloroethane	0.23	Not Detected	--	30	no
56-23-5	Carbon Tetrachloride	0.47	Not Detected	--	2	no
71-43-2	Benzeze	0.23	Not Detected	--	1	no
107-06-2	1,2-Dichloroethane	0.18	Not Detected	--	2	no
79-01-6	Trichloroethene	0.23	Not Detected	--	1	no
78-87-5	1, 2-Dichloropropane	0.40	Not Detected	--	1	no
75-27-4	Bromodichloromethane	0.55	Not Detected	--	1	no
110-75-8	2-Chloroethyl vinyl ether	0.65	Not Detected	--	nle	no
10061-01-5	cis-1,3-Dichloropropene	0.69	Not Detected	--	nle	no

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 12/2/98 Location: 1109 Lab Sample ID: 4099.01(Trip Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
108-10-1	4-Methyl-2-Pentanone	0.59	Not Detected	--	400	no
108-88-3	Toluene	0.37	Not Detected	--	1000	no
10061-02-6	trans-1,3-Dichloropropene	0.87	Not Detected	--	nle	no
79-00-5	1,1,2-Trichloroethane	0.48	Not Detected	--	3	no
127-18-4	Tetrachloroethene	0.32	Not Detected	--	1	no
591-78-6	2-Hexanone	0.71	Not Detected	--	nle	no
126-48-1	Dibromochloromethane	0.86	Not Detected	--	10	no
108-90-7	Chlorobenzene	0.39	Not Detected	--	4	no
100-41-4	Ethylbenzene	0.65	Not Detected	--	700	no
1330-20-7	m+p-Xylenes	1.14	Not Detected	--	nle	no
1330-20-7	o-Xylene	0.62	Not Detected	--	nle	no
100-42-5	Styrene	0.56	Not Detected	--	100	no
75-25-2	Bromoform	0.70	Not Detected	--	4	no
79-34-5	1,1,2,2-Tetrachloroethane	0.47	Not Detected	--	2	no
541-73-1	1,3-Dichlorobenzene	0.55	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	0.57	Not Detected	--	75	no
95-50-1	1,2-Dichlorobenzene	0.64	Not Detected	--	600	no

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 12/2/98 Location: 1109 Lab Sample ID: 4099.02(Field Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
107028	Acrolein	1.85	Not Detected	--	50	no
107131	Acrylonitrile	2.78	Not Detected	--	50	no
75650	tert-Butyl alcohol	8.52	Not Detected	--	nle	no
1634044	Methyl-tert-Butyl ether	0.16	Not Detected	--	nle	no
108203	Di-isopropyl ether	0.25	Not Detected	--	nle	no
	Dichlorodifluoromethane	1.68	Not Detected	--	nle	no
74-87-3	Chloromethane	1.16	Not Detected	--	30	no
75-01-4	Vinyl Chloride	1.06	Not Detected	--	5	no
74-83-9	Bromomethane	1.10	Not Detected	--	10	no
75-00-3	Chloroethane	1.01	Not Detected	--	nle	no
75-69-4	Trichlorofluoromethane	0.50	Not Detected	--	nle	no
75-35-4	1, 1-Dichloroethene	0.24	Not Detected	--	2	no
67-64-1	Acetone	1.36	Not Detected	--	700	no
75-15-0	Carbon Disulfide	0.46	Not Detected	--	nle	no
75-09-2	Methylene Chloride	0.24	Not Detected	--	2	no
156-60-5	trans-1,2-Dichloroethene	0.16	Not Detected	--	100	no
75-35-3	1,1-Dichloroethane	0.12	Not Detected	--	70	no
108-05-4	Vinyl Acetate	0.78	Not Detected	--	nle	no
78-93-3	2-Butanone	0.62	Not Detected	--	300	no
156-59-2	cis-1,2-Dichloroethene	0.17	Not Detected	--	10	no
67-66-3	Chloroform	0.30	Not Detected	--	6	no
75-55-6	1,1,1-Trichloroethane	0.23	Not Detected	--	30	no
56-23-5	Carbon Tetrachloride	0.47	Not Detected	--	2	no
71-43-2	Benzeze	0.23	Not Detected	--	1	no
107-06-2	1,2-Dichloroethane	0.18	Not Detected	--	2	no
79-01-6	Trichloroethene	0.23	Not Detected	--	1	no
78-87-5	1, 2-Dichloropropane	0.40	Not Detected	--	1	no
75-27-4	Bromodichloromethane	0.55	Not Detected	--	1	no
110-75-8	2-Chloroethyl vinyl ether	0.65	Not Detected	--	nle	no
10061-01-5	cis-1,3-Dichloropropene	0.69	Not Detected	--	nle	no

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 12/2/98 Location: 1109 Lab Sample ID: 4099.02(Field Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
108-10-1	4-Methyl-2-Pentanone	0.59	Not Detected	--	400	no
108-88-3	Toluene	0.37	Not Detected	--	1000	no
10061-02-6	trans-1,3-Dichloropropene	0.87	Not Detected	--	nle	no
79-00-5	1,1,2-Trichloroethane	0.48	Not Detected	--	3	no
127-18-4	Tetrachloroethene	0.32	Not Detected	--	1	no
591-78-6	2-Hexanone	0.71	Not Detected	--	nle	no
126-48-1	Dibromochloromethane	0.86	Not Detected	--	10	no
108-90-7	Chlorobenzene	0.39	Not Detected	--	4	no
100-41-4	Ethylbenzene	0.65	Not Detected	--	700	no
1330-20-7	m+p-Xylenes	1.14	Not Detected	--	nle	no
1330-20-7	o-Xylene	0.62	Not Detected	--	nle	no
100-42-5	Styrene	0.56	Not Detected	--	100	no
75-25-2	Bromoform	0.70	Not Detected	--	4	no
79-34-5	1,1,2,2-Tetrachloroethane	0.47	Not Detected	--	2	no
541-73-1	1,3-Dichlorobenzene	0.55	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	0.57	Not Detected	--	75	no
95-50-1	1,2-Dichlorobenzene	0.64	Not Detected	--	600	no

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 12/2/98 Location: 1109 Lab Sample ID: 4101.01(Bldg 1109)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
107028	Acrolein	1.85	Not Detected	--	50	no
107131	Acrylonitrile	2.78	Not Detected	--	50	no
75650	tert-Butyl alcohol	8.52	Not Detected	--	nle	no
1634044	Methyl-tert-Butyl ether	0.16	Not Detected	--	nle	no
108203	Di-isopropyl ether	0.25	Not Detected	--	nle	no
	Dichlorodifluoromethane	1.68	Not Detected	--	nle	no
74-87-3	Chloromethane	1.16	Not Detected	--	30	no
75-01-4	Vinyl Chloride	1.06	Not Detected	--	5	no
74-83-9	Bromomethane	1.10	Not Detected	--	10	no
75-00-3	Chloroethane	1.01	Not Detected	--	nle	no
75-69-4	Trichlorofluoromethane	0.50	Not Detected	--	nle	no
75-35-4	1, 1-Dichloroethene	0.24	Not Detected	--	2	no
67-64-1	Acetone	1.36	Not Detected	--	700	no
75-15-0	Carbon Disulfide	0.46	Not Detected	--	nle	no
75-09-2	Methylene Chloride	0.24	Not Detected	--	2	no
156-60-5	trans-1,2-Dichloroethene	0.16	Not Detected	--	100	no
75-35-3	1,1-Dichloroethane	0.12	Not Detected	--	70	no
108-05-4	Vinyl Acetate	0.78	Not Detected	--	nle	no
78-93-3	2-Butanone	0.62	Not Detected	--	300	no
156-59-2	cis-1,2-Dichloroethene	0.17	Not Detected	--	10	no
67-66-3	Chloroform	0.30	Not Detected	--	6	no
75-55-6	1,1,1-Trichloroethane	0.23	Not Detected	--	30	no
56-23-5	Carbon Tetrachloride	0.47	Not Detected	--	2	no
71-43-2	Benzeze	0.23	Not Detected	--	1	no
107-06-2	1,2-Dichloroethane	0.18	Not Detected	--	2	no
79-01-6	Trichloroethene	0.23	Not Detected	--	1	no
78-87-5	1, 2-Dichloropropane	0.40	Not Detected	--	1	no
75-27-4	Bromodichloromethane	0.55	Not Detected	--	1	no
110-75-8	2-Chloroethyl vinyl ether	0.65	Not Detected	--	nle	no
10061-01-5	cis-1,3-Dichloropropene	0.69	Not Detected	--	nle	no

Table 3
VOLATILE ORGANICS ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 12/2/98 Location: 1109 Lab Sample ID: 4101.01(Bldg 1109)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
108-10-1	4-Methyl-2-Pentanone	0.59	Not Detected	--	400	no
108-88-3	Toluene	0.37	Not Detected	--	1000	no
10061-02-6	trans-1,3-Dichloropropene	0.87	Not Detected	--	nle	no
79-00-5	1,1,2-Trichloroethane	0.48	Not Detected	--	3	no
127-18-4	Tetrachloroethene	0.32	Not Detected	--	1	no
591-78-6	2-Hexanone	0.71	Not Detected	--	nle	no
126-48-1	Dibromochloromethane	0.86	Not Detected	--	10	no
108-90-7	Chlorobenzene	0.39	Not Detected	--	4	no
100-41-4	Ethylbenzene	0.65	Not Detected	--	700	no
1330-20-7	m+p-Xylenes	1.14	1.79	--	nle	no
1330-20-7	o-Xylene	0.62	Not Detected	--	nle	no
100-42-5	Styrene	0.56	Not Detected	--	100	no
75-25-2	Bromoform	0.70	Not Detected	--	4	no
79-34-5	1,1,2,2-Tetrachloroethane	0.47	Not Detected	--	2	no
541-73-1	1,3-Dichlorobenzene	0.55	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	0.57	Not Detected	--	75	no
95-50-1	1,2-Dichlorobenzene	0.64	Not Detected	--	600	no

Table 3
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETLNJDEP # 13461Matrix: (soil/water) WATERDate Sampled: 12/2/98Location: 1109Lab Sample ID: 4099.02(Field Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
110-86-1	Pyridine	2.52	Not Detected	--	nle	no
62-75-9	N-nitroso-dimethylamine	2.64	Not Detected	--	20	no
62-53-3	Aniline	2.90	Not Detected	--	nle	no
111-44-4	bis(2-Chloroethyl)ether	2.45	Not Detected	--	10	no
541-73-1	1,3-Dichlorobenzene	2.65	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	2.50	Not Detected	--	75	no
100-51-6	Benzyl alcohol	2.09	Not Detected	--	nle	no
95-50-1	1,2-Dichlorobenzene	2.44	Not Detected	--	600	no
108-60-1	bis(2-chloroisopropyl)ether	2.96	Not Detected	--	300	no
621-64-7	n-Nitroso-di-n-propylamine	2.22	Not Detected	--	20	no
67-72-1	Hexachloroethane	2.59	Not Detected	--	10	no
98-95-3	Nitrobenzene	2.45	Not Detected	--	10	no
78-59-1	Isophorone	2.31	Not Detected	--	100	no
111-91-1	bis(2-Chloroethoxy)methane	2.54	Not Detected	--	nle	no
120-82-1	1,2,4-Trichlorobenzene	2.58	Not Detected	--	9	no
91-20-3	Naphthalene	3.03	Not Detected	--	nle	no
106-47-8	4-Chloroaniline	2.55	Not Detected	--	nle	no
87-68-3	Hexachlorobutadiene	0.64	Not Detected	--	1	no
91-57-6	2-Methylnaphthalene	2.49	Not Detected	--	nle	no
77-47-4	Hexachlorocyclopentadiene	1.59	Not Detected	--	50	no
91-58-7	2-Chloronaphthalene	2.15	Not Detected	--	nle	no
88-74-4	2-Nitroaniline	1.62	Not Detected	--	nle	no
131-11-3	Dimethylphthalate	2.74	Not Detected	--	7000	no
208-96-8	Acenaphthylene	2.35	Not Detected	--	nle	no

Table 3
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 12/2/98 Location: 1109 Lab Sample ID: 4099.02(Field Blank)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
606-20-2	2,6-Dinitrotoluene	1.54	Not Detected	--	nle	no
99-09-2	3-Nitroaniline	1.62	Not Detected	--	nle	no
83-32-9	Acenaphthene	1.98	Not Detected	--	400	no
132-64-9	Dibenzofuran	2.13	Not Detected	--	nle	no
121-14-2	2,4-Dinitrotoluene	1.22	Not Detected	--	10	no
84-66-2	Diethylphthalate	1.68	Not Detected	--	5000	no
86-73-7	Fluorene	1.93	Not Detected	--	300	no
7005-72-3	4-Chlorophenyl-phenylether	1.53	Not Detected	--	nle	no
100-01-6	4-Nitroaniline	2.70	Not Detected	--	nle	no
86-30-6	n-Nitrosodiphenylamine	1.73	Not Detected	--	20	no
103-33-3	Azobenzene	1.92	Not Detected	--	nle	no
101-55-3	4-Bromophenyl-phenylether	1.54	Not Detected	--	nle	no
118-74-1	Hexachlorobenzene	1.88	Not Detected	--	10	no
85-01-8	Phenanthrene	1.67	Not Detected	--	nle	no
120-12-7	Anthracene	1.79	Not Detected	--	2000	no
84-74-2	Di-n-butylphthalate	1.83	Not Detected	--	900	no
206-44-0	Fluoranthene	1.85	Not Detected	--	300	no
92-87-5	Benzidine	4.11	Not Detected	--	50	no
129-00-0	Pyrene	1.02	Not Detected	--	200	no
85-68-7	Butylbenzylphthalate	1.15	Not Detected	--	100	no
56-55-3	Benzo[a]anthracene	1.57	Not Detected	--	10	no
91-94-1	3,3'-Dichlorobenzidine	2.28	Not Detected	--	60	no
218-01-9	Chrysene	2.32	Not Detected	--	20	no
117-81-7	bis(2-Ethylhexyl)phthalate	2.83	Not Detected	--	30	no
117-84-0	Di-n-octylphthalate	1.30	Not Detected	--	100	no
205-99-2	Benzo[b]fluoranthene	1.31	Not Detected	--	10	no
207-08-9	Benzo[k]fluoranthene	1.57	Not Detected	--	2	no
50-32-8	Benzo[a]pyrene	1.36	Not Detected	--	20	no
193-39-5	Indeno[1,2,3-cd]pyrene	1.22	Not Detected	--	20	no
53-70-3	Dibenz[a,h]anthracene	3.12	Not Detected	--	20	no
191-24-2	Benzo[g,h,i]perylene	1.13	Not Detected	--	nle	no

Table 3
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETLNJDEP # 13461Matrix: (soil/water) WATERDate Sampled: 12/2/98Location: 1109Lab Sample ID: 4101.02(Bldg 1109)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
110-86-1	Pyridine	2.52	Not Detected	--	nle	no
62-75-9	N-nitroso-dimethylamine	2.64	Not Detected	--	20	no
62-53-3	Aniline	2.90	Not Detected	--	nle	no
111-44-4	bis(2-Chloroethyl)ether	2.45	Not Detected	--	10	no
541-73-1	1,3-Dichlorobenzene	2.65	Not Detected	--	600	no
106-46-7	1,4-Dichlorobenzene	2.50	Not Detected	--	75	no
100-51-6	Benzyl alcohol	2.09	Not Detected	--	nle	no
95-50-1	1,2-Dichlorobenzene	2.44	Not Detected	--	600	no
108-60-1	bis(2-chloroisopropyl)ether	2.96	Not Detected	--	300	no
621-64-7	n-Nitroso-di-n-propylamine	2.22	Not Detected	--	20	no
67-72-1	Hexachloroethane	2.59	Not Detected	--	10	no
98-95-3	Nitrobenzene	2.45	Not Detected	--	10	no
78-59-1	Isophorone	2.31	Not Detected	--	100	no
111-91-1	bis(2-Chloroethoxy)methane	2.54	Not Detected	--	nle	no
120-82-1	1,2,4-Trichlorobenzene	2.58	Not Detected	--	9	no
91-20-3	Naphthalene	3.03	Not Detected	--	nle	no
106-47-8	4-Chloroaniline	2.55	Not Detected	--	nle	no
87-68-3	Hexachlorobutadiene	0.64	Not Detected	--	1	no
91-57-6	2-Methylnaphthalene	2.49	4.69	--	nle	no
77-47-4	Hexachlorocyclopentadiene	1.59	Not Detected	--	50	no
91-58-7	2-Chloronaphthalene	2.15	Not Detected	--	nle	no
88-74-4	2-Nitroaniline	1.62	Not Detected	--	nle	no
131-11-3	Dimethylphthalate	2.74	Not Detected	--	7000	no
208-96-8	Acenaphthylene	2.35	Not Detected	--	nle	no

Table 3
SEMI-VOLATILE ANALYSIS DATA SHEET

Lab Name: FMETL NJDEP # 13461 Matrix: (soil/water) WATER
 Date Sampled: 12/2/98 Location: 1109 Lab Sample ID: 4101.02(Bldg 1109)

CAS NO.	COMPOUND NAME	MDL (ug/L)	RESULTS	QUALIFIER	REGULATORY LEVEL(ug/L)	EXCEEDS CRITERIA
606-20-2	2,6-Dinitrotoluene	1.54	Not Detected	--	nle	no
99-09-2	3-Nitroaniline	1.62	Not Detected	--	nle	no
83-32-9	Acenaphthene	1.98	Not Detected	--	400	no
132-64-9	Dibenzofuran	2.13	Not Detected	--	nle	no
121-14-2	2,4-Dinitrotoluene	1.22	Not Detected	--	10	no
84-66-2	Diethylphthalate	1.68	Not Detected	--	5000	no
86-73-7	Fluorene	1.93	Not Detected	--	300	no
7005-72-3	4-Chlorophenyl-phenylether	1.53	Not Detected	--	nle	no
100-01-6	4-Nitroaniline	2.70	Not Detected	--	nle	no
86-30-6	n-Nitrosodiphenylamine	1.73	Not Detected	--	20	no
103-33-3	Azobenzene	1.92	Not Detected	--	nle	no
101-55-3	4-Bromophenyl-phenylether	1.54	Not Detected	--	nle	no
118-74-1	Hexachlorobenzene	1.88	Not Detected	--	10	no
85-01-8	Phenanthrene	1.67	Not Detected	--	nle	no
120-12-7	Anthracene	1.79	Not Detected	--	2000	no
84-74-2	Di-n-butylphthalate	1.83	Not Detected	--	900	no
206-44-0	Fluoranthene	1.85	Not Detected	--	300	no
92-87-5	Benztidine	4.11	Not Detected	--	50	no
129-00-0	Pyrene	1.02	Not Detected	--	200	no
85-68-7	Butylbenzylphthalate	1.15	Not Detected	--	100	no
56-55-3	Benzo[a]anthracene	1.57	Not Detected	--	10	no
91-94-1	3,3'-Dichlorobenzidine	2.28	Not Detected	--	60	no
218-01-9	Chrysene	2.32	Not Detected	--	20	no
117-81-7	bis(2-Ethylhexyl)phthalate	1.29	Not Detected	--	30	no
117-84-0	Di-n-octylphthalate	1.30	Not Detected	--	100	no
205-99-2	Benzo[b]fluoranthene	1.31	Not Detected	--	10	no
207-08-9	Benzo[k]fluoranthene	1.57	Not Detected	--	2	no
50-32-8	Benzo[a]pyrene	1.36	Not Detected	--	20	no
193-39-5	Indeno[1,2,3-cd]pyrene	1.22	Not Detected	--	20	no
53-70-3	Dibenz[a,h]anthracene	3.12	Not Detected	--	20	no
191-24-2	Benzo[g,h,i]perylene	1.13	Not Detected	--	nle	no

FIGURES




FIGURE 1

LOCATION MAP
 Building 1109
 Main-Post West
 Fort Monmouth Army Base
 Monmouth County, NJ

VERSAR
 Engineers, Managers, Scientists, & Planners
 Bristol, PA

Scale; 1" = 2000'

Date: JULY 1998

LONG BRANCH, N. J.

40073-C8-TF-024


1954

PHOTOREVISED 1981

DMA 6164 I SE-SERIES V822

NEW
 JERSEY




QUADRANGLE LOCATION



A V E N U E O F M E M O R I E S

SITE


1123



1110

1109

1108





1107

1106

1105

ALEXANDER AVENUE



718



FIGURE 2
SITE MAP
BUILDING 1109
FORT MONMOUTH ARMY BASE
MONMOUTH COUNTY, NJ

VERSAR
ENGINEERS, MANAGERS, SCIENTISTS & PLANNERS
BRISTOL, PA.

SCALE: 1"=100'

DATE: JULY 1998

1109 2429 FIG2





FIGURE 3
CROSS SECTIONAL VIEW
BUILDING 1109
FORT MONMOUTH ARMY BASE
MONMOUTH COUNTY, NJ

VERSAR
 Engineers, Managers, Scientists & Planners
Bristol, Pennsylvania

SCALE: NTS

DATE: JULY 1998



LEGEND

- SOIL SAMPLE LOCATION (JULY 2, 1998)
- SOIL SAMPLE LOCATION (JULY 7, 1998)
- ▨ LIMIT OF EXCAVATION (JULY 2, 1998)
- ▨ LIMIT OF EXCAVATION (JULY 7, 1998)

NOTES:

1. ALL RESULTS IN MG/KG.
2. SEE TABLE 2 FOR NJDEP SOIL CLEANUP CRITERIA
3. BGS = BELOW GROUND SURFACE

FIGURE 4
SOIL SAMPLING LOCATION MAP
BUILDING 1109
FORT MONMOUTH ARMY BASE
MONMOUTH COUNTY, NJ

VERSAR
ENGINEERS, MANAGERS, SCIENTISTS & PLANNERS
BRISTOL, PA.

SCALE: 1"=10'

DATE: JULY 1998

1109 2429 FIG4





Figure 4 GPS Sample Location Map

US State Plane 1983
 New Jersey (NY East) 2900
 NAD 1983 (Conus)



r012619a1109.cor
 1/28/1999
 Pathfinder Office
Trimble

Figure 4 GPS Sample Location Point Data

US State Plane 1983 NJ (NY East) 2900 NAD 1983 (CONUS)


(In Meters)

Sample Points

<u>Location/Desc.</u>	<u>Y Coord. (Northing)</u>	<u>X Coord. (Easting)</u>
1109 e	164124.218	188284.502
1109 d2	164120.595	188284.754
1109 d	164121.217	188284.358
1109 a	164122.194	188284.07
1109 b	164125.024	188282.628
1109 c	164122.388	188282.541
1109 c2	164122.004	188281.971

Reference Points

<u>Location/Desc.</u>	<u>Y Coord. (Northing)</u>	<u>X Coord. (Easting)</u>
1109 corn	164118.939	188283.174
1109 corn	164120.82	188286.445
1109 corn	164126.191	188279.318



SAMPLING LOCATION: SAMPLING DEPTH: SAMPLING DATE:	HIGHER OF NJDEP GWQS AND PQL	BLDG 1109 10.5-13.5' BGS 11/07/98	BLDG 1109 9-14' BGS 12/02/98
VOLATILE ORGANIC COMPOUNDS:			
M+P-XYLENES:	NLE	ND	1.79
SEMIVOLATILE ORGANIC COMPOUNDS:			
2-METHYLNAPHTHALENE:	NLE	5.50	4.69



LEGEND

- GROUNDWATER SAMPLE LOCATION
(NOVEMBER 7, 1998 AND DECEMBER 2, 1998)
- ▣ LIMIT OF EXCAVATION
(JULY 2, 1998)
- ▣ LIMIT OF EXCAVATION
(JULY 7, 1998)

NOTES:


1. ND=INDICATES COMPOUND NOT DETECTED
2. NLE= NO LIMIT ESTABLISHED
3. ALL RESULTS IN UG/L
4. BGS = BELOW GROUND SURFACE

FIGURE 5
GROUNDWATER SAMPLING MAP
BUILDING 1109
FORT MONMOUTH ARMY BASE
MONMOUTH COUNTY, NJ

VERSAR
ENGINEERS, MANAGERS, SCIENTISTS & PLANNERS
BRISTOL, PA.


SCALE: 1"=10'	DATE: JULY 1998
---------------	-----------------

1109 2429 FIG5



**Figure 5 GPS Sample Locations Map
(Bldg 1109)**

US State Plane 1983
New Jersey (NY East) 2900
NAD 1983 (Conus)



r010814a.cor
1/20/1999
Pathfinder Office
 Trimble

Figure 5 GPS Sample Point Location Data

US State Plane 1983 NJ (NY East) 2900 NAD 1983 (CONUS)

(in Meters)

Sample Point

<u>Location / Desc.</u>	<u>Y Coord. (Northing)</u>	<u>X Coord. (Easting)</u>
1109GW	164121.924	188284.622

(GW denotes Ground Water)

Reference Point

<u>Location / Desc.</u>	<u>Y Coord. (Northing)</u>	<u>X Coord. (Easting)</u>
1109 POLE REAR	164099.36	188282.85

FIGURE 5 GPS SAMPLE POINT LOCATION DATA

(IN US SURVEY FEET)

SAMPLE POINTS

<u>POSITION / DESC.</u>	<u>Y COORD. (NORTHING)</u>	<u>X COORD. (EASTING)</u>
1109GW	538456.679	617730.464

(GW denotes Ground Water)

REFERENCE POINTS

<u>POSITION / DESC.</u>	<u>Y COORD. (NORTHING)</u>	<u>X COORD. (EASTING)</u>
1109POLE.REAR	538382.649	617724.65





Figure 4 GPS Sample Location Map

US State Plane 1983
 New Jersey (NY East) 2900
 NAD 1983 (Conus)



r012619a1109.cor
 2/29/2000
 Pathfinder Office
Trimble

FIGURE 4 GPS SAMPLE LOCATION POINT DATA

US STATE PLANE 1983 NJ (NY EAST) 2900 NAD 1983 (CONUS)

(IN US SURVEY FEET)

SAMPLE POINTS

<u>POSITION / DESC.</u>	<u>Y COORD. (NORTHING)</u>	<u>X COORD. (EASTING)</u>
1109 a	538457.564	617728.652
1109 b	538466.849	617723.922
1109 c	538458.202	617723.638
1109 c2	538456.941	617721.767
1109 d	538454.358	617729.599
1109 d2	538452.318	617730.895
1109 e	538464.207	617730.07
1109 f	538452.26	617730.889

REFERENCE POINTS

<u>POSITION / DESC.</u>	<u>Y COORD. (NORTHING)</u>	<u>X COORD. (EASTING)</u>
1109 corn	538446.886	617725.712
1109 corn	538453.057	617736.444
1109 corn	538470.679	617713.062

APPENDIX A
NJDEP-STANDARD REPORTING FORM

UST File Copy

FOR STATE USE ONLY

Check In Yes

STATUS COMCODE
 Active Inactive

**UNDERGROUND STORAGE TANK
 FACILITY QUESTIONNAIRE**

FACILITY UST # 0081533

Bldg 1109

Completion of this Registration Questionnaire will satisfy the registration requirements of the Underground Storage of Hazardous Substances Act, N.J.S.A. 58:10A-21, and the Registration and Billing Regulations N.J.A.C. 7:14B-2.

[Check appropriate box(es)]

- A. Is this a registration of a proposed or newly installed underground storage tank? (This form must be filed at least 30 days prior to operation)
- B. Is this a registration of an existing underground storage tank not presently registered?
- C. Is this a correction or amendment to an existing facility registration? UST # 0081533
- D. There have been no changes to the facility registration since last submittal. UST # _____ (Go to certification page for signatures)

If "C" is checked above, please check the appropriate type of change(s) below

- Facility Name and/or Address Change
- Owner Name and/or Address Change
- Facility Operator and/or Address Change
- Owner Contact Person Change
- Type of Product(s) Stored
- Spills, Leaks, Releases
- Tank(s) and/or Piping Changes
- Closure (Complete Question #13)
- Financial Responsibility Change
- Substantial Modification(s)
- Sale or Transfer (Complete Questions 4,5,6 & Other (please specify)

SECTION A - GENERAL FACILITY INFORMATION

1. Facility Name MAIN POST West

2. Facility Location Ft Monmouth
NUMBER AND STREET

CITY OR MUNICIPALITY

COUNTY STATE ZIP CODE BLOCK LOT

3. Facility Operator _____ PERSON OR TITLE
 Contact Tele. No. _____ (Area Code) (Extension)

Operator Address (if different than #2)
 _____ NUMBER AND STREET

CITY OR MUNICIPALITY

STATE ZIP CODE

4. Tank Owner _____

5. Tank Owner Address
 _____ NUMBER AND STREET

CITY OR MUNICIPALITY

STATE ZIP CODE

Contact Person (Tank Owner) Charles Appleby Contact Tele. No. 732 532 6224 (Area Code) (Extension)

7. EPA ID # _____

8. Total number of regulated underground storage tanks at facility (Complete Section B for each tank)

9. Total regulated underground storage tank capacity at facility (gallons)

10. Facility Type: A State C County/Municipal E Charitable / Public School G Other
 B Commercial/Industrial D Federal F Residence H Farm (as defined in N.J.A.C. 54:4-23.1 et seq.)

11. Is a copy of the facility site plan submitted with this registration pursuant to N.J.A.C. 7:14B-2? YES NO

SECTION B - SPECIFIC TANK INFORMATION

ALL underground tanks, including those taken out of operation (UNLESS THE TANK WAS REMOVED FROM THE GROUND PRIOR 9/3/86) must be registered. Report all tank/piping status changes unless previously submitted.

	TANK NO.		TANK NO.		TANK NO.		TANK NO.		TANK NO.	
1. Tank Identification Number	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2. CAS Number (hazardous substances only)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
3. Date Tank Installed (Month/Day/Year)	Mo. <input type="text"/> Day <input type="text"/> Year <input type="text"/>	Mo. <input type="text"/> Day <input type="text"/> Year <input type="text"/>	Mo. <input type="text"/> Day <input type="text"/> Year <input type="text"/>	Mo. <input type="text"/> Day <input type="text"/> Year <input type="text"/>	Mo. <input type="text"/> Day <input type="text"/> Year <input type="text"/>	Mo. <input type="text"/> Day <input type="text"/> Year <input type="text"/>	Mo. <input type="text"/> Day <input type="text"/> Year <input type="text"/>	Mo. <input type="text"/> Day <input type="text"/> Year <input type="text"/>	Mo. <input type="text"/> Day <input type="text"/> Year <input type="text"/>	Mo. <input type="text"/> Day <input type="text"/> Year <input type="text"/>
4. Tank Size (gallons)	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
5. Tank Contents (Mark one "X" for each tank)										
A. Leaded gasoline	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	
B. Unleaded gasoline	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	
C. Alcohol endriched gasoline	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	
D. Light diesel fuel (No. 1-D)	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	
E. Medium diesel fuel (No. 2-D)	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	
F. Waste Oil	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	
G. Kerosene (No. 1)	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	
H. Home heating oil (No. 2)	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	
J. Heating oil (No. 4)	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	
K. Heavy heating oil (No. 6)	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	
L. Aviation fuel	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	
M. Motor oil	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	
N. Lubricating oil	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	
P. Sewage	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	
Q. Sewage sludge	<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>	
R. Other hazardous substances (specify)										
S. Hazardous waste (specify ID number)										
T. Mixtures (please specify)										
U. Emergency spill tank (specify substance)										
V. Other petroleum products (please specify)										
W. Other (please specify)										
6. Tank & Piping Construction (Mark one each for both tank & piping)	Tank	Piping	Tank	Piping	Tank	Piping	Tank	Piping	Tank	Piping
A. Bare Steel	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B. Cathodically protected steel	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C. Fiberglass-coated steel	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
D. Fiberglass-reinforced plastic	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
E. Internally lined	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
F. Other (please specify)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7. Tank & Piping Structure (Mark one each for both tank & piping)	Tank	Piping	Tank	Piping	Tank	Piping	Tank	Piping	Tank	Piping
A. Single wall	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B. Double wall	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C. Other (please specify)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8. Type of Monitoring/Detection System (Mark all that apply for both tank & piping)	Tank	Piping	Tank	Piping	Tank	Piping	Tank	Piping	Tank	Piping
A. Statistical Inventory Reconciliation	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B. Manual Tank Gauging	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C. Inventory Control	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
D. Interstitial	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
E. Precision Test	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
F. Ground water observation wells	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
G. Vapor observation wells	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
H. In-tank (automatic) monitoring gauge	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
J. Periodic Tank Test	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Bldg. 110

Tank Identification Number	TANK NO.	TANK NO.	NK NO.	TANK NO.	TANK NO.
8. Type of Monitoring/Detection System K. None	Tank Piping	Tank Piping	Tank Piping	Tank Piping	Tank Piping
L. Other (please specify)					
9. Overfill Protection (tank only) (Mark one X for each tank)					
A. Yes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B. No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10. Spill Containment Around Fill Pipe (Mark one X for each tank)					
A. Yes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B. No	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
11. Tank Status (Mark one X for each tank)	Tank Piping	Tank Piping	Tank Piping	Tank Piping	Tank Piping
A. In-use	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
B. Empty less than 12 months	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
C. Empty 12 months or more	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
D. Emergency spill tank (sump)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
E. Emergency backup generator tank	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
F. Abandoned in Place	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
G. Removed	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
H. Other (please specify)					
12. If box 11B, C, or D above has been marked, indicate the estimated date last used (month/day/year)	Mo. Day Year	Mo. Day Year	Mo. Day Year	Mo. Day Year	Mo. Day Year
13. Closure Information - Tank ID No.	TANK NO.	TANK NO.	TANK NO.	TANK NO.	TANK NO.
	0169				
A. Date abandoned in place	Mo. Day Year	Mo. Day Year	Mo. Day Year	Mo. Day Year	Mo. Day Year
B. Date taken temporarily out of service					
C. Date removed	07.02.1998				
D. Date of Sale or Transfer					
E. TMS # (if applicable)	Fed Case Mgr.				
F. ISRA # (if applicable)					

SECTION C - FINANCIAL RESPONSIBILITY

Does this facility have a Financial Responsibility Assurance Mechanism as required in 40 CFR 280? YES NO
Please list the appropriate financial information below:

Type	Carrier / Issuing Agency	Effective Date	Expiration Date	Policy Number	Amount
					\$

SECTION D - MONITORING SYSTEMS

Does this facility have a release detection monitoring system which is in compliance with N.J.A.C. 7:14B-6? YES NO
If "No", please be aware that the facility must meet the appropriate deadline. (See "Dates to Know" on Page 4)

SECTION E - RECORDKEEPING/COMPLIANCE

Please answer all the questions in this section on a facility basis. Any one tank not in compliance requires a "NO" answer for the entire facility.

- Does this facility have cathodic protection systems for all steel tanks and piping?
If "Yes", are the systems properly operated and maintained pursuant to N.J.A.C. 7:14B-5? YES NO
- Are the performance claims and documentation of monitoring systems maintained by the owner or operator pursuant to N.J.A.C. 7:14B-5? YES NO
- Are the proper monitoring, testing, sampling, repair and inventory records kept on-site pursuant to N.J.A.C. 7:14B-5 and 6? YES NO
- Is the proper Release Response Plan kept on-site pursuant to N.J.A.C. 7:14B-5? YES NO
- Does the facility have spill and over fill protection systems pursuant to N.J.A.C. 7:14B-4? YES NO
- Have all Fill Ports been permanently marked as per API #1637 pursuant to N.J.A.C. 7:14B-5? YES NO

B123 1107

IMPORTANT INFORMATION

- FEE:** Please make checks payable to: "Treasurer, State of New Jersey". Use of the enclosed return envelope will expedite processing. Registration and Billing Schedule can be found in N.J.A.C. 7:14B. All Initial Registration fees are \$100 per facility.
- PENALTY:** Failure by owner or operator of a regulated underground storage tank to comply with any requirement of the State Uniform Act or regulations may result in the penalties set forth in N.J.S.A. 58:10A-10.
- EMERGENCY:** If a discharge or spill occurs, the NJDEP Hotline at (609) 292-7172 must be called IMMEDIATELY - 24 hours a day.
- UPGRADE EXEMPTION:** Residential heating oil underground storage tanks are exempt from all upgrade requirements.

DATES TO KNOW (critical deadlines)

- December 22, 1988 — All new federally regulated tank systems must have cathodic protection and spill/overflow protection.
- September 4, 1990 — All new State-only regulated tank systems must have cathodic protection and spill/overflow protection.
- December 22, 1990 — All federally regulated piping must have begun leak detection.
- February 19, 1993 — All federally regulated tank systems must maintain financial responsibility assurance.
- December 22, 1993 — All federally regulated tank systems must have begun leak detection.
- December 22, 1998 — All regulated tanks shall install cathodic protection and spill/overflow protection.

CERTIFICATIONS

NOTE: IF THE PERSON SIGNING CERTIFICATION NO. 2 IS THE SAME AS THE PERSON SIGNING CERTIFICATION NO. 1, THE CERTIFICATION NO. 2 NEED NOT BE SIGNED. (If different persons are required to sign No. 1 and No. 2, then they must do so.)

CERTIFICATION NO. 1:

Must be signed by the highest ranking individual at the facility with overall responsibility

"I certify under penalty of law that the information provided in this document is true, accurate and complete to the best of my knowledge, information and belief. I am aware that there are significant civil and criminal penalties for knowingly submitting false, inaccurate or incomplete information and that I am committing a crime of the fourth degree if I make a written false statement which I do not believe to be true. I am also aware that if I knowingly direct or authorize the violation of any statute, I am personally liable for the penalties."

Mr. James Ott
 (Typed / Printed Name)
Director of Public Works
 (Title)

[Signature]
 (Signature)
7/2/98
 (Date)

CERTIFICATION NO. 2:

Must be signed as follows:

- For a corporation, by a principal executive officer of at least the level of vice president
- For a partnership or sole proprietorship, by a general partner or the proprietor, respectively
- For a municipality, State, Federal or other public agency, by either a principal executive officer or ranking elected official
- For persons other than indicated above, by the person with legal responsibility for the site

"I certify under penalty of law that I have personally examined and am familiar with the information submitted herein and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information. I believe that the submitted information is true, accurate and complete. I am aware that there are significant civil and criminal penalties for knowingly submitting false, inaccurate or incomplete information and that I am committing a crime of the fourth degree if I make a written false statement which I do not believe to be true. I am also aware that if I knowingly direct or authorize the violation of any statute, I am personally liable for the penalties."

NA
 (Typed / Printed Name)
 (Title)

[Signature]
 (Signature)
 (Date)

CERTIFICATION NO. 3:

If applicable, must be signed by the individual who is certified to perform services.

"I certify under penalty of law that the information provided in this document is true, accurate and complete to the best of my knowledge, information and belief. I am aware that there are significant civil and criminal penalties for knowingly submitting false, inaccurate or incomplete information and that I am committing a crime of the fourth degree if I make a written false statement which I do not believe to be true. I am also aware that if I knowingly direct or authorize the violation of any statute, I am personally liable for the penalties."

Charles Appleby Enviro. Prot. Spec.
 (Typed / Printed Name) (Title)
U.S. Army
 (Name of Firm, if applicable)

[Signature]
 (Signature)
7/2/98
 (Date)
2056
 (N.J. Certification Number)

APPENDIX B
SITE ASSESSMENT SUMMARY

Site Remediation Program

UST Site/Remedial Investigation Report Certification Form

A. Facility Name : U.S. Army Fort Monmouth New Jersey

Facility Street Address : Directorate of Public Works Building 173

Municipality: Oceanport County : Monmouth

Block: Lot(s): Telephone Number : 732-532-6224

B. Owner (RP)'s Name:

Street Address: City :

State: Zip: Telephone Number :

C. (Check as appropriate)

- Site Investigation Report (SIR) \$500 Fee
Remedial Investigation Report (RIR) \$1000 Fee
[X] NA - Federal Agreement

D. (Complete all that apply)

- Assigned Case Manager : Ian Curtis, Federal Case Manager
UST Registration Number : 81533-169 (7 digits)
Incident Report Number (10 or 12 digits)
Tank Closure Number : Federal Case Manager

E. Certification by the Subsurface Evaluator:

The attached report conforms to the specific reporting requirements of N.J.A.C. 7:26E Yes No

Name: Charles Appleby Signature: UST Cert. No.: 2056

Firm: U.S. Army Fort Monmouth Firm's UST Cert. Number: NA-U.S. Army

Firm Address: Directorate of Public Works Building 173 City: Fort Monmouth

State: NJ Zip: 07703 Telephone Number : 732-532-6224

(NOTE: Certification numbers required only if work was conducted on USTs regulated per N.J.S.A. 58:10A-21 et seq.)

F. Certification by the Responsible Party(ies) of the Facility:

The following certification shall be signed [according to the requirements of N.J.A.C. 7:14B-1.7(b)] as follows:

- 1. For a Corporation by a person authorized by a resolution of the board of directors to sign the document.
2. For a partnership or sole proprietorship, by a general partner or the proprietor, respectively; or
3. For a municipality, State, federal or other public agency by either a principal executive officer or ranking elected Official.

"I certify under penalty of law that I have personally examined and am familiar with the information submitted in this application and all attached documents, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant civil penalties for knowingly submitting false, inaccurate, or incomplete information and that I am committing a crime of the fourth degree if I make a written false statement which I do not believe to be true. I am also aware that if I knowingly direct or authorize the violation of any statute, I am personally liable for the penalties."

Name (Print or Type): James Ott Title: Directorate of Public Works

Signature:

Company Name: U.S. Army Fort Monmouth

Date: 3/25/99

APPENDIX C
WASTE MANIFEST

CASIE / PROTANK

ENVIRONMENTAL SERVICES

1109

Please type or print in block letters. (Form designed for use on elite (12-pitch) typewriter.)

NON-HAZARDOUS MANIFEST		1. Generator's US EPA ID No. N J 0 2 1 1 0 1 0 2 1 0 5 9 7 1 1 3 0 7 3		2. Page 1 of 1	
3. Generator's Name and Mailing Address Main Post ATTN: SELFM-AU-EV		U.S. Army Com. Elec. Command c/o Joe Fallon/Bldg Fort Monmouth NJ 07703		A. Non-hazardous Manifest Document Number NHZ020 17382	
4. Generator's Phone (732) 532-6223		6. US EPA ID Number		B. State Generator's ID SAME	
5. Transporter 1 Company Name Casie Ecology Oil Salvage, Inc.		N J D 1 0 4 5 9 9 5 6 9 3		C. State Trans. ID 1 6 9 3 1	
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone ((609) 696-4401)	
9. Designated Facility Name and Site Address Casie Ecology Oil Salvage, Inc. T/A 3209 N. Mill Rd / Casie Protank Vineland NJ 08360		10. US EPA ID Number N J D 1 0 4 5 9 9 5 6 9 3		E. State Trans. ID X 0 1 5 9 1 6	
				F. Transporter's Phone ()	
				G. State Facility's ID 0814D1HP05	
				H. Facility's Phone (609) 696-4401	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers	13. Total	14. Unit	L
		No.	Quantity	Wt/Vol	Waste No.
a. Combustible liquid, n.o.s. (Fuel Oil) NA1993, PGIII		0 0 1	T T	G	I D 7 2
b.					
c.					
d.					
J. Additional Descriptions for Materials Listed Above L 90% oil/sed. 10% wtr.		K. Handling Codes for Wastes Listed Above			
a.		c.	a.	c.	
b.		d.	b.	d.	
15. Special Handling Instructions and Additional Information a. 24 Hr. Emergency Response #609 696-4401 K. Ambrosia ERG# 128					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. I hereby certify that the above-named material is not hazardous waste as defined by 40 CFR Part 261, 264 and 279 or any applicable state law.					
Printed/Typed Name Joseph M. Fallon		Signature <i>Joseph M. Fallon</i>		Month Day Year 10/4/30/98	
17. Transporter 1 Acknowledgement of Receipt of Materials					
Printed/Typed Name Don Scaleri		Signature <i>Don Scaleri</i>		Month Day Year 10/4/30/98	
18. Transporter 2 Acknowledgement of Receipt of Materials					
Printed/Typed Name		Signature		Month Day Year	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest except as noted in Item 19.					
Printed/Typed Name		Signature		Month Day Year	

CASIE / PROTANK

ENVIRONMENTAL SERVICES

Please type or print in block letters. (Form designed for use on elite (12-pitch) typewriter.)

NON-HAZARDOUS MANIFEST		1. Generator's US EPA ID No. N J 3 2 1 0 0 2 0 5 9 7 1 5 2 2 1		2. Page 1 of	
3. Generator's Name and Mailing Address U.S. Army Com. Elec. Command Main Post Bldg 173/Attn: Fort Monmouth NJ 07703				A. Non-hazardous Manifest Document Number NHZ020 19746	
4. Generator's Phone (732) 532-6223		6. US EPA ID Number		B. State Generator's ID <i>et</i> c/o James Shirghior Joe Fallon	
5. Transporter 1 Company Name Casie Ecology Oil Salvage, Inc.		7. Transporter 2 Company Name		C. State Trans. ID 0699	
9. Designated Facility Name and Site Address Casie Ecology Oil Salvage, Inc. T/A 3209 N. Mill Rd / Casie Protank Vineland NJ 08360		10. US EPA ID Number		D. Transporter's Phone ()	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers		13. (609) 696-4401	
		No. Type		Total Quantity Unit Wt/Vol Waste No.	
a. Combustible liquid, n.o.s. (Fuel Oil) NA1993, III				X 1046 G SL	
b.		0 0 1 1 1 0 0 0 0 1		G I D 7 2	
c.					
d.					
J. Additional Descriptions for Materials Listed Above				K. Handling Codes for Wastes Listed Above	
a. S, T				c.	
b.				d.	
15. Special Handling Instructions and Additional Information UST Bldg # 215, 241, 245, 247, 249, 251, 253 255, 234, 236 a. ERG# 128 AST-1220 CFI#1108A6-M					
16. I hereby certify that the above-named material is not hazardous waste as defined by 40 CFR Part 261, 264 and 279 or any applicable state law.					
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Month Day Year	
Printed/Typed Name Charles Appleby SELPM-PU-EU		<i>[Signature]</i>		07/18/78	
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Month Day Year	
Printed/Typed Name Shawn Lee		<i>[Signature]</i>		07/18/78	
19. Discrepancy Indication Space					
20. Facility Owner or Operator: Certification of receipt of non-hazardous materials covered by this manifest except as noted in Item 19.					
Printed/Typed Name		Signature		Month Day Year	

APPENDIX D
UST DISPOSAL CERTIFICATE



**MONMOUTH COUNTY
RECLAMATION CENTER**

TINTON FALLS, NJ

MAILING ADDRESS: 6000 ASBURY AVE.
NEPTUNE, NJ 07753

CUSTOMER COPY

FACILITY I.D. NO. 1336F1SP01

RECEIPT DOCUMENT NUMBER

B
I
L
L
T
O

MARP508937
MARPAL COMPANY
PO BOX 188

LINCROFT

NJ 07738

H
A
U
L
E
R

MARP508937
MARPAL COMPANY
PO BOX 188

LINCROFT NJ 07738

Escrow Level: 2400.00

01706023

76852

DATE	ENTRY TIME	OPER.	EXIT TIME	OPER.	GROSS WEIGHT	TARE WEIGHT	NET WEIGHT
07/10/98	08:08	VJF	08:31	PMN	(44800 LB)	(37280 LB)	(7520 LB)
00856356	Scale 02		Scale 04		(22.40 T)	(18.64 T)	(3.76 T)

VEHICLE NUMBER	VEHICLE TYPE	PLATE NUMBER	TRANSACTION TYPE
2065AU	Rolloff Open 30	XX89HD	TUS (166) Normal

QUANTITY	WC	DESCRIPTION/ORIGIN	UNITS	UNIT PRICE	AMOUNT
3.7600	136	Bulky Waste - (MCRC) MONMOUTH COUNTY EATONTOWN BOROUGH	Tons 100.00%	88.15	331.44

I hereby certify that the information provided on this form is true to the best of my knowledge.

Prepayment balance remaining: 28628.86

DRIVER NAME: R. Jacques SIGNATURE: *[Signature]*

*** DOCUMENT TOTAL: 331.44

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

APPENDIX E
SOIL ANALYTICAL DATA PACKAGE

US ARMY FT. MONMOUTH ENVIRONMENTAL LABORATORY
NJDEPE # 13461

REPORT OF ANALYSIS

Client: U.S. Army
DPW, SELFM-PW-EV
Bldg. 173
Ft. Monmouth, NJ 07703

Project: Total Petroleum Hydrocarbons
98-0001
Bldg. 1109

Project # 3695
Date Rec. 07/02/98
Date Compl. 07/03/98
Released by:


 8/17/98
Daniel K. Wright Date:
Laboratory Director

Table of Contents

Section	Pages
Cover Sheet	1
Table of Contents	2
Method Summary	3
Conformance/Non-Conformance	4
Chain of Custody	5-6
Results Summary	7
Initial Calibration Summary	8
Continuing Calibration Summary	9-10
Surrogate Results Summary	11
MS/MSD Results Summary	12
Quality Control Spike Summary	13
Raw Sample Data	14-27
Laboratory Deliverable Checklist	28

Method Summary

NJDEP Method OQA-QAM-025-10/97

Gas Chromatographic Determination of Total Petroleum Hydrocarbons in Soil

Fifteen grams (15g)(wet weight) of a soil sample is added to a 125 mL acid cleaned, solvent rinsed, capped Erlenmeyer flask. 15g anhydrous sodium sulfate is added to dry sample. Surrogate standard spiking solution is then added to the flask.

Twenty five milliliters(25mL) Methylene Chloride is added to the flask and it is secured on a gyrotory shaker table. The agitation rate is set to 400rpm and the sample is shaken for 30 minutes. The flask is the removed from the table and the particulate matter is allowed to settle. The extract is transferred to a Teflon capped vial. A second 25mL of Methylene Chloride is added to the flask and shaken for an additional 30 minutes. The flask is again removed and allowed to settle. The extracts are combined in the vial then transferred to a 1mL autosampler vial.

The extract is then injected directly into a GC-FID for analysis. The sample is analyzed for petroleum hydrocarbons covering a range of C8-C42 including pristane and phytane. Total Petroleum Hydrocarbon concentration is determined by integrating between 5 minutes and 22 minutes. The baseline is established by starting the integration after the end of the solvent peak and stopping after the last peak.

The final concentration of Total Petroleum Hydrocarbons is calculated using percent solid, sample weight and concentration.

PHC Conformance/Non-conformance Summary Report

	No	Yes
1. Method Detection Limits provided.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
2. Method Blank Contamination - If yes, list the sample and the corresponding concentrations in each blank	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<hr/> <hr/>		
3. Matrix Spike Results Summary Meet Criteria. (If not met, list the sample and corresponding recovery which falls outside the acceptable range).	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<hr/> <hr/>		
4. Duplicate Results Summary Meet Criteria. (If not met, list the sample and corresponding recovery which falls outside the acceptable range).	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<hr/> <hr/>		
5. IR Spectra submitted for standards, blanks, & samples	<input type="checkbox"/>	<input checked="" type="checkbox"/> NA
6. Chromatograms submitted for standards, blanks, and samples if GC fingerprinting was conducted.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
7. Analysis holding time met. (If not met, list number of days exceeded for each sample)	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<hr/> <hr/>		
Additional Comments: <hr/> <hr/> <hr/>		

Laboratory Authentication Statement

I certify under penalty of law, where applicable, that this laboratory meets the Laboratory Performance Standards and Quality Control requirements specified in N.J.A.C. 7:18 and 40 CFR Part 136 for Water and Wastewater Analyses and SW 846 for Solid Waste Analysis. I have personally examined the information contained in this report, and to the best of my knowledge, I believe that the submitted information is true, accurate, complete, and meets the above referenced standards where applicable. I am aware that there are significant penalties for purposefully submitting falsified information, including the possibility of a fine and imprisonment.


Daniel K. Wright
Laboratory Manager

Fort Monmouth Environmental Testing Laboratory

Bldg. 173, SELFM-PW-EV, Fort Monmouth, NJ 07703



Tel (732)532-4359 Fax (732)532-3484 EMail:appleby@doim6.monmouth.army.mil

NJDEP Certification #13461

Chain of Custody Record

Customer: Charles Appleby				Project No: 98-0001		Analysis Parameters				Comments: * = Samples Kept <4 Celsius	
Phone #: X26224				Location: B.1109		TPHC	% SOLIDS	VOA+15	VOA ID Number		OVA
() DERA (X) OMA UST Assessment				UST# 81533-169							
Samplers Name / Company : Gary DiMartinis TVS				Sample #							
Lab Sample I.D.	Sample Location	Date	Time	Type	bottles	TPHC	% SOLIDS	VOA+15	VOA ID Number	OVA	Remarks / Preservation Method
3695.01	1109-A	7-2-98	0932	SOIL	1	X	X			1	EXC. FLOOR @ 10.0' *
02	B		0909							ND	SIDEWALL @ 6.5'
03	C		0858							15	
04	D		0920							50	
05	E		0914							ND	
06	F		0939							ND	Piping Run @ 2.0'
07	DUP	↓	—	↓	↓	↓	↓			—	FIELD DUPLICATE ↓

Note: OVA(#A51903) Calibrated With 95 ppm Methane & Zero Air @ 0845 on 7-2-98 by Gary DiMartinis

Relinquished by (signature): 	Date/Time: 7-2-98 1055	Received by (signature): 	Relinquished by (signature):	Date/Time:	Received by (signature):
Relinquished by (signature):	Date/Time:	Received by (signature):	Relinquished by (signature):	Date/Time:	Received by (signature):

Report Type: () Full, (X) Reduced, () Standard, () Screen / non-certified	Remarks: Dedicated Sampling Tools Used
Turnaround time: () Standard 4 wks, (X) Rush 2 Days, () ASAP Verbal Hrs.	


Report of Analysis
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification # 13461

Client :	U.S. Army	Lab. ID # :	3695
	DPW. SELFM-PW-EV	Date Rec'd:	02-Jul-98
	Bldg. 173	Analysis Start:	02-Jul-98
	Ft. Monmouth, NJ 07703	Analysis Complete:	03-Jul-98

Analysis:	OQA-QAM-025	UST Reg. #:	
Matrix:	Soil	Closure #:	
Analyst:	D.DEINHARDT	DICAR #:	
Ext. Meth:	Shake	Location #:	B. 1109

Sample	Field ID	Dilution Factor	Weight (g)	% Solid	MDL (mg/kg)	TPHC Result (mg/kg)
3695.01	1109-A	1.00	15.66	76.60	196	ND
3695.02	1109-B	1.00	16.26	86.34	167	ND
3695.03	1109-C	1.00	16.56	76.19	186	1513.07
3695.04	1109-D	1.00	15.61	78.45	192	4174.87
3695.05	1109-E	1.00	15.11	82.14	189	ND
3695.06	1109-F	1.00	15.19	81.77	189	ND
3695.07	1109-DUP	1.00	16.28	77.22	187	533.08
METHOD BLANK	TBLK 124	1.00	15.00	100.00	157	ND

ND = Not Detected
MDL = Method Detection Limit


Daniel K. Wright
Laboratory Director

LABORATORY DELIVERABLES CHECKLIST AND NON-CONFORMANCE SUMMARY

THIS FORM MUST BE COMPLETED BY THE LABORATORY OR ENVIRONMENTAL CONSULTANT AND ACCOMPANY ALL DATA SUBMISSIONS

The following Laboratory Deliverables checklist and Non-Conformance Summary shall be included in the data submission. All deviations from the accepted methodology and procedures, of performance values outside acceptable ranges shall be summarized in the Non-Conformance Summary. The Technical Requirements for Site Remediation, effective June 7, 1993, provides further details. The document shall be bound and paginated, contain a table of contents, and all pages shall be legible. Incomplete packages will be returned or held without review until the data package is completed.

It is recommended that the analytical results summary sheets listing all targeted and non-targeted compounds with the method detection limits, practical quantitation limits, and the laboratory and/or sample numbers be included in one section of the data package and in the main body of the report.

- 1. Cover page, Title Page listing Lab Certification #, facility name and address, & date of report submitted
- 2. Table of Contents submitted
- 3. Summary Sheets listing analytical results for all targeted and non-targeted compounds submitted
- 4. Document paginated and legible
- 5. Chain of Custody submitted
- 6. Samples submitted to lab within 48 hours of sample collection
- 7. Methodology Summary submitted
- 8. Laboratory Chronicle and Holding Time Check submitted
- 9. Results submitted on a dry weight basis
- 10. Method Detection Limits submitted
- 11. Lab certified by NJDEP for parameters of appropriate category of parameters or a member of the USEPA CLP

Laboratory Manager or Environmental Consultant's Signature
Date 4/17/95



Laboratory Certification #13461

*Refer to NJAC 7:26E - Appendix A, Section IV - Reduced Data Deliverables - Non-USEPA/CLP Methods for further guidance.

**US ARMY FT. MONMOUTH ENVIRONMENTAL LABORATORY
NJDEPE # 13461**

REPORT OF ANALYSIS

Client: U.S. Army
DPW, SELFM-PW-EV
Bldg. 173
Ft. Monmouth, NJ 07703

Project: Total Petroleum Hydrocarbons
98-0001
Bldg. 1109

Project # 3700
Date Rec. 07/07/98
Date Compl. 07/07/98
Released by:



Daniel K. Wright Date: 8/17/98
Laboratory Director

Table of Contents

<u>Section</u>	<u>Pages</u>
Cover Sheet	1
Table of Contents	2
Method Summary	3
Conformance/Non-Conformance	4
Chain of Custody	5-6
Results Summary	7
Initial Calibration Summary	8
Continuing Calibration Summary	9-10
Surrogate Results Summary	11
MS/MSD Results Summary	12
Quality Control Spike Summary	13
Raw Sample Data	14-19
Laboratory Deliverable Checklist	20

Method Summary

NJDEP Method OQA-QAM-025-10/97

Gas Chromatographic Determination of Total Petroleum Hydrocarbons in Soil

Fifteen grams (15g)(wet weight) of a soil sample is added to a 125 mL acid cleaned, solvent rinsed, capped Erlenmeyer flask. 15g anhydrous sodium sulfate is added to dry sample. Surrogate standard spiking solution is then added to the flask.

Twenty five milliliters(25mL) Methylene Chloride is added to the flask and it is secured on a gyrotory shaker table. The agitation rate is set to 400rpm and the sample is shaken for 30 minutes. The flask is the removed from the table and the particulate matter is allowed to settle. The extract is transferred to a Teflon capped vial. A second 25mL of Methylene Chloride is added to the flask and shaken for an additional 30 minutes. The flask is again removed and allowed to settle. The extracts are combined in the vial then transferred to a 1mL autosampler vial.

The extract is then injected directly into a GC-FID for analysis. The sample is analyzed for petroleum hydrocarbons covering a range of C8-C42 including pristane and phytane. Total Petroleum Hydrocarbon concentration is determined by integrating between 5 minutes and 22 minutes. The baseline is established by starting the integration after the end of the solvent peak and stopping after the last peak.

The final concentration of Total Petroleum Hydrocarbons is calculated using percent solid, sample weight and concentration.

PHC Conformance/Non-conformance Summary Report

	No	Yes
1. Method Detection Limits provided.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
2. Method Blank Contamination - If yes, list the sample and the corresponding concentrations in each blank. _____ _____	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Matrix Spike Results Summary Meet Criteria. (If not met, list the sample and corresponding recovery which falls outside the acceptable range). _____ _____	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4. Duplicate Results Summary Meet Criteria. (If not met, list the sample and corresponding recovery which falls outside the acceptable range). _____ _____	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. IR Spectra submitted for standards, blanks, & samples	<input type="checkbox"/>	NA <input type="checkbox"/>
6. Chromatograms submitted for standards, blanks, and samples if GC fingerprinting was conducted.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
7. Analysis holding time met. (If not met, list number of days exceeded for each sample) _____ _____	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Additional Comments: _____

Laboratory Authentication Statement

I certify under penalty of law, where applicable, that this laboratory meets the Laboratory Performance Standards and Quality Control requirements specified in N.J.A.C. 7:18 and 40 CFR Part 136 for Water and Wastewater Analyses and SW 846 for Solid Waste Analysis. I have personally examined the information contained in this report, and to the best of my knowledge, I believe that the submitted information is true, accurate, complete, and meets the above referenced standards where applicable. I am aware that there are significant penalties for purposefully submitting falsified information, including the possibility of a fine and imprisonment.



Daniel K. Wright
Laboratory Manager



Fort Monmouth Environmental Testing Laboratory

Bldg. 173, SELFM-PW-EV, Fort Monmouth, NJ 07703

Tel (732)532-4359 Fax (732)532-3484 EMail:appleby@doim6.monmouth.army.mil

NJDEP Certification #13461

Chain of Custody Record

Customer: Charles Appleby		Project No: 98-0001		Analysis Parameters					Comments:
Phone #: X26224		Location: <i>B. 1109</i>		TPHC	% SOLIDS	VOA+15	VOA ID Number	OVA	* = Samples Kept <4 Celsius
() DERA (X) OMA UST Assessment		UST# <i>81533-169</i>							Remarks / Preservation Method
Samplers Name / Company : Gary DiMartinis TVS				Sample #					
Lab Sample I.D.	Sample Location	Date	Time	Type	bottles				
<i>3700. 01</i>	<i>1109-C2</i>	<i>7-7-98</i>	<i>0941</i>	<i>SOIL</i>	<i>1</i>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		<i>ND</i> <i>SIDEWALL @ 6.5' *</i>
<i>02</i>	<i>1109-D2</i>	↓	<i>0945</i>	↓	↓	↓	↓		<i>ND</i> ↓
<i>03</i>	<i>1109-DUP</i>	↓	—	↓	↓	↓	↓		<i>—</i> <i>FIELD DUPLICATE</i> ↓

Note: OVA(#A51903) Calibrated With 95 ppm Methane & Zero Air @ *0930* on *7-7-98* by Gary DiMartinis

Relinquished by (signature): <i>[Signature]</i>	Date/Time: <i>7-7-98 1105</i>	Received by (signature): <i>[Signature]</i>	Relinquished by (signature):	Date/Time:	Received by (signature):
Relinquished by (signature):	Date/Time:	Received by (signature):	Relinquished by (signature):	Date/Time:	Received by (signature):

Report Type: () Full, (<input checked="" type="checkbox"/>) Reduced, () Standard, () Screen / non-certified	Remarks: Dedicated Sampling Tools Used
Turnaround time: () Standard 4 wks, (<input checked="" type="checkbox"/>) Rush <i>2</i> Days, () ASAP Verbal <i>2</i> Hrs.	

LABORATORY DELIVERABLES CHECKLIST AND NON-CONFORMANCE SUMMARY

THIS FORM MUST BE COMPLETED BY THE LABORATORY OR ENVIRONMENTAL CONSULTANT AND ACCOMPANY ALL DATA SUBMISSIONS


The following Laboratory Deliverables checklist and Non-Conformance Summary shall be included in the data submission. All deviations from the accepted methodology and procedures, of performance values outside acceptable ranges shall be summarized in the Non-Conformance Summary. The Technical Requirements for Site Remediation, effective June 7, 1993, provides further details. The document shall be bound and paginated, contain a table of contents, and all pages shall be legible. Incomplete packages will be returned or held without review until the data package is completed.

It is recommended that the analytical results summary sheets listing all targeted and non-targeted compounds with the method detection limits, practical quantitation limits, and the laboratory and/or sample numbers be included in one section of the data package and in the main body of the report.

- | | |
|--|-------------------------------------|
| 1. Cover page, Title Page listing Lab Certification #, facility name and address, & date of report submitted | <input checked="" type="checkbox"/> |
| 2. Table of Contents submitted | <input checked="" type="checkbox"/> |
| 3. Summary Sheets listing analytical results for all targeted and non-targeted compounds submitted | <input checked="" type="checkbox"/> |
| 4. Document paginated and legible | <input checked="" type="checkbox"/> |
| 5. Chain of Custody submitted | <input checked="" type="checkbox"/> |
| 6. Samples submitted to lab within 48 hours of sample collection | <input checked="" type="checkbox"/> |
| 7. Methodology Summary submitted | <input checked="" type="checkbox"/> |
| 8. Laboratory Chronicle and Holding Time Check submitted | <input checked="" type="checkbox"/> |
| 9. Results submitted on a dry weight basis | <input checked="" type="checkbox"/> |
| 10. Method Detection Limits submitted | <input checked="" type="checkbox"/> |
| 11. Lab certified by NJDEP for parameters of appropriate category of parameters or a member of the USEPA CLP | <input checked="" type="checkbox"/> |

Laboratory Manager or Environmental Consultant's Signature

Date 6/27/93



Laboratory Certification #13461

*Refer to NJAC 7:26E - Appendix A, Section IV - Reduced Data Deliverables - Non-USEPA/CLP Methods for further guidance.

APPENDIX F
GROUNDWATER ANALYTICAL DATA PACKAGE

FORT MONMOUTH ENVIRONMENTAL TESTING LABORATORY

DIRECTORATE OF PUBLIC WORKS

PHONE: (732)532-6224 FAX: (732)532-3484

WET-CHEM - METALS - ORGANICS - FIELD SAMPLING
NJDEP LABORATORY CERTIFICATION # 13461



ANALYTICAL DATA REPORT
Fort Monmouth Environmental Laboratory
ENVIRONMENTAL DIVISION
Fort Monmouth, New Jersey
PROJECT: UST Program

BLDG. 1109

Field Location No. & Location	Laboratory Sample ID#	Matrix	Date and Time Of Collection	Date Received
Trip Blank	4038.01	Aqueous	07-Nov-98	11/07/98
Field Blank	4038.02	Aqueous	07-Nov-98 09:50	11/07/98
Bldg. 1109 10.5'-13.5'	4038.04	Aqueous	07-Nov-98 10:20	11/07/98
Field Dup	4038.05	Aqueous	07-Nov-98	11/07/98

ANALYSIS:
FORT MONMOUTH ENVIRONMENTAL LAB.
VOA+15, BN+15


12/08/98
Daniel Wright/Date
Laboratory Director

ENCLOSURE:
CHAIN OF CUSTODY
FIELD DOCUMENTATION
RESULTS

Table of Contents

<u>Section</u>	<u>Pages</u>
Chain of Custody	1-2
Field Documentation	3-5
Methodology Review	6-7
Conformance/Non-Conformance Summary	8-10
Laboratory Chronicle	11-12
Volatile Organics	13-14
Analytical Results Summary	15-24
Tune Results Summary	25-28
Method Blank Results Summary	29
Calibration Summary	30-33
Surrogate Recovery Summary	34
MS/MSD Results Summary	35-36
Internal Standard Area & RT Summary	37-38
Chromatograms	39-48
Base Neutrals	49
Analytical Results Summary	50-61
Tune Results Summary	62-65
Method Blank Results Summary	66
Calibration Summary	67-71
Surrogate Recovery Summary	72
MS/MSD Results Summary	73
Internal Standard Area & RT Summary	74-75
Chromatograms	76-83
Laboratory Deliverables Checklist	84
Laboratory Authentication Statement	85

CHAIN OF CUSTODY

0001



Fort Monmouth Environmental Testing Laboratory

Bldg. 173, SELFM-PW-EV, Fort Monmouth, NJ 07703

Tel (732)532-4359 Fax (732)532-3484 EMail:appleby@doim6.monmouth.army.mil

NJDEP Certification #13461

Chain of Custody Record

Customer: <i>CHAS APPLEBY / VERSAR</i>		Project No:				Analysis Parameters							Comments:	
Phone #:		Location: <i>BLDG. 1105, 1109</i>				V D A +	B N +							
() DERA (<input checked="" type="checkbox"/>) OMA () Other: _____		Samplers Name / Company: <i>MARK LAURA - T.V.S. - PWS 07</i>		Sample #										
Lab Sample I.D.	Sample Location	Date	Time	Type	bottles	15	15						Remarks / Preservation Method	
<i>4038.0 1</i>	<i>TRIP BLANK</i>	<i>11-7-98</i>	<i>-</i>	<i>AQ.</i>	<i>2</i>	<i>X</i>							<i>HCL</i>	
<i>.0 2</i>	<i>FIELD BLANK</i>	<i>"</i>	<i>0950</i>	<i>"</i>	<i>3</i>	<i>X</i>	<i>X</i>						<i>HCL / 24°c</i>	
<i>.0 3</i>	<i>BLDG. 1105-9-12'</i>	<i>"</i>	<i>1120</i>	<i>"</i>	<i>3</i>	<i>X</i>	<i>X</i>						<i>"</i>	
<i>.0 4</i>	<i>BLDG. 1109-10.5-13.5'</i>	<i>"</i>	<i>1020</i>	<i>"</i>	<i>3</i>	<i>X</i>	<i>X</i>						<i>"</i>	
<i>.0 5</i>	<i>FIELD DUP.</i>	<i>"</i>	<i>-</i>	<i>"</i>	<i>3</i>	<i>X</i>	<i>X</i>						<i>"</i>	
Relinquished by (signature): <i>Appleby</i>		Date/Time: <i>11-9-98</i>	Received by (signature): <i>J. Versar</i>		Relinquished by (signature):		Date/Time:	Received by (signature):						
Relinquished by (signature):		Date/Time:	Received by (signature):		Relinquished by (signature):		Date/Time:	Received by (signature):						
Report Type: () Full, (<input checked="" type="checkbox"/>) Reduced, () Standard, () Screen / non-certified					Remarks:									
Turnaround time: (<input checked="" type="checkbox"/>) Standard 4 wks, () Rush ___ Days, () ASAP Verbal ___ Hrs.														

0002

FIELD
DOCUMENTATION

Post Remedial Groundwater Sampling at Former Underground Storage Tank Site [# 2 fuel oil]

FOR BLDG. # 1109

Ground Water Sampling with the use of a Passively Placed Narrow Diameter Point (PPNDP)

Objective:

To collect a representative groundwater sample utilizing a narrow diameter point [PPNDP] This is a small diameter [1-inch OD] screened casing passively placed in a borehole. The casing is of p.v.c. construction.

1. Methods

- A. A solid push - rod (bull point) is used to create a narrow diameter hole to a depth below the water table. A piece of schedule 40 PVC screen with 0.010-inch slots and an end cap is placed to the bottom of the hole. Glues or adhesives are not used for joining the casing. Threaded PVC casing is used. No filter or gravel pack is used.

2. Installation

- A. Using a Geoprobe, a borehole was advanced with a pre-probe with a diameter slightly larger than the casing. The hole was made to a depth of 14 feet. The water table was at 10.5 feet below ground surface.
- B. The screened section of PVC was placed into the borehole so the screened section was across the ground water table from 9 - 14 feet. Riser casing from 9 - +1 feet.

3. Purging

- A. Three volumes of the standing water in the point were purged. The amount of water extracted was app. 0.123 gal. Three to five volumes are purged due to the potential for cross contamination of the screen from upper soil horizons. This was accomplished utilizing a peristaltic pump, and utilizing food grade tubing.

4. Sampling

- A. Sampling methods, sample preservation requirements, sample handling times, decontamination procedure for field equipment, and frequency for field blanks, field duplicates and trip blanks conform to applicable industry methods such as those specified in the NJDEP "Field Sampling Procedures Manual" in effect as of the date on which sampling is performed. Any deviations from the methods in the "Field Sampling Procedures Manual" pursuant to N.J.A.C. 7:26E-1.6(c) has been approved by the person responsible for conducting the remediation.

All samples were preserved in the field immediately after collection and submitted to the laboratory as soon as possible and no later than 48 hours after sample collection.

The acquisition of samples and water level measurements were performed as recommended and described in the May 1992 edition of NJDEP Field Sampling Procedures Manual.

5. Quality Assurance/Quality Control

A. Decontamination

The associated equipment (bull point, riser pipe, etc.) was decontaminated between borings using the following procedure:

1. Remove all adherent soil material.
2. Wash with a laboratory grade glassware detergent.
3. Rinsed with potable water.
4. Rinse with distilled and deionized ASTM Type II water.


B. Field Blanks

1 Field blank was taken at this location.

C. Sample bottles: Supplied by Environmental Sampling Supply, Oakland, Calif. The sample bottles are certified clean and are sealed upon delivery.

D. P.V.C. Screens: Supplied by Bedrock Enterprises, Forked River N.J.

Geoprobe Operator: Mark Laura
Employer: U.S. Army, Fort Monmouth
Phone Number: [732] 532-8990
NJDEP License #: J-1486


Mark Laura / Date

METHODOLOGY SUMMARY

Methodology Summary

EPA Method 624

Gas Chromatographic Determination of Volatiles in Water

Surrogates and internal standards are added to a 5 ml aliquot of sample. The sample is then purged and desorbed into a GC/MS system. The organic compounds are separated by the gas chromatograph and detected using the mass spectrometer. Volatiles are identified and quantitated.

EPA Method 3510/8270

Gas Chromatographic Determination of Semi-volatiles in Water

Surrogates are added to a measured volume of sample, usually 1 liter, at a specified pH. The sample is serially extracted with Methylene Chloride using a separatory funnel. The extract concentrated and internal standards are added. The sample is injected into a GC/MS system. Semi-volatiles are identified and quantitated.

**CONFORMANCE/
NON-CONFORMANCE
SUMMARY**

GC/MS ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY FORMAT

Indicate
Yes, No, N/A

1. Chromatograms labeled/Compounds identified
(Field samples and method blanks) Yes
2. Retention times for chromatograms provided Yes
3. GC/MS Tune Specifications
 - a. BFB Meet Criteria Yes
 - b. DFTPP Meet Criteria Yes
4. GC/MS Tuning Frequency – Performed every 24 hours for 600 series and 12 hours for 8000 series Yes
5. GC/MS Calibration – Initial Calibration performed before sample analysis and continuing calibration performed within 24 hours of sample analysis for 600 series and 12 hours for 8000 series Yes
6. GC/MS Calibration requirements
 - a. Calibration Check Compounds Meet Criteria Yes
 - b. System Performance Check Compounds Meet Criteria Yes
7. Blank Contamination – If yes, List compounds and concentrations in each blank: No
 - a. VOA Fraction _____
 - b. B/N Fraction _____
 - c. Acid Fraction NA _____
8. Surrogate Recoveries Meet Criteria Yes

If not met, list those compounds and their recoveries, which fall outside the acceptable range:

 - a. VOA Fraction _____
 - b. B/N Fraction _____
 - c. Acid Fraction NA _____

If not met, were the calculations checked and the results qualified as "estimated"?

9. Matrix Spike/Matrix Spike Duplicate Recoveries Meet Criteria
(If not met, list those compounds and their recoveries, which fall outside the acceptable range) Yes
 - a. VOA Fraction _____
 - b. B/N Fraction _____
 - c. Acid Fraction NA _____

GC/MS ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY FORMAT (cont.)

Indicate
Yes, No, N/A

10. Internal Standard Area/Retention Time Shift Meet Criteria
(If not met, list those compounds, which fall outside the acceptable range)

yes

- a. VOA Fraction _____
- b. B/N Fraction _____
- c. Acid Fraction 1/2 _____

11. Extraction Holding Time Met

yes

If not met, list the number of days exceeded for each sample: _____

12. Analysis Holding Time Met

yes

If not met, list the number of days exceeded for each sample: _____

Additional Comments:

field dup responses on 4038, 04 R1d, 1109 10.5-13.5

Laboratory Manager:  Date: 12-8-98

LABORATORY CHRONICLE

Laboratory Chronicle

Lab ID: 4038

Site: Bldg. 1109

	Date	Hold Time
Date Sampled	11/07/98	NA
Receipt/Refrigeration	11/07/98	NA
Extractions		
1. Base Neutrals	11/10/98	14 days
Analyses		
1. Volatile Organics	11/16,17/98	14 days
2. Base Neutrals	11/18,19/98	40 days

VOLATILE ORGANICS

0013

**US ARMY FT. MONMOUTH ENVIRONMENTAL LABORATORY
NJDEPE # 13461**

Definition of Qualifiers

MDL : Method Detection Limit

J : Compound identified below detection limit

B : Compound in both sample and blank

D : Results from dilution of sample

U : Compound searched for but not detected

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Nam **vb02095.d**
 Operator **Skelton**
 Date Acquired **16 Nov 98 11:21 am**

Sample Name **Vblk65**
 Field ID **Vblk65**
 Sample Multiplier **1**

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethan			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone			not detected	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride			not detected	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene			not detected	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ethe			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloroprope			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes			not detected	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethan			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
 E = Value above linear range
 D = Value from dilution
 PQL = Practical Quantitation Limit

MDL = Method Detection Limit
 NLE = No Limit Established
 R.T. = Retention Time

1E
VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID

Vblk65

Lab Name: FMETL Project 980932
NJDEP# 13461 Case No.: 4038 SDG No _____ Location UST
Matrix: (soil/water) WATER Lab Sample ID: Vblk65
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: VB02095.D
Level: (low/med) LOW Date Received: 11/09/98
% Moisture: not dec. _____ Date Analyzed: 11/16/98
GC Column: HP5MS ID: 0.25 (mm) Dilution Factor: 1.0
Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

Number TICs found: 0 (ug/L or ug/Kg) UG/L

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q
---------	---------------	----	------------	---

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Nam **vb02117.d**
 Operator **Skelton**
 Date Acquired **17 Nov 98 4:03 am**

Sample Name **4038.01**
 Field ID **Trip Blank**
 Sample Multiplier **1**

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethan			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone			not detected	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride			not detected	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene			not detected	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ethe			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloroprope			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes			not detected	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethan			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
 E = Value above linear range
 D = Value from dilution
 PQL = Practical Quantitation Limit

MDL = Method Detection Limit
 NLE = No Limit Established
 R.T. = Retention Time

1E
VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID

Trip Blank

Lab Name: FMETL Project 980932
NJDEP# 13461 Case No.: 4038 SDG No _____ Location UST
Matrix: (soil/water) WATER Lab Sample ID: 4038.01
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: VB02117.D
Level: (low/med) LOW Date Received: 11/09/98
% Moisture: not dec. _____ Date Analyzed: 11/17/98
GC Column: HP5MS ID: 0.25 (mm) Dilution Factor: 1.0
Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/L
Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q
---------	---------------	----	------------	---

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Nam vb02118.d
 Operator Skelton
 Date Acquired 17 Nov 98 4:48 am

Sample Name 4038.02
 Field ID Field Blank
 Sample Multiplier 1

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethan			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone			not detected	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride			not detected	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene			not detected	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ethe			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloroprope			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes			not detected	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethan			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
 E = Value above linear range
 D = Value from dilution
 PQL = Practical Quantitation Limit

MDL = Method Detection Limit
 NLE = No Limit Established
 R.T. = Retention Time

1E
VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID

Field Blank

Lab Name: FMETL Project 980932
NJDEP# 13461 Case No.: 4038 SDG No _____ Location UST
Matrix: (soil/water) WATER Lab Sample ID: 4038.02
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: VB02118.D
Level: (low/med) LOW Date Received: 11/09/98
% Moisture: not dec. _____ Date Analyzed: 11/17/98
GC Column: HP5MS ID: 0.25 (mm) Dilution Factor: 1.0
Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/L
Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q
---------	---------------	----	------------	---

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Nam vb02120.d
 Operator Skelton
 Date Acquired 17 Nov 98 6:17 am

Sample Name 4038.04
 Field ID Bldg 1109
 Sample Multiplier 1

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethan			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone			not detected	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride			not detected	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene			not detected	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ethe			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloroprope			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes			not detected	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethan			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
 E = Value above linear range
 D = Value from dilution
 PQL = Practical Quantitation Limit

MDL = Method Detection Limit
 NLE = No Limit Established
 R.T. = Retention Time

1E
VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID

Bldg. 1109

Lab Name: FMETL Project 980932

NJDEP# 13461 Case No.: 4038 SDG No _____ Location UST

Matrix: (soil/water) WATER Lab Sample ID: 4038.04

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: VB02120.D

Level: (low/med) LOW Date Received: 11/09/98

% Moisture: not dec. _____ Date Analyzed: 11/17/98

GC Column: HP5MS ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

Number TICs found: 0 (ug/L or ug/Kg) UG/L

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q
---------	---------------	----	------------	---

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Nam **vb02121.d**
 Operator **Skelton**
 Date Acquired **17 Nov 98 7:02 am**

Sample Name **4038.05**
 Field ID **Field Dup**
 Sample Multiplier **1**

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethan			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone	10.52	90929	9.36 ug/L	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride			not detected	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene			not detected	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ethe			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloropropene			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes			not detected	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethan			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
 E = Value above linear range
 D = Value from dilution
 PQL = Practical Quantitation Limit

MDL = Method Detection Limit
 NLE = No Limit Established
 R.T. = Retention Time

0023

1E
VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID

Field Dup.

Lab Name: FMETL Project 980932
NJDEP# 13461 Case No.: 4038 SDG No _____ Location UST
Matrix: (soil/water) WATER Lab Sample ID: 4038.05
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: VB02121.D
Level: (low/med) LOW Date Received: 11/09/98
% Moisture: not dec. _____ Date Analyzed: 11/17/98
GC Column: HP5MS ID: 0.25 (mm) Dilution Factor: 1.0
Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/L
Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q
---------	---------------	----	------------	---

BASE NEUTRAL

Semi-Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Name **bna01289.d**
 Operator **Skelton**
 Date Acquired **18 Nov 1998 10:48 pm**

Sample Name **Sblk162**
 Misc Info **Sblk162 A 981110**
 Sample Multiplier **1**

CAS#	Name	R.T.	Response	Result	GW Criteria	MDL	Qualifiers
110-86-1	Pyridine			not detected	NLE	2.52 ug/L	
62-75-9	N-nitroso-dimethylamine			not detected	20	2.64 ug/L	
62-53-3	Aniline			not detected	NLE	2.90 ug/L	
111-44-4	bis(2-Chloroethyl)ether			not detected	10	2.45 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	2.65 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	2.50 ug/L	
100-51-6	Benzyl alcohol			not detected	NLE	2.09 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	2.44 ug/L	
108-60-1	bis(2-chloroisopropyl)ether			not detected	300	2.96 ug/L	
621-64-7	n-Nitroso-di-n-propylamine			not detected	20	2.22 ug/L	
67-72-1	Hexachloroethane			not detected	10	2.59 ug/L	
98-95-3	Nitrobenzene			not detected	10	2.45 ug/L	
111-91-1	bis(2-Chloroethoxy)methane			not detected	NLE	2.54 ug/L	
120-82-1	1,2,4-Trichlorobenzene			not detected	9	2.58 ug/L	
91-20-3	Naphthalene			not detected	NLE	3.03 ug/L	
106-47-8	4-Chloroaniline			not detected	NLE	2.55 ug/L	
87-68-3	Hexachlorobutadiene			not detected	1	0.64 ug/L	
91-57-6	2-Methylnaphthalene			not detected	NLE	2.49 ug/L	
77-47-4	Hexachlorocyclopentadiene			not detected	50	1.59 ug/L	
91-58-7	2-Chloronaphthalene			not detected	NLE	2.15 ug/L	
88-74-4	2-Nitroaniline			not detected	NLE	1.62 ug/L	
131-11-3	Dimethylphthalate			not detected	7000	2.74 ug/L	
208-96-8	Acenaphthylene			not detected	NLE	2.35 ug/L	
606-20-2	2,6-Dinitrotoluene			not detected	NLE	1.54 ug/L	
99-09-2	3-Nitroaniline			not detected	NLE	1.62 ug/L	
83-32-9	Acenaphthene			not detected	400	1.98 ug/L	
132-64-9	Dibenzofuran			not detected	NLE	2.13 ug/L	

Semi-Volatile Analysis Report
Page 2

Data File Name **bn01289.d**
Operator **Skelton**
Date Acquired **18 Nov 1998 10:48 pm**

Sample Name **Sblk162**
Misc Info **Sblk162 A 981110**
Sample Multiplier **1**

121-14-2	2,4-Dinitrotoluene		not detected	10	1.22	ug/L
84-66-2	Diethylphthalate		not detected	5000	1.68	ug/L
86-73-7	Fluorene		not detected	300	1.93	ug/L
7005-72-3	4-Chlorophenyl-phenylether		not detected	NLE	1.53	ug/L
100-01-6	4-Nitroaniline		not detected	NLE	2.70	ug/L
86-30-6	n-Nitrosodiphenylamine		not detected	20	1.73	ug/L
103-33-3	Azobenzene		not detected	NLE	1.92	ug/L
101-55-3	4-Bromophenyl-phenylether		not detected	NLE	1.54	ug/L
118-74-1	Hexachlorobenzene		not detected	10	1.88	ug/L
85-01-8	Phenanthrene		not detected	NLE	1.67	ug/L
120-12-7	Anthracene		not detected	2000	1.79	ug/L
84-74-2	Di-n-butylphthalate		not detected	900	1.83	ug/L
206-44-0	Fluoranthene		not detected	300	1.85	ug/L
92-87-5	Benzdine		not detected	50	4.11	ug/L
129-00-0	Pyrene		not detected	200	1.02	ug/L
85-68-7	Butylbenzylphthalate		not detected	100	1.15	ug/L
56-55-3	Benzo[a]anthracene		not detected	10	1.57	ug/L
91-94-1	3,3'-Dichlorobenzidine		not detected	60	2.28	ug/L
218-01-9	Chrysene		not detected	20	2.32	ug/L
117-81-7	bis(2-Ethylhexyl)phthalate		not detected	30	1.29	ug/L
117-84-0	Di-n-octylphthalate		not detected	100	1.30	ug/L
205-99-2	Benzo[b]fluoranthene		not detected	10	1.31	ug/L
207-08-9	Benzo[k]fluoranthene		not detected	2	1.57	ug/L
50-32-8	Benzo[a]pyrene		not detected	20	1.36	ug/L
193-39-5	Indeno[1,2,3-cd]pyrene		not detected	20	1.22	ug/L
53-70-3	Dibenz[a,h]anthracene		not detected	20	3.12	ug/L
191-24-2	Benzo[g,h,i]perylene		not detected	NLE	1.13	ug/L

Qualifiers

E = Value exceeded linear range
D = Value from dilution
B = Compound in related blank
MDL = Method Detection Limit
NLE = No Limit Established
R.T. = Retention Time

1F
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET FIELD ID
TENTATIVELY IDENTIFIED COMPOUNDS

Sblk162

Lab Name: FMETL Lab Code 13461
 Project 980932 Case No.: 4038 Location UST SDG No.: _____
 Matrix: (soil/water) WATER Lab Sample ID: Sblk162
 Sample wt/vol: 1000 (g/ml) ML Lab File ID: BNA01289.D
 Level: (low/med) LOW Date Received: 11/09/98
 % Moisture: _____ decanted: (Y/N) N Date Extracted: 11/10/98
 Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/18/98
 Injection Volume: 1.0 (uL) Dilution Factor: 1.0
 GPC Cleanup: (Y/N) N pH: 7

CONCENTRATION UNITS:

Number TICs found: 2 (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. 000301-02-0	9-Octadecenamide, (Z)-	23.23	23	JN
2.	unknown	26.39	48	J

Semi-Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Name **bna01296.d**
 Operator **Skelton**
 Date Acquired **19 Nov 1998 3:40 am**

Sample Name **4038.02**
 Misc Info **Field Blank**
 Sample Multiplier **1**

CAS#	Name	R.T.	Response	Result	GW Criteria	MDL	Qualifiers
110-86-1	Pyridine			not detected	NLE	2.52 ug/L	
62-75-9	N-nitroso-dimethylamine			not detected	20	2.64 ug/L	
62-53-3	Aniline			not detected	NLE	2.90 ug/L	
111-44-4	bis(2-Chloroethyl)ether			not detected	10	2.45 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	2.65 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	2.50 ug/L	
100-51-6	Benzyl alcohol			not detected	NLE	2.09 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	2.44 ug/L	
108-60-1	bis(2-chloroisopropyl)ether			not detected	300	2.96 ug/L	
621-64-7	n-Nitroso-di-n-propylamine			not detected	20	2.22 ug/L	
67-72-1	Hexachloroethane			not detected	10	2.59 ug/L	
98-95-3	Nitrobenzene			not detected	10	2.45 ug/L	
111-91-1	bis(2-Chloroethoxy)methane			not detected	NLE	2.54 ug/L	
120-82-1	1,2,4-Trichlorobenzene			not detected	9	2.58 ug/L	
91-20-3	Naphthalene			not detected	NLE	3.03 ug/L	
106-47-8	4-Chloroaniline			not detected	NLE	2.55 ug/L	
87-68-3	Hexachlorobutadiene			not detected	1	0.64 ug/L	
91-57-6	2-Methylnaphthalene			not detected	NLE	2.49 ug/L	
77-47-4	Hexachlorocyclopentadiene			not detected	50	1.59 ug/L	
91-58-7	2-Chloronaphthalene			not detected	NLE	2.15 ug/L	
88-74-4	2-Nitroaniline			not detected	NLE	1.62 ug/L	
131-11-3	Dimethylphthalate			not detected	7000	2.74 ug/L	
208-96-8	Acenaphthylene			not detected	NLE	2.35 ug/L	
606-20-2	2,6-Dinitrotoluene			not detected	NLE	1.54 ug/L	
99-09-2	3-Nitroaniline			not detected	NLE	1.62 ug/L	
83-32-9	Acenaphthene			not detected	400	1.98 ug/L	
132-64-9	Dibenzofuran			not detected	NLE	2.13 ug/L	

Semi-Volatile Analysis Report

Page 2

Data File Name **bn01296.d**
 Operator **Skelton**
 Date Acquired **19 Nov 1998 3:40 am**

Sample Name **4038.02**
 Misc Info **Field Blank**
 Sample Multiplier **1**

121-14-2	2,4-Dinitrotoluene			not detected	10	1.22	ug/L
84-66-2	Diethylphthalate			not detected	5000	1.68	ug/L
86-73-7	Fluorene			not detected	300	1.93	ug/L
7005-72-3	4-Chlorophenyl-phenylether			not detected	NLE	1.53	ug/L
100-01-6	4-Nitroaniline			not detected	NLE	2.70	ug/L
86-30-6	n-Nitrosodiphenylamine			not detected	20	1.73	ug/L
103-33-3	Azobenzene			not detected	NLE	1.92	ug/L
101-55-3	4-Bromophenyl-phenylether			not detected	NLE	1.54	ug/L
118-74-1	Hexachlorobenzene			not detected	10	1.88	ug/L
85-01-8	Phenanthrene			not detected	NLE	1.67	ug/L
120-12-7	Anthracene			not detected	2000	1.79	ug/L
84-74-2	Di-n-butylphthalate			not detected	900	1.83	ug/L
206-44-0	Fluoranthene			not detected	300	1.85	ug/L
92-87-5	Benzidine			not detected	50	4.11	ug/L
129-00-0	Pyrene			not detected	200	1.02	ug/L
85-68-7	Butylbenzylphthalate			not detected	100	1.15	ug/L
56-55-3	Benzo[a]anthracene			not detected	10	1.57	ug/L
91-94-1	3,3'-Dichlorobenzidine			not detected	60	2.28	ug/L
218-01-9	Chrysene			not detected	20	2.32	ug/L
117-81-7	bis(2-Ethylhexyl)phthalate			not detected	30	1.29	ug/L
117-84-0	Di-n-octylphthalate			not detected	100	1.30	ug/L
205-99-2	Benzo[b]fluoranthene			not detected	10	1.31	ug/L
207-08-9	Benzo[k]fluoranthene			not detected	2	1.57	ug/L
50-32-8	Benzo[a]pyrene			not detected	20	1.36	ug/L
193-39-5	Indeno[1,2,3-cd]pyrene			not detected	20	1.22	ug/L
53-70-3	Dibenz[a,h]anthracene			not detected	20	3.12	ug/L
191-24-2	Benzo[g,h,i]perylene			not detected	NLE	1.13	ug/L

Qualifiers

E = Value exceeded linear range
 D = Value from dilution
 B = Compound in related blank
 MDL = Method Detection Limit
 NLE = No Limit Established
 R.T. = Retention Time

1F
 SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET FIELD ID
 TENTATIVELY IDENTIFIED COMPOUNDS

Field Blank

Lab Name: FMETL Lab Code 13461

Project 980932 Case No.: 4038 Location UST SDG No.: _____

Matrix: (soil/water) WATER Lab Sample ID: 4038.02

Sample wt/vol: 1000 (g/ml) ML Lab File ID: BNA01296.D

Level: (low/med) LOW Date Received: 11/09/98

% Moisture: _____ decanted: (Y/N) N Date Extracted: 11/10/98

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/19/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7

CONCENTRATION UNITS:

Number TICs found: 2 (ug/L or ug/Kg) UG/L _____

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1.	unknown	23.24	29	J
2.	unknown	26.40	67	J

Semi-Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Name **bn01298.d**
 Operator **Skelton**
 Date Acquired **19 Nov 1998 5:03 am**

Sample Name **4038.04**
 Misc Info **Bldg 1109**
 Sample Multiplier **1**

CAS#	Name	R.T.	Response	Result	GW Criteria	MDL	Qualifiers
110-86-1	Pyridine			not detected	NLE	2.52 ug/L	
62-75-9	N-nitroso-dimethylamine			not detected	20	2.64 ug/L	
62-53-3	Aniline			not detected	NLE	2.90 ug/L	
111-44-4	bis(2-Chloroethyl)ether			not detected	10	2.45 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	2.65 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	2.50 ug/L	
100-51-6	Benzyl alcohol			not detected	NLE	2.09 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	2.44 ug/L	
108-60-1	bis(2-chloroisopropyl)ether			not detected	300	2.96 ug/L	
621-64-7	n-Nitroso-di-n-propylamine			not detected	20	2.22 ug/L	
67-72-1	Hexachloroethane			not detected	10	2.59 ug/L	
98-95-3	Nitrobenzene			not detected	10	2.45 ug/L	
111-91-1	bis(2-Chloroethoxy)methane			not detected	NLE	2.54 ug/L	
120-82-1	1,2,4-Trichlorobenzene			not detected	9	2.58 ug/L	
91-20-3	Naphthalene			not detected	NLE	3.03 ug/L	
106-47-8	4-Chloroaniline			not detected	NLE	2.55 ug/L	
87-68-3	Hexachlorobutadiene			not detected	1	0.64 ug/L	
91-57-6	2-Methylnaphthalene	12.03	144074	5.50 ug/L	NLE	2.49 ug/L	
77-47-4	Hexachlorocyclopentadiene			not detected	50	1.59 ug/L	
91-58-7	2-Chloronaphthalene			not detected	NLE	2.15 ug/L	
88-74-4	2-Nitroaniline			not detected	NLE	1.62 ug/L	
131-11-3	Dimethylphthalate			not detected	7000	2.74 ug/L	
208-96-8	Acenaphthylene			not detected	NLE	2.35 ug/L	
606-20-2	2,6-Dinitrotoluene			not detected	NLE	1.54 ug/L	
99-09-2	3-Nitroaniline			not detected	NLE	1.62 ug/L	
83-32-9	Acenaphthene			not detected	400	1.98 ug/L	
132-64-9	Dibenzofuran			not detected	NLE	2.13 ug/L	

Semi-Volatile Analysis Report
Page 2

Data File Name **bna01298.d**
Operator **Skelton**
Date Acquired **19 Nov 1998 5:03 am**

Sample Name **4038.04**
Misc Info **Bldg 1109**
Sample Multiplier **1**

121-14-2	2,4-Dinitrotoluene			not detected	10	1.22	ug/L
84-66-2	Diethylphthalate			not detected	5000	1.68	ug/L
86-73-7	Fluorene			not detected	300	1.93	ug/L
7005-72-3	4-Chlorophenyl-phenylether			not detected	NLE	1.53	ug/L
100-01-6	4-Nitroaniline			not detected	NLE	2.70	ug/L
86-30-6	n-Nitrosodiphenylamine			not detected	20	1.73	ug/L
103-33-3	Azobenzene			not detected	NLE	1.92	ug/L
101-55-3	4-Bromophenyl-phenylether			not detected	NLE	1.54	ug/L
118-74-1	Hexachlorobenzene			not detected	10	1.88	ug/L
85-01-8	Phenanthrene			not detected	NLE	1.67	ug/L
120-12-7	Anthracene			not detected	2000	1.79	ug/L
84-74-2	Di-n-butylphthalate			not detected	900	1.83	ug/L
206-44-0	Fluoranthene			not detected	300	1.85	ug/L
92-87-5	Benzidine			not detected	50	4.11	ug/L
129-00-0	Pyrene			not detected	200	1.02	ug/L
85-68-7	Butylbenzylphthalate			not detected	100	1.15	ug/L
56-55-3	Benzo[a]anthracene			not detected	10	1.57	ug/L
91-94-1	3,3'-Dichlorobenzidine			not detected	60	2.28	ug/L
218-01-9	Chrysene			not detected	20	2.32	ug/L
117-81-7	bis(2-Ethylhexyl)phthalate			not detected	30	1.29	ug/L
117-84-0	Di-n-octylphthalate			not detected	100	1.30	ug/L
205-99-2	Benzo[b]fluoranthene			not detected	10	1.31	ug/L
207-08-9	Benzo[k]fluoranthene			not detected	2	1.57	ug/L
50-32-8	Benzo[a]pyrene			not detected	20	1.36	ug/L
193-39-5	Indeno[1,2,3-cd]pyrene			not detected	20	1.22	ug/L
53-70-3	Dibenz[a,h]anthracene			not detected	20	3.12	ug/L
191-24-2	Benzo[g,h,i]perylene			not detected	NLE	1.13	ug/L

Qualifiers

E = Value exceeded linear range

D = Value from dilution

B = Compound in related blank

MDL = Method Detection Limit

NLE = No Limit Established

R.T. = Retention Time

1F
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET FIELD ID
TENTATIVELY IDENTIFIED COMPOUNDS

Bldg1109

Lab Name: FMETL Lab Code 13461

Project 980932 Case No.: 4038 Location UST SDG No.: _____

Matrix: (soil/water) WATER Lab Sample ID: 4038.04

Sample wt/vol: 1000 (g/ml) ML Lab File ID: BNA01298.D

Level: (low/med) LOW Date Received: 11/09/98

% Moisture: _____ decanted: (Y/N) N Date Extracted: 11/10/98

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/19/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7

CONCENTRATION UNITS:

Number TICs found: 2 (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. 000301-02-0	9-Octadecenamide, (Z)-	23.23	15	JN
2.	unknown	26.39	32	J

Semi-Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Name **bn01299.d**
 Operator **Skelton**
 Date Acquired **19 Nov 1998 5:45 am**

Sample Name **4038.05**
 Misc Info **Field Dup**
 Sample Multiplier **1**

CAS#	Name	R.T.	Response	Result	GW Criteria	MDL	Qualifiers
110-86-1	Pyridine			not detected	NLE	2.52 ug/L	
62-75-9	N-nitroso-dimethylamine			not detected	20	2.64 ug/L	
62-53-3	Aniline			not detected	NLE	2.90 ug/L	
111-44-4	bis(2-Chloroethyl)ether			not detected	10	2.45 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	2.65 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	2.50 ug/L	
100-51-6	Benzyl alcohol			not detected	NLE	2.09 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	2.44 ug/L	
108-60-1	bis(2-chloroisopropyl)ether			not detected	300	2.96 ug/L	
621-64-7	n-Nitroso-di-n-propylamine			not detected	20	2.22 ug/L	
67-72-1	Hexachloroethane			not detected	10	2.59 ug/L	
98-95-3	Nitrobenzene			not detected	10	2.45 ug/L	
111-91-1	bis(2-Chloroethoxy)methane			not detected	NLE	2.54 ug/L	
120-82-1	1,2,4-Trichlorobenzene			not detected	9	2.58 ug/L	
91-20-3	Naphthalene			not detected	NLE	3.03 ug/L	
106-47-8	4-Chloroaniline			not detected	NLE	2.55 ug/L	
87-68-3	Hexachlorobutadiene			not detected	1	0.64 ug/L	
91-57-6	2-Methylnaphthalene			not detected	NLE	2.49 ug/L	
77-47-4	Hexachlorocyclopentadiene			not detected	50	1.59 ug/L	
91-58-7	2-Chloronaphthalene			not detected	NLE	2.15 ug/L	
88-74-4	2-Nitroaniline			not detected	NLE	1.62 ug/L	
131-11-3	Dimethylphthalate			not detected	7000	2.74 ug/L	
208-96-8	Acenaphthylene			not detected	NLE	2.35 ug/L	
606-20-2	2,6-Dinitrotoluene			not detected	NLE	1.54 ug/L	
99-09-2	3-Nitroaniline			not detected	NLE	1.62 ug/L	
83-32-9	Acenaphthene			not detected	400	1.98 ug/L	
132-64-9	Dibenzofuran			not detected	NLE	2.13 ug/L	

Semi-Volatile Analysis Report
Page 2

Data File Name **bna01299.d**
Operator **Skelton**
Date Acquired **19 Nov 1998 5:45 am**

Sample Name **4038.05**
Misc Info **Field Dup**
Sample Multiplier **1**

121-14-2	2,4-Dinitrotoluene			not detected	10	1.22	ug/L
84-66-2	Diethylphthalate			not detected	5000	1.68	ug/L
86-73-7	Fluorene			not detected	300	1.93	ug/L
7005-72-3	4-Chlorophenyl-phenylether			not detected	NLE	1.53	ug/L
100-01-6	4-Nitroaniline			not detected	NLE	2.70	ug/L
86-30-6	n-Nitrosodiphenylamine			not detected	20	1.73	ug/L
103-33-3	Azobenzene			not detected	NLE	1.92	ug/L
101-55-3	4-Bromophenyl-phenylether			not detected	NLE	1.54	ug/L
118-74-1	Hexachlorobenzene			not detected	10	1.88	ug/L
85-01-8	Phenanthrene			not detected	NLE	1.67	ug/L
120-12-7	Anthracene			not detected	2000	1.79	ug/L
84-74-2	Di-n-butylphthalate			not detected	900	1.83	ug/L
206-44-0	Fluoranthene			not detected	300	1.85	ug/L
92-87-5	Benzidine			not detected	50	4.11	ug/L
129-00-0	Pyrene			not detected	200	1.02	ug/L
85-68-7	Butylbenzylphthalate			not detected	100	1.15	ug/L
56-55-3	Benzo[a]anthracene			not detected	10	1.57	ug/L
91-94-1	3,3'-Dichlorobenzidine			not detected	60	2.28	ug/L
218-01-9	Chrysene			not detected	20	2.32	ug/L
117-81-7	bis(2-Ethylhexyl)phthalate			not detected	30	1.29	ug/L
117-84-0	Di-n-octylphthalate			not detected	100	1.30	ug/L
205-99-2	Benzo[b]fluoranthene			not detected	10	1.31	ug/L
207-08-9	Benzo[k]fluoranthene			not detected	2	1.57	ug/L
50-32-8	Benzo[a]pyrene			not detected	20	1.36	ug/L
193-39-5	Indeno[1,2,3-cd]pyrene			not detected	20	1.22	ug/L
53-70-3	Dibenz[a,h]anthracene			not detected	20	3.12	ug/L
191-24-2	Benzo[g,h,i]perylene			not detected	NLE	1.13	ug/L

Qualifiers

E = Value exceeded linear range
D = Value from dilution
B = Compound in related blank
MDL = Method Detection Limit
NLE = No Limit Established
R.T. = Retention Time

1F
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET FIELD ID
TENTATIVELY IDENTIFIED COMPOUNDS

Field Dup

Lab Name: FMETL Lab Code 13461
Project 980932 Case No.: 4038 Location UST SDG No.: _____
Matrix: (soil/water) WATER Lab Sample ID: 4038.05
Sample wt/vol: 1000 (g/ml) ML Lab File ID: BNA01299.D
Level: (low/med) LOW Date Received: 11/09/98
% Moisture: _____ decanted: (Y/N) N Date Extracted: 11/10/98
Concentrated Extract Volume: 1000 (uL) Date Analyzed: 11/19/98
Injection Volume: 1.0 (uL) Dilution Factor: 1.0
GPC Cleanup: (Y/N) N pH: 7

CONCENTRATION UNITS:

Number TICs found: 2 (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
1. 000301-02-0	9-Octadecenamide, (Z)-	23.23	16	JN
2.	unknown	26.39	36	J

LABORATORY DELIVERABLES CHECKLIST AND NON-CONFORMANCE SUMMARY

THIS FORM MUST BE COMPLETED BY THE LABORATORY OR ENVIRONMENTAL CONSULTANT AND ACCOMPANY ALL DATA SUBMISSIONS


The following Laboratory Deliverables checklist and Non-Conformance Summary shall be included in the data submission. All deviations from the accepted methodology and procedures, of performance values outside acceptable ranges shall be summarized in the Non-Conformance Summary. The Technical Requirements for Site Remediation, effective June 7, 1993, provides further details. The document shall be bound and paginated, contain a table of contents, and all pages shall be legible. Incomplete packages will be returned or held without review until the data package is completed.

It is recommended that the analytical results summary sheets listing all targeted and non-targeted compounds with the method detection limits, practical quantitation limits, and the laboratory and/or sample numbers be included in one section of the data package and in the main body of the report.

- | | |
|--|-------------------------------------|
| 1. Cover page, Title Page listing Lab Certification #, facility name and address, & date of report submitted | <input checked="" type="checkbox"/> |
| 2. Table of Contents submitted | <input checked="" type="checkbox"/> |
| 3. Summary Sheets listing analytical results for all targeted and non-targeted compounds submitted | <input checked="" type="checkbox"/> |
| 4. Document paginated and legible | <input checked="" type="checkbox"/> |
| 5. Chain of Custody submitted | <input checked="" type="checkbox"/> |
| 6. Samples submitted to lab within 48 hours of sample collection | <input checked="" type="checkbox"/> |
| 7. Methodology Summary submitted | <input checked="" type="checkbox"/> |
| 8. Laboratory Chronicle and Holding Time Check submitted | <input checked="" type="checkbox"/> |
| 9. Results submitted on a dry weight basis | <input checked="" type="checkbox"/> |
| 10. Method Detection Limits submitted | <input checked="" type="checkbox"/> |
| 11. Lab certified by NJDEP for parameters of appropriate category of parameters or a member of the USEPA CLP | <input checked="" type="checkbox"/> |

Laboratory Manager or Environmental Consultant's Signature

Date 12/18/96



Laboratory Certification #13461

*Refer to NJAC 7:26E - Appendix A, Section IV - Reduced Data Deliverables - Non-USEPA/CLP Methods for further guidance.

Laboratory Authentication Statement

I certify under penalty of law, where applicable, that this laboratory meets the Laboratory Performance Standards and Quality Control requirements specified in N.J.A.C. 7:18 and 40 CFR Part 136 for Water and Wastewater Analyses and SW-846 for Solid Waste Analysis. I have personally examined the information contained in this report and to the best of my knowledge, I believe that the submitted information is true, accurate, complete and meets the above referenced standards where applicable. I am aware that there are significant penalties for purposefully submitting falsified information, including the possibility of a fine and imprisonment.

A handwritten signature in black ink, consisting of several loops and a long horizontal stroke extending to the right, positioned above a solid horizontal line.

Daniel K. Wright
Laboratory Manager

FORT MONMOUTH ENVIRONMENTAL TESTING LABORATORY

DIRECTORATE OF PUBLIC WORKS

PHONE: (732)532-6224 FAX: (732)532-3484

WET-CHEM - METALS - ORGANICS - FIELD SAMPLING
NJDEP LABORATORY CERTIFICATION # 13461



ANALYTICAL DATA REPORT
Fort Monmouth Environmental Laboratory
ENVIRONMENTAL DIVISION
Fort Monmouth, New Jersey
PROJECT: UST Program

Bldg. 1109

Field Location No. & Location	Laboratory Sample ID#	Matrix	Date and Time Of Collection	Date Received
Trip Blank	4099.01	Aqueous	02-Dec-98	12/02/98
Field Blank	4099.02	Aqueous	02-Dec-98 11:25	12/02/98
Bldg. 1109	4101.01	Aqueous	02-Dec-98 14:23	12/02/98
Bldg. 1109	4101.02	Aqueous	02-Dec-98 14:40	12/02/98

ANALYSIS:
FORT MONMOUTH ENVIRONMENTAL LAB
VOA+15, BN+15


Daniel Wright/Date
Laboratory Director

Table of Contents

<u>Section</u>	<u>Pages</u>
Chain of Custody	1-3
Field Documentation	4-6
Methodology Summary	7-8
Conformance/Non-Conformance Summary	9-11
Laboratory Chronicle	12-13
Volatile Organics	14-15
Analytical Results Summary	16-23
Tune Results Summary	24-28
Method Blank Results Summary	29-30
Calibration Summary	31-34
Surrogate Recovery Summary	35-36
MS/MSD Results Summary	35-36
Internal Standard Area & RT Summary	39
Chromatograms	40-47
Base Neutrals	48
Analytical Results Summary	49-54
Tune Results Summary	55-59
Method Blank Results Summary	60-61
Calibration Summary	62-66
Surrogate Recovery Summary	67-68
MS/MSD Results Summary	69-71
Internal Standard Area & RT Summary	72-73
Chromatograms	74-79
Laboratory Deliverables Checklist	80
Laboratory Authentication Statement	81

CHAIN OF CUSTODY

000001



Fort Monmouth Environmental Testing Laboratory

Bldg. 173, SELFM-PW-EV, Fort Monmouth, NJ 07703

Tel (732)532-4359 Fax (732)532-3484 EMail:appleby@doim6.monmouth.army.mil

NJDEP Certification #13461

Chain of Custody Record

Customer: CHAS. APPLEBY/VERSAR		Project No:		Analysis Parameters						Comments:
Phone #: 20224		Location: BLDG. 1109		V	B					
() DERA (X) OMA () Other:				O	N					
Samplers Name / Company: MARK LAURA - T.V.S. - PWS 07				Sample #						
Lab Sample I.D.	Sample Location	Date	Time	Type	bottles	A	N			Remarks / Preservation Method
4601	1 BLDG. 1109	12-2-98	1423	AQ.	2	X				HCL
4	2 "	"	1440	"	1		X			L40C
Relinquished by (signature):		Date/Time:	Received by (signature):		Relinquished by (signature):		Date/Time:	Received by (signature):		
<i>Mark Laura</i>		12-2-98 1455	<i>J. Appleby</i>							
Relinquished by (signature):		Date/Time:	Received by (signature):		Relinquished by (signature):		Date/Time:	Received by (signature):		
Report Type: () Full, (X) Reduced, () Standard, () Screen / non-certified					Remarks:					
Turnaround time: (X) Standard 4 wks, () Rush ___ Days, () ASAP Verbal ___ Hrs.										

000002



Fort Monmouth Environmental Testing Laboratory

Bldg. 173, SELFM-PW-EV, Fort Monmouth, NJ 07703

Tel (732)532-4359 Fax (732)532-3484 EMail:appleby@doim6.monmouth.army.mil

NJDEP Certification #13461

Chain of Custody Record

Customer: CHAS. APLOY / VCRSAA		Project No:		Analysis Parameters						Comments:		
Phone #: 202224		Location: BLDG. 2504		V O A + IS	B N + IS							
() DERA (X) OMA () Other:												
Samplers Name / Company: MARK LAURA T.V.S. PWS 07				Sample #								
Lab Sample I.D.	Sample Location	Date	Time	Type	bottles							Remarks / Preservation Method
4099. 1	TRIP BLANK	12-2-98	-	AQ.	2	X						HCL
2	FIELD BLANK	"	1125	"	3	X	X					HCL/240C
3	BLDG. 2504	"	1150	"	3	X	X					"
4	FIELD DUP.	"	-	"	3	X	X					
Relinquished by (signature):		Date/Time:	Received by (signature):		Relinquished by (signature):		Date/Time:	Received by (signature):				
<i>[Signature]</i>		12-2-98/1455	<i>[Signature]</i>									
Relinquished by (signature):		Date/Time:	Received by (signature):		Relinquished by (signature):		Date/Time:	Received by (signature):				
Report Type: () Full, (X) Reduced, () Standard, () Screen / non-certified					Remarks:							
Turnaround time: (X) Standard 4 wks, () Rush ___ Days, () ASAP Verbal ___ Hrs.												

FIELD
DOCUMENTATION

000004

Post Remedial Groundwater Sampling at Former Underground Storage Tank Site [# 2 fuel oil]

FOR BLDG. # 1109

Ground Water Sampling with the use of a Passively Placed Narrow Diameter Point (PPNDP)

Objective:

To collect a representative groundwater sample utilizing a narrow diameter point [PPNDP] This is a small diameter [1-inch OD] screened casing passively placed in a borehole. The casing is of p.v.c. construction.

1. Methods

- A. A solid push - rod (bull point) is used to create a narrow diameter hole to a depth below the water table. A piece of schedule 40 PVC screen with 0.010-inch slots and an end cap is placed to the bottom of the hole. Glues or adhesives are not used for joining the casing. Threaded PVC casing is used. No filter or gravel pack is used.

2. Installation

- A. Using a Geoprobe, a borehole was advanced with a pre-probe with a diameter slightly larger than the casing. The hole was made to a depth of 14 feet. The water table was at 10.5 feet below ground surface.
- B. The screened section of PVC was placed into the borehole so the screened section was across the ground water table from 9 - 14 feet. Riser casing from 9 - +1 feet.

3. Purging

- A. Three volumes of the standing water in the point were purged. The amount of water extracted was app. 0.123 gal. Three to five volumes are purged due to the potential for cross contamination of the screen from upper soil horizons. This was accomplished utilizing a peristaltic pump, and utilizing food grade tubing.

4. Sampling

- A. Sampling methods, sample preservation requirements, sample handling times, decontamination procedure for field equipment, and frequency for field blanks, field duplicates and trip blanks conform to applicable industry methods such as those specified in the NJDEP "Field Sampling Procedures Manual" in effect as of the date on which sampling is performed. Any deviations from the methods in the "Field Sampling Procedures Manual" pursuant to N.J.A.C. 7:26E-1.6(c) has been approved by the person responsible for conducting the remediation.

All samples were preserved in the field immediately after collection and submitted to the laboratory as soon as possible and no later than 48 hours after sample collection.

The acquisition of samples and water level measurements were performed as recommended and described in the May 1992 edition of NJDEP Field Sampling Procedures Manual.

5. Quality Assurance/Quality Control

A. Decontamination

The associated equipment (bull point, riser pipe, etc.) was decontaminated between borings using the following procedure:

1. Remove all adherent soil material.
2. Wash with a laboratory grade glassware detergent.
3. Rinsed with potable water.
4. Rinse with distilled and deionized ASTM Type II water.


B. Field Blanks

1 Field blank was taken at this location.

C. Sample bottles: Supplied by Environmental Sampling Supply, Oakland, Calif. The sample bottles are certified clean and are sealed upon delivery.

D. P.V.C. Screens: Supplied by Bedrock Enterprises, Forked River N.J.

Geoprobe Operator: Mark Laura
Employer: U.S. Army, Fort Monmouth
Phone Number: [732] 532-8990
NJDEP License #: J-1486


Mark Laura / Date

METHODOLOGY SUMMARY

000007

Methodology Summary

EPA Method 624

Gas Chromatographic Determination of Volatiles in Water

Surrogates and internal standards are added to a 5 ml aliquot of sample. The sample is then purged and desorbed into a GC/MS system. The organic compounds are separated by the gas chromatograph and detected using the mass spectrometer. Volatiles are identified and quantitated.

EPA Method 3510/8270

Gas Chromatographic Determination of Semi-volatiles in Water

Surrogates are added to a measured volume of sample, usually 1 liter, at a specified pH. The sample is serially extracted with Methylene Chloride using a separatory funnel. The extract concentrated and internal standards are added. The sample is injected into a GC/MS system. Semi-volatiles are identified and quantitated.

CONFIRMANCE/
NON-CONFIRMANCE
SUMMARY

000009

GC/MS ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY FORMAT

Indicate
Yes, No, N/A

1. Chromatograms labeled/Compounds identified
(Field samples and method blanks) yes
2. Retention times for chromatograms provided yes
3. GC/MS Tune Specifications
 - a. BFB Meet Criteria yes
 - b. DFTPP Meet Criteria yes
4. GC/MS Tuning Frequency – Performed every 24 hours for 600 series and 12 hours for 8000 series yes
5. GC/MS Calibration – Initial Calibration performed before sample analysis and continuing calibration performed within 24 hours of sample analysis for 600 series and 12 hours for 8000 series yes
6. GC/MS Calibration requirements
 - a. Calibration Check Compounds Meet Criteria yes
 - b. System Performance Check Compounds Meet Criteria yes
7. Blank Contamination – If yes, List compounds and concentrations in each blank: no
 - a. VOA Fraction _____
 - b. B/N Fraction _____
 - c. Acid Fraction NA _____
8. Surrogate Recoveries Meet Criteria yes

If not met, list those compounds and their recoveries, which fall outside the acceptable range:

 - a. VOA Fraction _____
 - b. B/N Fraction _____
 - c. Acid Fraction NA _____

If not met, were the calculations checked and the results qualified as "estimated"?

9. Matrix Spike/Matrix Spike Duplicate Recoveries Meet Criteria yes

(If not met, list those compounds and their recoveries, which fall outside the acceptable range)

 - a. VOA Fraction _____
 - b. B/N Fraction _____
 - c. Acid Fraction NA _____

000010

GC/MS ANALYSIS CONFORMANCE/NON-CONFORMANCE SUMMARY FORMAT (cont.)

Indicate
Yes, No, N/A

10. Internal Standard Area/Retention Time Shift Meet Criteria
(If not met, list those compounds, which fall outside the acceptable range)

Yes

- a. VOA Fraction _____
- b. B/N Fraction _____
- c. Acid Fraction NA

11. Extraction Holding Time Met

Yes

If not met, list the number of days exceeded for each sample: _____

12. Analysis Holding Time Met

Yes

If not met, list the number of days exceeded for each sample: _____

Additional Comments:

Laboratory Manager: _____

Date: 1-4-99

LABORATORY CHRONICLE

000012

Laboratory Chronicle

Lab ID: 4101

Site: Bldg 1109

	Date	Hold Time
Date Sampled	12/02/98	NA
Receipt/Refrigeration	12/02/98	NA
Extractions		
1. Base Neutrals	12/03/98	14 days
Analyses		
1. Volatile Organics	12/03/98	14 days
2. Base Neutrals	12/08/98	40 days

000013

VOLATILE ORGANICS

000014

US ARMY FT. MONMOUTH ENVIRONMENTAL LABORATORY
NJDEPE # 13461

Definition of Qualifiers

MDL : Method Detection Limit

J : Compound identified below detection limit

B : Compound in both sample and blank

D : Results from dilution of sample

U : Compound searched for but not detected

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Name v05171.d
 Operator Skelton
 Date Acquired 3 Dec 1998 9:28

Sample Name Vblk126
 Field ID Vblk126
 Sample Multiplier 1

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifiers
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethane			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone			not detected	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride			not detected	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene			not detected	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ether			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloropropene			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes			not detected	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethane			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
 E = Value above linear range
 D = Value from dilution
 PQL = Practical Quantitation Limit

MDL = Method Detection Limit
 NLE = No Limit Established
 R.T. = Retention Time

000016

1E
VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID

Vblk126

Lab Name: FMETL Project 980932
NJDEP # 13461 Case No.: 4101 Location UST SDG No.: _____
Matrix: (soil/water) WATER Lab Sample ID: Vblk126
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: V05171.D
Level: (low/med) LOW Date Received: 12/02/98
% Moisture: not dec. _____ Date Analyzed: 12/03/98
GC Column: RTX-502 ID: 0.25 (mm) Dilution Factor: 1.0
Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

Number TICs found: 0 (ug/L or ug/Kg) UG/L

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q
---------	---------------	----	------------	---

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Name v05178.d
 Operator Skelton
 Date Acquired 3 Dec 1998 14:48

Sample Name 4099.01
 Field ID Trip Blank
 Sample Multiplier 1

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifiers
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethane			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone			not detected	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride			not detected	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene			not detected	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ether			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloropropene			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes			not detected	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethane			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
 E = Value above linear range
 D = Value from dilution
 PQL = Practical Quantitation Limit

MDL = Method Detection Limit
 NLE = No Limit Established
 R.T. = Retention Time

000018

1E
VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID

Trip Blank

Lab Name: FMETL Project 980932

NJDEP # 13461 Case No.: 4099 Location UST SDG No.: _____

Matrix: (soil/water) WATER Lab Sample ID: 4099.01

Sample wt/vol: 5.0 (g/ml) ML Lab File ID: V05178.D

Level: (low/med) LOW Date Received: 12/02/98

% Moisture: not dec. _____ Date Analyzed: 12/03/98

GC Column: RTX-502 ID: 0.25 (mm) Dilution Factor: 1.0

Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/L

Number TICs found: 1

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q
1. 000110-54-3	Hexane	14.22	6	JN

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Name v05179.d
 Operator Skelton
 Date Acquired 3 Dec 1998 15:30

Sample Name 4099.02
 Field ID Field Blank
 Sample Multiplier 1

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifiers
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethane			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone			not detected	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride			not detected	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene			not detected	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ether			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloropropene			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes			not detected	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethane			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
 E = Value above linear range
 D = Value from dilution
 PQL = Practical Quantitation Limit

MDL = Method Detection Limit
 NLE = No Limit Established
 R.T. = Retention Time

000020

1E
VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID

Field Blank

Lab Name: FMETL Project 980932
NJDEP # 13461 Case No.: 4099 Location UST SDG No.: _____
Matrix: (soil/water) WATER Lab Sample ID: 4099.02
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: V05179.D
Level: (low/med) LOW Date Received: 12/02/98
% Moisture: not dec. _____ Date Analyzed: 12/03/98
GC Column: RTX-502 ID: 0.25 (mm) Dilution Factor: 1.0
Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/L

Number TICs found: 1

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q
1.	unknown	14.24	6	J

Volatile Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Name **V05183.D**
 Operator **Skelton**
 Date Acquired **3 Dec 1998 18:21**

Sample Name **4101.01**
 Field ID **Bldg1109**
 Sample Multiplier **1**

CAS#	Compound Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifiers
107028	Acrolein			not detected	50	1.85 ug/L	
107131	Acrylonitrile			not detected	50	2.78 ug/L	
75650	tert-Butyl alcohol			not detected	nle	8.52 ug/L	
1634044	Methyl-tert-Butyl ether			not detected	nle	0.16 ug/L	
108203	Di-isopropyl ether			not detected	nle	0.25 ug/L	
	Dichlorodifluoromethane			not detected	nle	1.68 ug/L	
74-87-3	Chloromethane			not detected	30	1.16 ug/L	
75-01-4	Vinyl Chloride			not detected	5	1.06 ug/L	
74-83-9	Bromomethane			not detected	10	1.10 ug/L	
75-00-3	Chloroethane			not detected	nle	1.01 ug/L	
75-69-4	Trichlorofluoromethane			not detected	nle	0.50 ug/L	
75-35-4	1,1-Dichloroethene			not detected	2	0.24 ug/L	
67-64-1	Acetone			not detected	700	1.36 ug/L	
75-15-0	Carbon Disulfide			not detected	nle	0.46 ug/L	
75-09-2	Methylene Chloride			not detected	2	0.24 ug/L	
156-60-5	trans-1,2-Dichloroethene			not detected	100	0.16 ug/L	
75-35-3	1,1-Dichloroethane			not detected	70	0.12 ug/L	
108-05-4	Vinyl Acetate			not detected	nle	0.78 ug/L	
78-93-3	2-Butanone			not detected	300	0.62 ug/L	
	cis-1,2-Dichloroethene			not detected	10	0.17 ug/L	
67-66-3	Chloroform			not detected	6	0.30 ug/L	
75-55-6	1,1,1-Trichloroethane			not detected	30	0.23 ug/L	
56-23-5	Carbon Tetrachloride			not detected	2	0.47 ug/L	
71-43-2	Benzene			not detected	1	0.23 ug/L	
107-06-2	1,2-Dichloroethane			not detected	2	0.18 ug/L	
79-01-6	Trichloroethene			not detected	1	0.23 ug/L	
78-87-5	1,2-Dichloropropane			not detected	1	0.40 ug/L	
75-27-4	Bromodichloromethane			not detected	1	0.55 ug/L	
110-75-8	2-Chloroethyl vinyl ether			not detected	nle	0.65 ug/L	
10061-01-5	cis-1,3-Dichloropropene			not detected	nle	0.69 ug/L	
108-10-1	4-Methyl-2-Pentanone			not detected	400	0.59 ug/L	
108-88-3	Toluene			not detected	1000	0.37 ug/L	
10061-02-6	trans-1,3-Dichloropropene			not detected	nle	0.87 ug/L	
79-00-5	1,1,2-Trichloroethane			not detected	3	0.48 ug/L	
127-18-4	Tetrachloroethene			not detected	1	0.32 ug/L	
591-78-6	2-Hexanone			not detected	nle	0.71 ug/L	
126-48-1	Dibromochloromethane			not detected	10	0.86 ug/L	
108-90-7	Chlorobenzene			not detected	4	0.39 ug/L	
100-41-4	Ethylbenzene			not detected	700	0.65 ug/L	
1330-20-7	m+p-Xylenes	29.11	22559	1.79 ug/L	nle	1.14 ug/L	
1330-20-7	o-Xylene			not detected	nle	0.62 ug/L	
100-42-5	Styrene			not detected	100	0.56 ug/L	
75-25-2	Bromoform			not detected	4	0.70 ug/L	
79-34-5	1,1,2,2-Tetrachloroethane			not detected	2	0.47 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	0.55 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	0.57 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	0.64 ug/L	

* Higher of PQL's and Ground Water Quality Criteria as per N.J.A.C. 7:9-6

Qualifiers

B = Compound found in related blank
 E = Value above linear range
 D = Value from dilution
 PQL = Practical Quantitation Limit

MDL = Method Detection Limit
 NLE = No Limit Established
 R.T. = Retention Time

000022

1E
VOLATILE ORGANICS ANALYSIS DATA SHEET
TENTATIVELY IDENTIFIED COMPOUNDS

FIELD ID

Bldg. 1109

Lab Name: FMETL Project 980932
NJDEP # 13461 Case No.: 4101 Location UST SDG No.: _____
Matrix: (soil/water) WATER Lab Sample ID: 4101.01
Sample wt/vol: 5.0 (g/ml) ML Lab File ID: V05183.D
Level: (low/med) LOW Date Received: 12/02/98
% Moisture: not dec. _____ Date Analyzed: 12/03/98
GC Column: RTX-502 ID: 0.25 (mm) Dilution Factor: 1.0
Soil Extract Volume: _____ (uL) Soil Aliquot Volume: _____ (uL)

CONCENTRATION UNITS:

(ug/L or ug/Kg) UG/L

Number TICs found: 0

CAS NO.	COMPOUND NAME	RT	EST. CONC.	Q
---------	---------------	----	------------	---

BASE NEUTRAL

000048

Semi-Volatile Base Neutral Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Name **BNA01545.D**
 Operator **Skelton**
 Date Acquired **8 Dec 1998 2:00 am**

Sample Name **Sbik175**
 Misc Info **Sbik175 A 98120**
 Sample Multiplier **1**

CAS#	Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
110-86-1	Pyridine			not detected	NLE	2.52 ug/L	
62-75-9	N-nitroso-dimethylamine			not detected	20	2.64 ug/L	
62-53-3	Aniline			not detected	NLE	2.90 ug/L	
111-44-4	bis(2-Chloroethyl)ether			not detected	10	2.45 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	2.65 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	2.50 ug/L	
100-51-6	Benzyl alcohol			not detected	NLE	2.09 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	2.44 ug/L	
108-60-1	bis(2-chloroisopropyl)ether			not detected	300	2.96 ug/L	
621-64-7	n-Nitroso-di-n-propylamine			not detected	20	2.22 ug/L	
67-72-1	Hexachloroethane			not detected	10	2.59 ug/L	
98-95-3	Nitrobenzene			not detected	10	2.45 ug/L	
78-59-1	Isophorone			not detected	100	2.31 ug/L	
111-91-1	bis(2-Chloroethoxy)methane			not detected	NLE	2.54 ug/L	
120-82-1	1,2,4-Trichlorobenzene			not detected	9	2.58 ug/L	
91-20-3	Naphthalene			not detected	NLE	3.03 ug/L	
106-47-8	4-Chloroaniline			not detected	NLE	2.55 ug/L	
87-68-3	Hexachlorobutadiene			not detected	1	0.64 ug/L	
91-57-6	2-Methylnaphthalene			not detected	NLE	2.49 ug/L	
77-47-4	Hexachlorocyclopentadiene			not detected	50	1.59 ug/L	
91-58-7	2-Chloronaphthalene			not detected	NLE	2.15 ug/L	
88-74-4	2-Nitroaniline			not detected	NLE	1.62 ug/L	
131-11-3	Dimethylphthalate			not detected	7000	2.74 ug/L	
208-96-8	Acenaphthylene			not detected	NLE	2.35 ug/L	
606-20-2	2,6-Dinitrotoluene			not detected	NLE	1.54 ug/L	
99-09-2	3-Nitroaniline			not detected	NLE	1.62 ug/L	
83-32-9	Acenaphthene			not detected	400	1.98 ug/L	
132-64-9	Dibenzofuran			not detected	NLE	2.13 ug/L	
121-14-2	2,4-Dinitrotoluene			not detected	10	1.22 ug/L	
84-66-2	Diethylphthalate			not detected	5000	1.68 ug/L	
86-73-7	Fluorene			not detected	300	1.93 ug/L	
7005-72-3	4-Chlorophenyl-phenylether			not detected	NLE	1.53 ug/L	
100-01-6	4-Nitroaniline			not detected	NLE	2.70 ug/L	
86-30-6	n-Nitrosodiphenylamine			not detected	20	1.73 ug/L	
103-33-3	Azobenzene			not detected	NLE	1.92 ug/L	
101-55-3	4-Bromophenyl-phenylether			not detected	NLE	1.54 ug/L	
118-74-1	Hexachlorobenzene			not detected	10	1.88 ug/L	
85-01-8	Phenanthrene			not detected	NLE	1.67 ug/L	
120-12-7	Anthracene			not detected	2000	1.79 ug/L	
84-74-2	Di-n-butylphthalate			not detected	900	1.83 ug/L	
206-44-0	Fluoranthene			not detected	300	1.85 ug/L	
92-87-5	Benzidine			not detected	50	4.11 ug/L	
129-00-0	Pyrene			not detected	200	1.02 ug/L	
85-68-7	Butylbenzylphthalate			not detected	100	1.15 ug/L	
56-55-3	Benzo[a]anthracene			not detected	10	1.57 ug/L	
91-94-1	3,3'-Dichlorobenzidine			not detected	60	2.28 ug/L	
218-01-9	Chrysene			not detected	20	2.32 ug/L	
117-81-7	bis(2-Ethylhexyl)phthalate			not detected	30	1.29 ug/L	
117-84-0	Di-n-octylphthalate			not detected	100	1.30 ug/L	
205-99-2	Benzo[b]fluoranthene			not detected	10	1.31 ug/L	
207-08-9	Benzo[k]fluoranthene			not detected	2	1.57 ug/L	
50-32-8	Benzo[a]pyrene			not detected	20	1.36 ug/L	
193-39-5	Indeno[1,2,3-cd]pyrene			not detected	20	1.22 ug/L	
53-70-3	Dibenz[a,h]anthracene			not detected	20	3.12 ug/L	
191-24-2	Benzo[g,h,i]perylene			not detected	NLE	1.13 ug/L	

* Higher of PQL's and Ground Water Criteria as per NJAC 7-9-

Qualifiers

E = Value exceeded linear range
 D = Value from dilution
 B = Compound in related blank
 PQL = Practical Quantitation Limit

MDL = Method Detection Limit
 NLE = No Limit Established
 R.T. = Retention Time

000049

1F
 SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET FIELD ID
 TENTATIVELY IDENTIFIED COMPOUNDS

Sblk175

Lab Name: FMETL Lab Code 13461

Project 980932 Case No.: 4101 Location UST SDG No.: _____

Matrix: (soil/water) WATER Lab Sample ID: Sblk175

Sample wt/vol: 1000 (g/ml) ML Lab File ID: BNA01545.D

Level: (low/med) LOW Date Received: 12/02/98

% Moisture: _____ decanted: (Y/N) N Date Extracted: 12/03/98

Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/08/98

Injection Volume: 1.0 (uL) Dilution Factor: 1.0

GPC Cleanup: (Y/N) N pH: 7

CONCENTRATION UNITS:

Number TICs found: 0 (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q

Semi-Volatile Base Neutral Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Name **baa01556.d**
 Operator **Skelton**
 Date Acquired **8 Dec 1998 9:46 am**

Sample Name **4099.02**
 Misc Info **Field Blank**
 Sample Multiplier **1**

CAS#	Name	R.T.	Response	Result	Regulatory Level (ug/l)*	MDL	Qualifier
110-86-1	Pyridine			not detected	NLE	2.52 ug/L	
62-75-9	N-nitroso-dimethylamine			not detected	20	2.64 ug/L	
62-53-3	Aniline			not detected	NLE	2.90 ug/L	
111-44-4	bis(2-Chloroethyl)ether			not detected	10	2.45 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	2.65 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	2.50 ug/L	
100-51-6	Benzyl alcohol			not detected	NLE	2.09 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	2.44 ug/L	
108-60-1	bis(2-chloroisopropyl)ether			not detected	300	2.96 ug/L	
621-64-7	n-Nitroso-di-n-propylamine			not detected	20	2.22 ug/L	
67-72-1	Hexachloroethane			not detected	10	2.59 ug/L	
98-95-3	Nitrobenzene			not detected	10	2.45 ug/L	
78-59-1	Isophorone			not detected	100	2.31 ug/L	
111-91-1	bis(2-Chloroethoxy)methane			not detected	NLE	2.54 ug/L	
120-82-1	1,2,4-Trichlorobenzene			not detected	9	2.58 ug/L	
91-20-3	Naphthalene			not detected	NLE	3.03 ug/L	
106-47-8	4-Chloroaniline			not detected	NLE	2.55 ug/L	
87-68-3	Hexachlorobutadiene			not detected	1	0.64 ug/L	
91-57-6	2-Methylnaphthalene			not detected	NLE	2.49 ug/L	
77-47-4	Hexachlorocyclopentadiene			not detected	50	1.59 ug/L	
91-58-7	2-Chloronaphthalene			not detected	NLE	2.15 ug/L	
88-74-4	2-Nitroaniline			not detected	NLE	1.62 ug/L	
131-11-3	Dimethylphthalate			not detected	7000	2.74 ug/L	
208-96-8	Acenaphthylene			not detected	NLE	2.35 ug/L	
606-20-2	2,6-Dinitrotoluene			not detected	NLE	1.54 ug/L	
99-09-2	3-Nitroaniline			not detected	NLE	1.62 ug/L	
83-32-9	Acenaphthene			not detected	400	1.98 ug/L	
132-64-9	Dibenzofuran			not detected	NLE	2.13 ug/L	
121-14-2	2,4-Dinitrotoluene			not detected	10	1.22 ug/L	
84-66-2	Diethylphthalate			not detected	5000	1.68 ug/L	
86-73-7	Fluorene			not detected	300	1.93 ug/L	
7005-72-3	4-Chlorophenyl-phenylether			not detected	NLE	1.53 ug/L	
100-01-6	4-Nitroaniline			not detected	NLE	2.70 ug/L	
86-30-6	n-Nitrosodiphenylamine			not detected	20	1.73 ug/L	
103-33-3	Azobenzene			not detected	NLE	1.92 ug/L	
101-55-3	4-Bromophenyl-phenylether			not detected	NLE	1.54 ug/L	
118-74-1	Hexachlorobenzene			not detected	10	1.88 ug/L	
85-01-8	Phenanthrene			not detected	NLE	1.67 ug/L	
120-12-7	Anthracene			not detected	2000	1.79 ug/L	
84-74-2	Di-n-butylphthalate			not detected	900	1.83 ug/L	
206-44-0	Fluoranthene			not detected	300	1.85 ug/L	
92-87-5	Benzidine			not detected	50	4.11 ug/L	
129-00-0	Pyrene			not detected	200	1.02 ug/L	
85-68-7	Butylbenzylphthalate			not detected	100	1.15 ug/L	
56-55-3	Benzo[a]anthracene			not detected	10	1.57 ug/L	
91-94-1	3,3'-Dichlorobenzidine			not detected	60	2.28 ug/L	
218-01-9	Chrysene			not detected	20	2.32 ug/L	
117-81-7	bis(2-Ethylhexyl)phthalate	24.49	69823	2.83 ug/L	30	1.29 ug/L	
117-84-0	Di-n-octylphthalate			not detected	100	1.30 ug/L	
205-99-2	Benzo[b]fluoranthene			not detected	10	1.31 ug/L	
207-08-9	Benzo[k]fluoranthene			not detected	2	1.57 ug/L	
50-32-8	Benzo[a]pyrene			not detected	20	1.36 ug/L	
193-39-5	Indeno[1,2,3-cd]pyrene			not detected	20	1.22 ug/L	
53-70-3	Dibenz[a,h]anthracene			not detected	20	3.12 ug/L	
191-24-2	Benzo[g,h,i]perylene			not detected	NLE	1.13 ug/L	

* Higher of PQL's and Ground Water Criteria as per NJAC 7:9-

Qualifiers

E = Value exceeded linear range
 D = Value from dilution
 B = Compound in related blank
 PQL = Practical Quantitation Limit

MDL = Method Detection Limit
 NLE = No Limit Established
 R.T. = Retention Time

000051

1F
SEMIVOLATILE ORGANICS ANALYSIS DATA SHEET FIELD ID
TENTATIVELY IDENTIFIED COMPOUNDS

Field Blank

Lab Name: FMETL Lab Code 13461
Project 980932 Case No.: 4099 Location UST SDG No.: _____
Matrix: (soil/water) WATER Lab Sample ID: 4099.02
Sample wt/vol: 1000 (g/ml) ML Lab File ID: BNA01556.D
Level: (low/med) LOW Date Received: 12/02/98
% Moisture: _____ decanted: (Y/N) N Date Extracted: 12/03/98
Concentrated Extract Volume: 1000 (uL) Date Analyzed: 12/08/98
Injection Volume: 1.0 (uL) Dilution Factor: 1.0
GPC Cleanup: (Y/N) N pH: 7

CONCENTRATION UNITS:

Number TICs found: 0 (ug/L or ug/Kg) UG/L

CAS NUMBER	COMPOUND NAME	RT	EST. CONC.	Q
------------	---------------	----	------------	---

Semi-Volatile Base Neutral Analysis Report
U.S. Army, Fort Monmouth Environmental Laboratory
NJDEP Certification #13461

Data File Name **bn01551.d**
 Operator **Skelton**
 Date Acquired **8 Dec 1998 6:14 am**

Sample Name **4101.02**
 Misc Info **Bldg1109**
 Sample Multiplier **1**

CAS#	Name	R.T.	Response	Result	Regulatory Level (ug/l) ^a	MDL	Qualifier
110-86-1	Pyridine			not detected	NLE	2.52 ug/L	
62-75-9	N-nitroso-dimethylamine			not detected	20	2.64 ug/L	
62-53-3	Aniline			not detected	NLE	2.90 ug/L	
111-44-4	bis(2-Chloroethyl)ether			not detected	10	2.45 ug/L	
541-73-1	1,3-Dichlorobenzene			not detected	600	2.65 ug/L	
106-46-7	1,4-Dichlorobenzene			not detected	75	2.50 ug/L	
100-51-6	Benzyl alcohol			not detected	NLE	2.09 ug/L	
95-50-1	1,2-Dichlorobenzene			not detected	600	2.44 ug/L	
108-60-1	bis(2-chloroisopropyl)ether			not detected	300	2.96 ug/L	
621-64-7	n-Nitroso-di-n-propylamine			not detected	20	2.22 ug/L	
67-72-1	Hexachloroethane			not detected	10	2.59 ug/L	
98-95-3	Nitrobenzene			not detected	10	2.45 ug/L	
78-59-1	Isophorone			not detected	100	2.31 ug/L	
111-91-1	bis(2-Chloroethoxy)methane			not detected	NLE	2.54 ug/L	
120-82-1	1,2,4-Trichlorobenzene			not detected	9	2.58 ug/L	
91-20-3	Naphthalene			not detected	NLE	3.03 ug/L	
106-47-8	4-Chloroaniline			not detected	NLE	2.55 ug/L	
87-68-3	Hexachlorobutadiene			not detected	1	0.64 ug/L	
91-57-6	2-Methylnaphthalene	11.84	171393	4.69 ug/L	NLE	2.49 ug/L	
77-47-4	Hexachlorocyclopentadiene			not detected	50	1.59 ug/L	
91-58-7	2-Chloronaphthalene			not detected	NLE	2.15 ug/L	
88-74-4	2-Nitroaniline			not detected	NLE	1.62 ug/L	
131-11-3	Dimethylphthalate			not detected	7000	2.74 ug/L	
208-96-8	Acenaphthylene			not detected	NLE	2.35 ug/L	
606-20-2	2,6-Dinitrotoluene			not detected	NLE	1.54 ug/L	
99-09-2	3-Nitroaniline			not detected	NLE	1.62 ug/L	
83-32-9	Acenaphthene			not detected	400	1.98 ug/L	
132-64-9	Dibenzofuran			not detected	NLE	2.13 ug/L	
121-14-2	2,4-Dinitrotoluene			not detected	10	1.22 ug/L	
84-66-2	Diethylphthalate			not detected	5000	1.68 ug/L	
86-73-7	Fluorene			not detected	300	1.93 ug/L	
7005-72-3	4-Chlorophenyl-phenylether			not detected	NLE	1.53 ug/L	
100-01-6	4-Nitroaniline			not detected	NLE	2.70 ug/L	
86-30-6	n-Nitrosodiphenylamine			not detected	20	1.73 ug/L	
103-33-3	Azobenzene			not detected	NLE	1.92 ug/L	
101-55-3	4-Bromophenyl-phenylether			not detected	NLE	1.54 ug/L	
118-74-1	Hexachlorobenzene			not detected	10	1.88 ug/L	
85-01-8	Phenanthrene			not detected	NLE	1.67 ug/L	
120-12-7	Anthracene			not detected	2000	1.79 ug/L	
84-74-2	Di-n-butylphthalate			not detected	900	1.83 ug/L	
206-44-0	Fluoranthene			not detected	300	1.85 ug/L	
92-87-5	Benzidine			not detected	50	4.11 ug/L	
129-00-0	Pyrene			not detected	200	1.02 ug/L	
85-68-7	Butylbenzylphthalate			not detected	100	1.15 ug/L	
56-55-3	Benzo[a]anthracene			not detected	10	1.57 ug/L	
91-94-1	3,3'-Dichlorobenzidine			not detected	60	2.28 ug/L	
218-01-9	Chrysene			not detected	20	2.32 ug/L	
117-81-7	bis(2-Ethylhexyl)phthalate			not detected	30	1.29 ug/L	
117-84-0	Di-n-octylphthalate			not detected	100	1.30 ug/L	
205-99-2	Benzo[b]fluoranthene			not detected	10	1.31 ug/L	
207-08-9	Benzo[k]fluoranthene			not detected	2	1.57 ug/L	
50-32-8	Benzo[a]pyrene			not detected	20	1.36 ug/L	
193-39-5	Indeno[1,2,3-cd]pyrene			not detected	20	1.22 ug/L	
53-70-3	Dibenz[a,h]anthracene			not detected	20	3.12 ug/L	
191-24-2	Benzo[g,h,i]perylene			not detected	NLE	1.13 ug/L	

* Higher of PQL's and Ground Water Criteria as per NJAC 7:9-

Qualifiers

E = Value exceeded linear range
 D = Value from dilution
 B = Compound in related blank
 PQL = Practical Quantitation Limit

MDL = Method Detection Limit
 NLE = No Limit Established
 R.T. = Retention Time

000053

LABORATORY DELIVERABLES CHECKLIST AND NON-CONFORMANCE SUMMARY

THIS FORM MUST BE COMPLETED BY THE LABORATORY OR ENVIRONMENTAL CONSULTANT AND ACCOMPANY ALL DATA SUBMISSIONS

The following Laboratory Deliverables checklist and Non-Conformance Summary shall be included in the data submission. All deviations from the accepted methodology and procedures, of performance values outside acceptable ranges shall be summarized in the Non-Conformance Summary. The Technical Requirements for Site Remediation, effective June 7, 1993, provides further details. The document shall be bound and paginated, contain a table of contents, and all pages shall be legible. Incomplete packages will be returned or held without review until the data package is completed.

It is recommended that the analytical results summary sheets listing all targeted and non-targeted compounds with the method detection limits, practical quantitation limits, and the laboratory and/or sample numbers be included in one section of the data package and in the main body of the report.

- | | |
|--|-------------------------------------|
| 1. Cover page, Title Page listing Lab Certification #, facility name and address, & date of report submitted | <input checked="" type="checkbox"/> |
| 2. Table of Contents submitted | <input checked="" type="checkbox"/> |
| 3. Summary Sheets listing analytical results for all targeted and non-targeted compounds submitted | <input checked="" type="checkbox"/> |
| 4. Document paginated and legible | <input checked="" type="checkbox"/> |
| 5. Chain of Custody submitted | <input checked="" type="checkbox"/> |
| 6. Samples submitted to lab within 48 hours of sample collection | <input checked="" type="checkbox"/> |
| 7. Methodology Summary submitted | <input checked="" type="checkbox"/> |
| 8. Laboratory Chronicle and Holding Time Check submitted | <input checked="" type="checkbox"/> |
| 9. Results submitted on a dry weight basis | <input checked="" type="checkbox"/> |
| 10. Method Detection Limits submitted | <input checked="" type="checkbox"/> |
| 11. Lab certified by NJDEP for parameters of appropriate category of parameters or a member of the USEPA CLP | <input checked="" type="checkbox"/> |

Laboratory Manager or Environmental Consultant's Signature _____

Date 1/4/99

Laboratory Certification #13461

*Refer to NJAC 7:26E - Appendix A, Section IV - Reduced Data Deliverables - Non-USEPA/CLP Methods for further guidance.

000080

Laboratory Authentication Statement

I certify under penalty of law, where applicable, that this laboratory meets the Laboratory Performance Standards and Quality Control requirements specified in N.J.A.C. 7:18 and 40 CFR Part 136 for Water and Wastewater Analyses and SW-846 for Solid Waste Analysis. I have personally examined the information contained in this report and to the best of my knowledge, I believe that the submitted information is true, accurate, complete and meets the above referenced standards where applicable. I am aware that there are significant penalties for purposefully submitting falsified information, including the possibility of a fine and imprisonment.



**Daniel K. Wright
Laboratory Manager**

000081

APPENDIX G
PHOTOGRAPHS



JULY 2, 1998

PHOTOGRAPHIC LOG

UST NO. 81533-169

**Building 1109
Main Post-West
Fort Monmouth**

VERSAR
Engineers, Managers, Scientists & Planners
Bristol, PA